
Interactive version

atlas concorde



CATALOG

2025

atlas concorde

A system of indoor and outdoor surfaces: floors, walls and decors.

atlasPLAN

Large slabs for kitchen countertops, tables and for furnishings.

atlas concorde habitat

Furniture in combination with Atlas Concorde surfaces.

Three brands, one space.

Index

Product Finder

- ALPHABETICAL INDEX
- LOOK INDEX
- PORCELAIN TILES SIZE INDEX
- OUTDOOR SIZE INDEX
- WALL TILES SIZE INDEX

Porcelain tiles surface range

- Concrete & Resin Look
- Marble Look
- Stone Look
- Wood Look

Wall tiles surface range

- 3D Wall
- Stone Look
- Wood Look
- Concrete Look
- Marble Look
- Color Look

Company

Collections

- 3D WALL
- CONCRETE & RESIN LOOK
- MARBLE LOOK
- STONE LOOK
- WOOD LOOK

- Trim Tiles

Large sizes

Slabs for countertops & furniture

Bathroom furniture & tables

Facades

Technical specifications

- Velvetech
- Sensitech
- Certifications
- Technical specification
- Destinations of use
- Color-Shading
- Laying suggestions, cleaning and maintenance
- Packing
- General sales conditions

Alphabetical Index

66 3D WALL CARVE (1) (2)
70 3D WALL DESIGN
74 3D WALL PLASTER

76 APLOMB (1)
262 AXI

80 BOOST
88 BOOST BALANCE
96 BOOST COLOR
104 BOOST EXPRESSION
216 BOOST ICOR
224 BOOST MINERAL
232 BOOST MIX
112 BOOST NATURAL (1)
120 BOOST NATURAL PRO
126 BOOST PRO
236 BOOST STONE
242 BRAVE

264 ENTICE
268 ETIC
270 ETIC PRO
272 EXENCE

276 HEARTWOOD
248 LIMS
280 LOG
288 LOG CANSEI

144 MARVEL
148 MARVEL 3D
152 MARVEL DIVA
160 MARVEL DREAM
164 MARVEL GALA (1)
168 MARVEL GEMS
170 MARVEL MERAVIGLIA (2)
180 MARVEL ONYX
184 MARVEL SHINE
196 MARVEL STONE Marble Look
202 MARVEL TRAVERTINE (1)
208 MARVEL X (1)

254 NORDE

134 PRISM

atlasconcorde.com >
CATALOGS DOWNLOAD

Look Index

3D Wall

66 3D WALL CARVE (1) (2)
70 3D WALL DESIGN
74 3D WALL PLASTER

148 MARVEL 3D

76 APLOMB (1)

Concrete & Resin Look

80 BOOST
88 BOOST BALANCE
96 BOOST COLOR
104 BOOST EXPRESSION
112 BOOST NATURAL (1)
120 BOOST NATURAL PRO
126 BOOST PRO
134 PRISM

Marble Look

144 MARVEL
148 MARVEL 3D
152 MARVEL DIVA
160 MARVEL DREAM
164 MARVEL GALA (1)
168 MARVEL GEMS
170 MARVEL MERAVIGLIA (2)
180 MARVEL ONYX
184 MARVEL SHINE
196 MARVEL STONE
202 MARVEL TRAVERTINE (1)
208 MARVEL X (1)

Stone Look

216 BOOST ICOR
224 BOOST MINERAL
232 BOOST MIX
236 BOOST STONE
242 BRAVE
248 LIMS
202 MARVEL TRAVERTINE (1)
254 NORDE

Wood Look

262 AXI
264 ENTICE
268 ETIC
270 ETIC PRO
272 EXENCE
276 HEARTWOOD
280 LOG
288 LOG CANSEI

(1) reddot winner

(2) DESIGN PLUS ADI

Porcelain Tiles Size Index

162x324 **159x324**	338	SLABS FOR COUNTERTOPS & FURNITURE	
160x320	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	216	BOOST ICOR	Stone Look
	112	BOOST NATURAL	Concrete Look
	224	BOOST MINERAL	Stone Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
	144	MARVEL	Marble Look
	152	MARVEL DIVA	Marble Look
	164	MARVEL GALA	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	180	MARVEL ONYX	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
160x160	80	BOOST	Concrete Look
	126	BOOST PRO	Concrete Look
	144	MARVEL	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
120x278	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	96	BOOST COLOR	Concrete Look
	104	BOOST EXPRESSION	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	232	BOOST MIX	Stone Look
	112	BOOST NATURAL	Concrete Look
	120	BOOST NATURAL PRO	Concrete Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
	248	LIMS	Stone Look
	280	LOG	Wood Look
	144	MARVEL	Marble Look
	152	MARVEL DIVA	Marble Look
	160	MARVEL DREAM	Marble Look
	164	MARVEL GALA	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	180	MARVEL ONYX	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
	134	PRISM	Concrete Look
120x240	80	BOOST	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	126	BOOST PRO	Concrete Look
	144	MARVEL	Marble Look
	152	MARVEL DIVA	Marble Look
	160	MARVEL DREAM	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	180	MARVEL ONYX	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
120x120	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	104	BOOST EXPRESSION	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	232	BOOST MIX	Stone Look
	112	BOOST NATURAL	Concrete Look
	120	BOOST NATURAL PRO	Concrete Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
	248	LIMS	Stone Look
	280	LOG	Wood Look
	144	MARVEL	Marble Look
	152	MARVEL DIVA	Marble Look
	160	MARVEL DREAM	Marble Look
	164	MARVEL GALA	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	180	MARVEL ONYX	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
	134	PRISM	Concrete Look
75x150	80	BOOST	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	126	BOOST PRO	Concrete Look
	242	BRAVE	Stone Look
	248	LIMS	Stone Look
	144	MARVEL	Marble Look
	160	MARVEL DREAM	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	208	MARVEL X	Marble Look
80x80	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	104	BOOST EXPRESSION	Concrete Look
	216	BOOST ICOR	Stone Look
	112	BOOST NATURAL	Concrete Look
	120	BOOST NATURAL PRO	Concrete Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
60x120	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	104	BOOST EXPRESSION	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	232	BOOST MIX	Stone Look
	112	BOOST NATURAL	Concrete Look
	120	BOOST NATURAL PRO	Concrete Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
	144	MARVEL	Marble Look
	152	MARVEL DIVA	Marble Look
	160	MARVEL DREAM	Marble Look
	164	MARVEL GALA	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	180	MARVEL ONYX	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
	254	NORDE	Stone Look
	134	PRISM	Concrete Look
60x60	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	104	BOOST EXPRESSION	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	232	BOOST MIX	Stone Look
	112	BOOST NATURAL	Concrete Look
	120	BOOST NATURAL PRO	Concrete Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
	242	BRAVE	Stone Look
	280	LOG	Wood Look
	144	MARVEL	Marble Look
	168	MARVEL GEMS	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	180	MARVEL ONYX	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
	254	NORDE	Stone Look
	134	PRISM	Concrete Look
30x60	80	BOOST	Concrete Look
	88	BOOST BALANCE	Concrete Look
	104	BOOST EXPRESSION	Concrete Look
	216	BOOST ICOR	Stone Look
	224	BOOST MINERAL	Stone Look
	232	BOOST MIX	Stone Look
	112	BOOST NATURAL	Concrete Look
	120	BOOST NATURAL PRO	Concrete Look
	126	BOOST PRO	Concrete Look
	236	BOOST STONE	Stone Look
	242	BRAVE	Stone Look
	144	MARVEL	Marble Look
	170	MARVEL MERAVIGLIA	Marble Look
	184	MARVEL SHINE	Marble Look
	196	MARVEL STONE	Marble Look
	202	MARVEL TRAVERTINE	Marble Look
	208	MARVEL X	Marble Look
	254	NORDE	Stone Look
	134	PRISM	Concrete Look
25x150	270	ETIC PRO	Wood Look
18,5x150	264	ENTICE	Wood Look
	272	EXENCE	Wood Look
	276	HEARTWOOD	Wood Look
	280	LOG	Wood Look
	288	LOG CANSEI	Wood Look
20x180	280	LOG	Wood Look
20x120	264	ENTICE	Wood Look
	272	EXENCE	Wood Look
	276	HEARTWOOD	Wood Look
	280	LOG	Wood Look
	288	LOG CANSEI	Wood Look
22,5x90	262	AXI	Wood Look
	268	ETIC	Wood Look
	270	ETIC PRO	Wood Look

INDEX

PRODUCT FINDER

ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

Outdoor Size Index

120x120	**80**	BOOST	9/20 mm	Concrete Look
	88	BOOST BALANCE	9/20 mm	Concrete Look
	104	BOOST EXPRESSION	9/20 mm	Concrete Look
	216	BOOST ICOR	20 mm	Stone Look
	224	BOOST MINERAL	20 mm	Stone Look
	232	BOOST MIX	20 mm	Stone Look
	112	BOOST NATURAL	9/20 mm	Concrete Look
	120	BOOST NATURAL PRO	9/20 mm	Concrete Look
	126	BOOST PRO	9/20 mm	Concrete Look
	236	BOOST STONE	20 mm	Stone Look
	134	PRISM	9/20 mm	Concrete Look
60x120	**80**	BOOST	20 mm	Concrete Look
	88	BOOST BALANCE	9/20 mm	Concrete Look
	104	BOOST EXPRESSION	9/20 mm	Concrete Look
	216	BOOST ICOR	9/20 mm	Stone Look
	224	BOOST MINERAL	9/20 mm	Stone Look
	232	BOOST MIX	20 mm	Stone Look
	112	BOOST NATURAL	9 mm	Concrete Look
	120	BOOST NATURAL PRO	9/20 mm	Concrete Look
	126	BOOST PRO	20 mm	Concrete Look
	236	BOOST STONE	9/20 mm	Stone Look
	242	BRAVE	20 mm	Stone Look
	248	LIMS	20 mm	Stone Look
	280	LOG	20 mm	Wood Look
	170	MARVEL MERAVIGLIA	20 mm	Marble Look
	202	MARVEL TRAVERTINE	9/20 mm	Marble Look
	208	MARVEL X	20 mm	Marble Look
	254	NORDE	9/20 mm	Stone Look
80x80	**80**	BOOST	20 mm	Concrete Look
	104	BOOST EXPRESSION	20 mm	Concrete Look
	216	BOOST ICOR	20 mm	Stone Look
	126	BOOST PRO	20 mm	Concrete Look
	254	NORDE	20 mm	Stone Look
	134	PRISM	20 mm	Concrete Look
60x90	**224**	BOOST MINERAL	20 mm	Stone Look
	254	NORDE	20 mm	Stone Look
60x60	**80**	BOOST	20 mm	Concrete Look
	88	BOOST BALANCE	20 mm	Concrete Look
	104	BOOST EXPRESSION	20 mm	Concrete Look
	216	BOOST ICOR	20 mm	Stone Look
	224	BOOST MINERAL	9/20 mm	Stone Look
	232	BOOST MIX	20 mm	Stone Look
	112	BOOST NATURAL	20 mm	Concrete Look
	120	BOOST NATURAL PRO	20 mm	Concrete Look
	126	BOOST PRO	20 mm	Concrete Look
	236	BOOST STONE	20 mm	Stone Look
	242	BRAVE	20 mm	Stone Look
	248	LIMS	20 mm	Stone Look
	254	NORDE	20 mm	Stone Look
30x60	**242**	BRAVE	9 mm	Stone Look
	216	BOOST ICOR	9 mm	Stone Look
	232	BOOST MIX	9 mm	Stone Look
	236	BOOST STONE	9 mm	Stone Look
	254	NORDE	9 mm	Stone Look
18,5x150	**272**	EXENCE	9 mm	Wood Look
30x120	**264**	ENTICE	20 mm	Wood Look
	270	ETIC PRO	20 mm	Wood Look
	272	EXENCE	20 mm	Wood Look
	280	LOG	20 mm	Wood Look
20x120	**264**	ENTICE	9 mm	Wood Look
	280	LOG	9 mm	Wood Look
	288	LOG CANSEI	9 mm	Wood Look
22,5x90	**270**	ETIC PRO	9 mm	Wood Look

DOWNLOAD >
OUTDOOR CATALOG

Wall Tiles Size Index

50x120	**70**	3D WALL DESIGN	
	74	3D WALL PLASTER	
	148	MARVEL 3D	Marble Look
	76	APLOMB	Concrete Look
	96	BOOST COLOR	Concrete Look
	110	BOOST EXPRESSION	Concrete Look
	223	BOOST ICOR	Stone Look
	118	BOOST NATURAL	Concrete Look
	124	BOOST NATURAL PRO	Concrete Look
	287	LOG	Wood Look
	145	MARVEL	Marble Look
	158	MARVEL DIVA	Marble Look
	194	MARVEL SHINE	Marble Look
	140	PRISM	Concrete Look
40x80	**66**	3D WALL CARVE	
	70	3D WALL DESIGN	
	86	BOOST	Concrete Look
	132	BOOST PRO	Concrete Look
	247	BRAVE	Stone Look
	252	LIMS	Stone Look
	145	MARVEL	Marble Look
	194	MARVEL SHINE	Marble Look
30,5x56	**70**	3D WALL DESIGN	
	145	MARVEL	Marble Look


INDEX
PRODUCT FINDER
ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Concrete & Resin Look




Porcelain Tiles —— CONCRETE & RESIN LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— CONCRETE & RESIN LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— CONCRETE & RESIN LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Marble Look




Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



















Porcelain Tiles
Stone Look



















































































Porcelain Tiles —— MARBLE & STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— STONE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Porcelain Tiles —— STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Wood Look



Porcelain Tiles —— WOOD LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS






































Wall Tiles
3D Wall































































Porcelain Tiles —— Wall Tiles —— WOOD LOOK —— 3D WALL

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Wall Tiles —— 3D WALL

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Wall Tiles
Stone Look















































Wall Tiles
Wood Look











Wall Tiles —— STONE & WOOD LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Wall Tiles
Concrete Look



Wall Tiles —— CONCRETE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS





Wall Tiles —— CONCRETE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Wall Tiles
Marble Look



Wall Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Wall Tiles
Color Look



Wall Tiles —— COLOR LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



Wall Tiles —— COLOR LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Company

- ABOUT US
- THREE BRANDS ONE SPACE
- WITH DESIGNERS, FOR DESIGNERS
- DESIGN AWARDS
- STUDIOS
- INTERNATIONAL LEADERSHIP
- TECHNOLOGIES
- RESPONSIBILITY AND CERTIFICATIONS
- PROJECTS

OUR MISSION

Modernizing spaces around the world through our elegant and refined style.


OUR VISION

Enriching spaces around the world with the beauty of Italian design.

OUR WAY

Made to Excel: **being both high-performing and supportive** of individuals.

History



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Three brands one space

Our product system is designed to create complete and coordinated spaces.

atlas concorde

A system of indoor and outdoor surfaces: floors, walls and decors.



atlasPLAN

Large slabs for kitchen countertops, tables and for furnishings.



atlas concorde habitat

Furniture in combination with Atlas Concorde surfaces.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

With designers, for designers

We work with top international designers to create unique designs.

Designers













Architectural firms







Design awards

Our products compete for top awards and international recognition.

Red Dot Design Award

One of the most prestigious awards in the design sector, with particular reference to the technology sector.

2023 - MARVEL TRAVERTINE DECORS
2023 - MARVEL GALA
2023 - MARVEL X-HAMMERED SURFACE
2022 - 3D WALL CARVE
2022 - BOOST NATURAL
2022 - DIALOGO
2022 - APLOMB

ADI Design Index

The yearbook held by the Associazione per il Disegno Industriale which each year identifies the best Italian design put into production.

2024 - MARVEL MERAVIGLIA DIAMOND POLISHED
2023 - SENSITECH SURFACE
2022 - 3D WALL CARVE





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Studios

We have adopted a strategy of visibility in major international design hotspots, opening spaces that can support architects, interior designers and customers in their projects.



Atlas Concorde Park Studio



Atlas Concorde Studio Milano



Atlas Concorde Studio London



Atlas Concorde Studio Lione



Atlas Concorde Studio Dubai



Atlas Concorde Studio Nashville

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

International leadership

HEADQUARTERS
ATLAS CONCORDE PARK STUDIO

Fiorano Modenese, IT

6 STUDIOS


Dubai, AE
London, UK
Lyon, FR
Milan, IT
Nashville, US
Paris, FR

41 STORES

Aberystwyth, UK
Abidjan, CI
Athens, GR
Baghdad, IQ
Beirut, LB
Belgrade, RS
Bucharest, RO
Ekaterinburg, RU
Gurgaon, IN
Kazan, RU
Kostroma, RU
Lahore, PK
Lille, FR
Lipetsk RU
Madrid, ES
Manama, BH
Moscow, RU (10)
Muscat, OM
Nizhny Novgorod, RU (2)
Oftringen, CH
Petaling Jaya, MY
St. Petersburg, RU
Seoul, KR
Tel Aviv, IL
Tyumen, RU
Vienna, AT
Vladivostok RU
Voronezh RU
Wan Chai, HK (3)

8 REPRESENTATIVE OFFICES

Beijing, CN
Dania Beach, US
Kiev, UA
Moscow, RU
Riga, LV
St. Petersburg, RU
Seoul, KR
Sydney, AU



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Technologies

Each of our patented technologies enhances technical and aesthetic qualities.

Sensitech

Sensitech is the high-tech surface, Europe patented, for indoor and outdoor settings created by Atlas Concorde Laboratories. The surface combines high slip resistance performance with tactile softness.

High slip resistance | Soft to the touch



Velvetech

Velvetech is the new technology with a patent filed in Europe, with silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Medium reflection surface | Velvety soft hand



NATURA-VEIN™ TECH

Natura Vein Tech is Atlas Plan's technological innovation for marble-effect porcelain slabs with through vein.

Through vein



NATURA-BODY™ TECH

Natura Body Tech is Atlas Plan's technology to reproduce the aesthetics of natural stone both on the surface and in the body of the slab.

Full body slabs



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Responsibility

Our commitment for the environment.

Circularity

- 100% of cooked and raw waste recovered internally
- 90% recovered waste
- 100% water recovered for internal use
- 100% recyclable packaging materials

Environment, health and safety

- Advanced purification systems, which contribute to the containment of atmospheric emissions
- Reduction of CO_2 emissions due to automated vertical warehouse
- RTO system to reduce harmful emissions and odours
- 0% lead, cadmium, and other dangerous substances in products
- All Atlas Concorde surfaces do not release harmful levels of VOCs (Volatile Organic Compounds)

Reduction & self-production of energy

- Heat recoveries from industrial furnaces
- Efficient methane gas cogeneration plant
- 100% LED light
- Recovery of residual heat energy by tube heat exchangers
- Photovoltaic system producing over 4 GWh annually

Ceramics of Italy

MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Certifications

Ratings and memberships

Sedex Member

Company certifications

DNV ISO 9001 · DNV ISO 14001 · DNV ISO 45001

Product certifications

ISO 17889-1 · CAM Criteri ambientali minimi · UL GREENGUARD GOLD

Product declarations

EPD · PEF · FDES VERIFIED inies · HPD Health Product Declaration · Declare

Certification for buildings

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

Certifications for export to international markets*

CE · EAC · SQM SAUDI ARABIA · SGS INDONESIA

QB UPEC [1] [2] [3]

atlasconcorde.com

cstb.fr

- **Valid certification for porcelain tile and wall tiles.** - Certificazione valida per prodotti in gres porcellanato e rivestimenti.
- **Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

[1] Classificazione UPEC aggiornata al – Classement UPEC mis à jour au: 2025
[2] Si consiglia la consultazione della pagina – On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
[3] Per ulteriori informazioni scrivere a – Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Projects


Our projects around the world.


Sky Pool, London, UK


Al Bayt Stadium, Al Khor, QA


Dubai Mall, Dubai, UAE


Ladybug Villa, Bodrum, TR


Fendi Chateau Residences, Punta del Estein, UY


Emeral Maldives Resort & Spa, MV


Children's Surgical Hospital, Entebbe, UG


Newton Station, Adelaide, AUS


New Corman Headquarters, Milano, IT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Collections

3D Wall

- 3D WALL CARVE — In collaboration with **Piero Lissoni**
- 3D WALL DESIGN
- 3D WALL PLASTER
- MARVEL 3D
- APLOMB

Concrete & Resin look

- BOOST
- BOOST BALANCE
- BOOST COLOR — In collaboration with **Piero Lissoni**
- BOOST EXPRESSION — In collaboration with **Elisa Ossino**
- BOOST NATURAL — In collaboration with **Matteo Brioni**
- BOOST NATURAL PRO — In collaboration with **Matteo Brioni**
- BOOST PRO
- PRISM — In collaboration with **Piero Lissoni**

Marble Look

- MARVEL
- MARVEL 3D
- MARVEL DIVA
- MARVEL DREAM
- MARVEL GALA
- MARVEL GEMS
- MARVEL MERAVIGLIA — In collaboration with **Zaha Hadid Architects**
- MARVEL ONYX
- MARVEL SHINE
- MARVEL STONE
- MARVEL TRAVERTINE — In collaboration with **HBA**
- MARVEL X

Stone Look

- BOOST ICOR
- BOOST MINERAL
- BOOST MIX
- BOOST STONE
- BRAVE
- LIMS
- MARVEL TRAVERTINE — In collaboration with **HBA**
- NORDE

Wood Look

- AXI
- ENTICE
- ETIC
- ETIC PRO
- EXENCE
- HEARTWOOD
- LOG
- LOG CANSEI

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Carve


reddot winner 2022

3D Sign + 3D Squares: Capsule Collection by **Piero Lissoni**



COLLECTION CATALOG

VIDEO



Stone Inspiration.
Inspired by hand-carved stone.

Relief Definition.
Special glaze for ultra-high relief definition.

Design Surfaces.
Two 3D surfaces by Piero Lissoni.

Natural Colors.
Realistic stone effect in three modern, natural colors.

Wall

FIELD WHITE | FIELD IVORY | FIELD PEARL

3D LEAF WHITE | 3D LEAF IVORY | 3D LEAF PEARL

3D CHISEL WHITE | 3D CHISEL IVORY | 3D CHISEL PEARL

3D WHITTLE WHITE | 3D WHITTLE IVORY | 3D WHITTLE PEARL

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15³/₄"x31¹/₂"	⧳ 8,5 mm	Matte

3D WALL TILES

40x80 cm - 15³/₄"x31¹/₂"	⧳ 8,5 mm	Matte

3D SIGN + 3D SQUARES : DESIGN BY **PIERO LISSONI**

3D SQUARES WHITE | 3D SQUARES IVORY | 3D SQUARES PEARL

3D SIGN WHITE | 3D SIGN IVORY | 3D SIGN PEARL

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Carve

Wall Tiles

V1 Uniform Appearance

MATTE SURFACE

Wall

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
A57T 3D Wall Carve Field White
A57U 3D Wall Carve Field Pearl
A57V 3D Wall Carve Field Ivory

± 8,5 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
A57W 3D Wall Carve Sign White
A57X 3D Wall Carve Sign Pearl
A57Y 3D Wall Carve Sign Ivory
A57Z 3D Wall Carve Squares White
A57Ø 3D Wall Carve Squares Pearl
A571 3D Wall Carve Squares Ivory
A572 3D Wall Carve Chisel White
A573 3D Wall Carve Chisel Pearl
A574 3D Wall Carve Chisel Ivory
A575 3D Wall Carve Whittle White
A576 3D Wall Carve Whittle Pearl
A577 3D Wall Carve Whittle Ivory
A578 3D Wall Carve Leaf White
A58A 3D Wall Carve Leaf Pearl
A579 3D Wall Carve Leaf Ivory

TRIM TILES

1,4x40 cm - 5/8"x15³/₄"
A6OA 3D Wall Carve Field White Corner 40 *
A6OB 3D Wall Carve Field Pearl Corner 40 *
A6OC 3D Wall Carve Field Ivory Corner 40 *

1,4x1,4 cm - 5/8"x5/8"
A6OD 3D Wall Carve Field White Corner A.E. *
A6OE 3D Wall Carve Field Pearl Corner A.E. *
A6OF 3D Wall Carve Field Ivory Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Design



Outstanding relief.
Striking 3D surfaces with dramatic impact.

Soft Surface.
Ultra-smooth finish.

Modern Geometry.
Striking patterns shaped by light.

Vibrant contrasts.
Dynamic textures to create emotional spaces.

3D WALL WORLD CATALOG

VIDEO

Wall





















Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⅝"x47¼"	11 mm	Matte
50x120 cm - 19⅝"x47¼"	8,5 mm	Matte, Shiny
40x80 cm - 15¾"x31½"	10 mm	Matte
40x80 cm - 15¾"x31½"	8,5 mm	Matte, Shiny
30,5x56 cm - 12"x22"	9,5 mm	Matte
30,5x56 cm - 12"x22"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Design

Wall Tiles

V1 Uniform Appearance

MATTE SURFACE

Wall

≠ 11 mm
50x120 cm - 19⅝"x47¼"
A6BJ 3D Wall Design 3D Ultra Blade White (2)

≠ 8,5 mm
50x120 cm - 19⅝"x47¼"
A6BF 3D Wall Design Solid White

≠ 10 mm
40x80 cm - 15¾"x31½"
8DMA 3D Wall Design 3D Angle White (2)
8DBW 3D Wall Design 3D Blade White (2)
8DDI 3D Wall Design 3D Diamond White (2)
8DUW 3D Wall Design 3D Dune White (2)
8DUS 3D Wall Design 3D Dune Sand (2)
8DMW 3D Wall Design 3D Wind White (2)
8SBW 3D Wall Design 3D Ribbon White (2)
8DSM 3D Wall Design 3D Twist Sage (2)

≠ 8,5 mm
40x80 cm - 15¾"x31½"
8DSO 3D Wall Design Solid White
8DSA 3D Wall Design Solid Sand

≠ 9,5 mm
30,5x56 cm - 12"x22"
9D5B 3D Wall Design 3D Ultra Blade White (2)
9D5W 3D Wall Design 3D Wave White (2)

≠ 8,5 mm
30,5x56 cm - 12"x22"
9D5S 3D Wall Design Solid White

SHINY SURFACE

≠ 8,5 mm
50x120 cm - 19⅝"x47¼"
A6BG 3D Wall Design Solid White Glossy

≠ 8,5 mm
40x80 cm - 15¾"x31½"
8DSL 3D Wall Design Solid White Glossy

TRIM TILES

LD8W Spigolo 8,5mm White
0,8x20 cm - ⅜"x7⅞"

A8DW Spigolo 8,5mm White A.E.
0,8x0,8 cm - ⅜"x⅜"


LDWM Spigolo 10mm White * (1)
1x20 cm - ⅜"x7⅞"

LDWG Spigolo 10mm White Glossy * (1)
1x20 cm - ⅜"x7⅞"

LDAM Spigolo 10mm Sand * (1)
1x20 cm - ⅜"x7⅞"

LDNM Spigolo 10mm Night * (1)
1x20 cm - ⅜"x7⅞"

DECOR RANGE



9DSM 3D Wall Design Solid White Mosaic
30,5x30,5 cm - 12"x12"

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

(1) **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - Lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - Le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Stärke von 10-11 mm kombinierbar - La arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - *Угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм*


(2) Registered Community Design





















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

3D Wall Plaster



Plaster inspiration.
3D surfaces inspired by artistic plaster techniques.

Richness of details.
From distant vibrant surfaces, up close the details of matter.

White.
The essence of minimalism and design. A timeless best-seller.

Outstanding matching.
Pairs beautifully with wood-effect floor surfaces.

COLLECTION CATALOG

VIDEO

Wall









Wall Tiles RECTIFIED MONOCALIBER

MATTE SURFACE —— Wall

± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
AHQT 3D Wall Plaster Plain White


± 8,5 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
AHQU 3D Wall Plaster Origami White
AHQV 3D Wall Plaster Bloom White
AHQW 3D Wall Plaster Jasmine White
AHQX 3D Wall Plaster Combed White
AHQY 3D Wall Plaster Barcode White

V1 Uniform Appearance

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Aplomb

reddot winner 2022



Elegant pattern.
Delicately shimmering three-dimensional relief effects.

Pastel colors.
Sophisticated and contemporary elegance.


Stylish decors.
Strong yet subtle character.

Trendy walls.
Calm and soothing atmospheres.


COLLECTION CATALOG


VIDEO

Wall









Wall Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Wall

8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A6E5 Aplomb Canvas Minidots
A6E4 Aplomb Cream Minidots
A6E3 Aplomb White Minidots
A6E6 Aplomb Denim Minidots
A6IL Aplomb Lichen Minidots
A6E9 Aplomb Canvas Stripes
A6E8 Aplomb Cream Stripes
A6E7 Aplomb White Stripes
A6FA Aplomb Denim Stripes
A6IM Aplomb Lichen Stripes

V1 Uniform Appearance

TRIM TILES

1.4x50 cm - ⁵/₈"x19⁵/₈"
A6NH Aplomb Canvas Minidots Corner 50 *
A6NG Aplomb Cream Minidots Corner 50 *
A6NF Aplomb White Minidots Corner 50 *
A6NJ Aplomb Denim Minidots Corner 50 *
A6NI Aplomb Lichen Minidots Corner 50 *
A6NM Aplomb Canvas Stripes Corner 50 *
A6NL Aplomb Cream Stripes Corner 50 *
A6NK Aplomb White Stripes Corner 50 *
A6NO Aplomb Denim Stripes Corner 50 *
A6NN Aplomb Lichen Stripes Corner 50 *

1.4x1.4 cm - ⁵/₈"x⁵/₈"
A6NR Aplomb Canvas Minidots Corner A.E *
A6NQ Aplomb Cream Minidots Corner A.E *
A6NP Aplomb White Minidots Corner A.E *
A6NT Aplomb Denim Minidots Corner A.E *
A6NS Aplomb Lichen Minidots Corner A.E *
A6NW Aplomb Canvas Stripes Corner A.E *
A6NV Aplomb Cream Stripes Corner A.E *
A6NU Aplomb White Stripes Corner A.E *
A6NY Aplomb Denim Stripes Corner A.E *
A6NX Aplomb Lichen Stripes Corner A.E *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Aplomb

Wall Tiles

DECOR RANGE

A6FC Aplomb White Leaf
50x120 cm - 19⁵/₈"x47¹/₄"

3 patterns with no graphic continuity. / 3 pattern senza continuità grafica.



A6FD Aplomb Canvas Leaf
50x120 cm - 19⁵/₈"x47¹/₄"

3 patterns with no graphic continuity. / 3 pattern senza continuità grafica.



A6SH Aplomb Cream Leaf Lux [1]
50x120 cm - 19⁵/₈"x47¹/₄"

1 patterns with graphic continuity. / 1 pattern con continuità grafica.



A6SI Aplomb Lichen Leaf Lux [1]
50x120 cm - 19⁵/₈"x47¹/₄"

1 patterns with graphic continuity. / 1 pattern con continuità grafica.



A6SJ Aplomb Canvas Flora [1]
50x120 cm - 19⁵/₈"x47¹/₄"

A6FB Aplomb White Mesh [2]
50x120 cm - 19⁵/₈"x47¹/₄"



A6VØ Aplomb Fabric Light [1]
50x120 cm - 19⁵/₈"x47¹/₄"

It can be combined with / Abbinabile con / Peut être combiné avec / Kombinierbar mit / Combinable con / Совместимы с:
Minidots Cream



A6V1 Aplomb Fabric Dark [1]
50x120 cm - 19⁵/₈"x47¹/₄"

It can be combined with / Abbinabile con / Peut être combiné avec / Kombinierbar mit / Combinable con / Совместимы с:
Minidots Lichen - Minidots Cream

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Item sold by square meter.** - Articolo venduto al mq. - Article vendu au mètre carré. - Artikel pro m² verkauft. - Artículo vendido por m². - Артикул продается квадратными метрами.

A6SP Aplomb White
Mosaico Triangle
31,5x30,5 - 12³/₈"x12"

A6SQ Aplomb Cream
Mosaico Triangle
31,5x30,5 - 12³/₈"x12"




A6SR Aplomb Canvas
Mosaico Triangle
31,5x30,5 - 12³/₈"x12"



A6SS Aplomb Lichen
Mosaico Triangle
31,5x30,5 - 12³/₈"x12"



A6ST Aplomb Denim
Mosaico Triangle
31,5x30,5 - 12³/₈"x12"



A 35,9 cm - 15¹/₈"
a 30,5 cm - 12"
B 31,5 cm - 12³/₈"

A6SK Aplomb White
Mosaico Arch [3]
32x32 - 12⁵/₈"x12⁵/₈"

A6SL Aplomb Cream
Mosaico Arch [3]
32x32 - 12⁵/₈"x12⁵/₈"




A6SM Aplomb Canvas
Mosaico Arch [3]
32x32 - 12⁵/₈"x12⁵/₈"



A6SN Aplomb Lichen
Mosaico Arch [3]
32x32 - 12⁵/₈"x12⁵/₈"



A6SO Aplomb Denim
Mosaico Arch [3]
32x32 - 12⁵/₈"x12⁵/₈"



A 32 cm - 12⁵/₈"
B 32 cm - 12⁵/₈"
a 7,8 cm - 3¹/₈"
b 2,533 cm - 1"
c 5,167 cm - 2"

A6SU Aplomb White
Mosaico Net [4]
30x30 - 11³/₄"x11³/₄"

A6SV Aplomb Cream
Mosaico Net [4]
30x30 - 11³/₄"x11³/₄"




A6SW Aplomb Canvas
Mosaico Net [4]
30x30 - 11³/₄"x11³/₄"



A6SX Aplomb Lichen
Mosaico Net [4]
30x30 - 11³/₄"x11³/₄"



A6SY Aplomb Denim
Mosaico Net [4]
30x30 - 11³/₄"x11³/₄"



A 30 cm - 11³/₄"
B 30 cm - 11³/₄"
C 4,88x2,36 cm - 1⁷/₈"x⁷/₈"

[3] **The tesserae come from Minidots and Stripes Textures** - Le tessere sono ricavate dalle textures minidots e stripes - Les tesselles proviennent des textures minidots et stripes - Die Mosaiksteinchen stammen aus den Textures Minidots und Stripes - Los mosaicos se obtienen de las texturas minidots y stripes - Тессеры вырезаны из структур minidots и stripes

[4] **The tesserae come from Minidots Textures** - Le tessere sono ricavate dalle textures minidots - Les tesselles proviennent des Textures Minidots - Die Mosaiksteinchen stammen aus den Textures Minidots - Los mosaicos se obtienen de las texturas minidots - Тессеры вырезаны из структур Minidots

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost



Bold Personality.
Industrial concrete for modern interiors.

Urban Details.
Raw and rich in striking graphic details.

Stylish tones.
Warm hues from oxidation effects, balanced by cool cement-like tones.

Endless possibilities.
A complete size selection for all projects.

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











FIND WARM COLORS IN
Boost Pro p. 126

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	± 6 mm	Matte **R9 A**
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte **R9 A**
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Matte Sensitech **R10 B**
120x120 cm - 47 1/4"x47 1/4"	± 6 mm	Matte **R9 A**
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech **R10 B**
75x150 cm - 29 1/2"x59"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	± 6 mm	Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech **R10 B**
80x80 cm - 31 1/2"x31 1/2"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47 1/4"x47 1/4"	**± 20 mm**	Outdoor Sensitech **R11 C**
60x120 cm - 23 5/8"x47 1/4"	± 20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31 1/2"x31 1/2"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23 5/8"x23 5/8"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	± 12 mm	Hammered

















FIND WARM COLORS IN
Boost Pro p. 126

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 3/4"x31 1/2"	± 8,5 mm	Matte

3D WALL TILES

40x80 cm - 15 3/4"x31 1/2"	± 10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost

Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm; Matte Sensitech ✣ 6 mm; Hammered ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE

Floor — Wall

✣ 6 mm
160x320 cm - 63"x126"
AO5Z Boost White Hammered
AO5Ø Boost Smoke Hammered
A68I Boost Grey Hammered
A68J Boost Tarmac Hammered

✣ 6 mm
160x160 cm - 63"x63"
AØDE Boost White
AØDF Boost Smoke
A68K Boost Grey
A68L Boost Tarmac

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AØBD Boost White
AØBE Boost Pearl
AØBF Boost Grey
AØBG Boost Smoke
AOQB Boost Tarmac

✣ 6 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2TK Boost White
A2TM Boost Pearl
A2TN Boost Grey
A2TO Boost Smoke
A2TP Boost Tarmac

Sensitech
✣ 6 mm
60x120 cm - 23⁵/₈"x47¹/₄"
ALSM Boost White
ALSP Boost Pearl

Sensitech
✣ 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AMGD Boost White
AMGE Boost Pearl
AMGF Boost Grey
AMGG Boost Smoke
AMGH Boost Tarmac

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AMGI Boost White
AMGJ Boost Pearl
AMGK Boost Grey
AMGL Boost Smoke
AMGM Boost Tarmac

Sensitech
✣ 9 mm
80x80 cm - 31¹/₂"x31¹/₂"
A9Q5 Boost White
A9Q4 Boost Pearl
A9Q3 Boost Grey
A9Q2 Boost Smoke
A9Q1 Boost Tarmac

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AMH3 Boost White
AMH4 Boost Pearl
AMH5 Boost Grey
AMH6 Boost Smoke
AMH7 Boost Tarmac

Sensitech
✣ 9 mm
75x150 cm - 29¹/₂"x59"
A7GV Boost White
A7GW Boost Pearl
A7GX Boost Grey
A7GY Boost Smoke
A7GZ Boost Tarmac

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AØMO Boost White
AØMP Boost Pearl
AØMQ Boost Grey
AØMR Boost Smoke
AØMS Boost Tarmac

Sensitech
✣ 9 mm
30x60 cm - 11⁵/₈"x23⁵/₈"
AMH8 Boost White
AMH9 Boost Pearl
AMIA Boost Grey
AMIC Boost Smoke
AMID Boost Tarmac

GRIP SURFACE

Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AMGN Boost White Grip
AMGO Boost Pearl Grip
AMGP Boost Grey Grip
AMGQ Boost Smoke Grip
AMGR Boost Tarmac Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
AMG3 Boost White 20 mm
AMG5 Boost Grey 20 mm
AMG6 Boost Smoke 20 mm
AMG7 Boost Tarmac 20 mm

Sensitech
✣ 20 mm
80x80 cm - 31¹/₂"x31¹/₂"
HANB Boost White 20 mm
HANC Boost Grey 20 mm
HAND Boost Smoke 20 mm
HANE Boost Tarmac 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AL8Ø Boost White 20 mm
AL81 Boost Grey 20 mm
AL82 Boost Smoke 20 mm
AL83 Boost Tarmac 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A3TJ Boost White 20 mm
A3TK Boost Grey 20 mm
A3TL Boost Smoke 20 mm
A3TM Boost Tarmac 20 mm

Sensitech P. 380


WHITE


PEARL


GREY


SMOKE


TARMAC

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost

Porcelain Tiles

DECOR RANGE

AN6X Boost White Mosaico
30x30 - 11³/₄"x11³/₄"




AN6Y Boost Pearl Mosaico
30x30 - 11³/₄"x11³/₄"



AN6Z Boost Grey Mosaico
30x30 - 11³/₄"x11³/₄"



AN61 Boost Smoke Mosaico
30x30 - 11³/₄"x11³/₄"



AN62 Boost Tarmac Mosaico
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"

AN63 Boost White Mosaico Shapes
31x33,5 - 12¹/₄"x13"/₄"



AN64 Boost Pearl Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AN65 Boost Grey Mosaico Shapes
31x33,5 - 12¹/₄"x13"/₄"



AN66 Boost Smoke Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AN67 Boost Tarmac Mosaico Shapes
31x33,5 - 12¹/₄"x13"/₄"



A 11,4x6,5 cm - 4¹/₂"x2¹/₂"
B 11,4x6,5 cm - 4¹/₂"x2¹/₂"
C 6,3x3,2 cm - 2¹/₂"x1¹/₄"



AN68 Boost Smoke Mosaico Hex Yellow [1]
25x28,5 - 9⁷/₈"x11¹/₄"




AN69 Boost Smoke Mosaico Hex Black [1]
25x28,5 - 9⁷/₈"x11¹/₄"



AN7A Boost Tarmac Mosaico Hex Jade [1]
25x28,5 - 9⁷/₈"x11¹/₄"



AN7B Boost Tarmac Mosaico Hex Black [1]
25x28,5 - 9⁷/₈"x11¹/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1³/₈"
D 4,6x3,6 cm - 1³/₄"x1³/₈"

TRIM TILES P. 292	Battiscopa			Gradino *	Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
	7,2x80 cm 2⁷/₈"x31¹/₂"	7,2x60 cm 2⁷/₈"x23⁵/₈"	Digitale 4,6x60 cm 1³/₄"x23⁵/₈"	30x60 cm 11³/₄"x23⁵/₈"	33x150 cm 13"x59"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip
									DX	SX		
White	HALV	AMIO	AMIU	AMJA	AMJP	AN7Ø	AMJF	AMJK	AMIZ	AMI5	•	AOEI
Pearl	HALU	AMIQ	AMIV	AMJB	AMJQ	AN71	AMJG	AMJL	AMIØ	AMI6	•	AOEJ
Grey	HALT	AMIR	AMIW	AMJC	AMJR	AN72	AMJH	AMJM	AMI1	AMI7	•	AOEK
Smoke	HALS	AMIS	AMIX	AMJD	AMJS	AN73	AMJI	AMJN	AMI3	AMI8	•	AOEL
Tarmac	HALR	AMIT	AMIY	AMJE	AMJT	AN74	AMJJ	AMJO	AMI4	AMI9	•	AOEM

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the mural - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost

Wall Tiles


V2 Slight Variation


MATTE SURFACE — Wall

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8B8W Boost White
8B8P Boost Pearl
8B8G Boost Grey
8B8K Boost Smoke
8B8S Boost Sage
8B8R Boost Red

± 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BUW Boost 3D Urban White
8BUP Boost 3D Urban Pearl
8BUG Boost 3D Urban Grey











TRIM TILES

1,4x40 cm - ⁵/₈"x15³/₄"
LBBW Boost White Corner 40 *
LBBP Boost Pearl Corner 40 *
LBBY Boost Grey Corner 40 *
LBBH Boost Smoke Corner 40 *
LBBT Boost Sage Corner 40 *
LBBQ Boost Red Corner 40 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
AØAW Boost White Corner A.E. *
AØAP Boost Pearl Corner A.E. *
AØAG Boost Grey Corner A.E. *
AØAK Boost Smoke Corner A.E. *
AØAS Boost Sage Corner A.E. *
AØAR Boost Red Corner A.E. *

3D TRIM TILES

1,4x40 cm - ⁵/₈"x15³/₄"
LB3W Boost White 3D Corner 40 *
LB3P Boost Pearl 3D Corner 40 *
LB3G Boost Grey 3D Corner 40 *

DECOR RANGE



9BMW Boost White
Minibrick
30,5x30,5 - 12"x12"



9BME Boost Pearl
Minibrick
30,5x30,5 - 12"x12"




9BMY Boost Grey
Minibrick
30,5x30,5 - 12"x12"




9BMK Boost Smoke
Minibrick
30,5x30,5 - 12"x12"



9BMM Boost Sage
Minibrick
30,5x30,5 - 12"x12"



9BMQ Boost Red
Minibrick
30,5x30,5 - 12"x12"



2,9x7,5 cm - 1¹/₈"x3"

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance



A modern essential.
Effortless elegance with a micro-cement look.

Versatile palette.
10 stunning colors, including 4 fresh, light tones.

VELVET finish.
Soft to the touch with a sleek, semi-matte shine.

Elevated design.
Clean, minimalist decor for a modern touch.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades

PURE

IVORY


CREAM


ASH

MOON

WHITE


PEARL


GREY


SMOKE


TARMAC

CREATE STYLISH WALLS WITH
Boost Color p. 96

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B** Velvet Velvetech
60x120 cm - 23⁵/₈"x47¹/₄"	6 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B** Velvet Velvetech
80x80 cm - 31¹/₂"x31¹/₂"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	**20 mm**	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Matte **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" **NON-RECTIFIED**	12 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance

Porcelain Tiles

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

LIGHT TRAFFIC: Velvet Velvetech ✣ 9 mm

MEDIUM TRAFFIC: Matte ✣ 6 mm; Matte Sensitech ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

MATTE SURFACE — Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJG4 Boost Balance Ash

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AJMI Boost Balance Pure
AJMJ Boost Balance White
AJMK Boost Balance Ivory
AJML Boost Balance Cream
AJMM Boost Balance Ash
AJMN Boost Balance Moon
AJMO Boost Balance Pearl
AJMP Boost Balance Grey
AJMQ Boost Balance Smoke
AJMR Boost Balance Tarmac

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKMC Boost Balance White
AKMD Boost Balance Ivory
AKPG Boost Balance Ash
AKMF Boost Balance Pearl

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJMS Boost Balance Pure
AJMT Boost Balance White
AJMU Boost Balance Ivory
AJMV Boost Balance Cream
AJMW Boost Balance Ash
AJMX Boost Balance Moon
AJMY Boost Balance Pearl
AJMZ Boost Balance Grey
AJMØ Boost Balance Smoke
AJM1 Boost Balance Tarmac

Sensitech
✣ 9 mm
80x80cm - 31 1/2"x31 1/2"
A9RE Boost Balance Pure
A9RA Boost Balance White
A9RB Boost Balance Ivory
A9Q9 Boost Balance Cream
A9Q8 Boost Balance Ash
A9RF Boost Balance Moon
A9RC Boost Balance Pearl
A9RD Boost Balance Grey
A9Q6 Boost Balance Smoke
A9Q7 Boost Balance Tarmac

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJNN Boost Balance Pure
AJNO Boost Balance White
AJNP Boost Balance Ivory
AJNQ Boost Balance Cream
AJNR Boost Balance Ash
AJNS Boost Balance Moon
AJNT Boost Balance Pearl
AJNU Boost Balance Grey
AJNV Boost Balance Smoke
AJNW Boost Balance Tarmac

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AJOS Boost Balance Pure
AJOT Boost Balance White
AJOU Boost Balance Ivory
AJOV Boost Balance Cream
AJOW Boost Balance Ash
AJOX Boost Balance Moon
AJOY Boost Balance Pearl
AJOZ Boost Balance Grey
AJOØ Boost Balance Smoke
AJO1 Boost Balance Tarmac

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AJO2 Boost Balance Pure
AJO3 Boost Balance White
AJO4 Boost Balance Ivory
AJO5 Boost Balance Cream
AJO6 Boost Balance Ash
AJO7 Boost Balance Moon
AJO8 Boost Balance Pearl
AJO9 Boost Balance Grey
AJPA Boost Balance Smoke
AJPB Boost Balance Tarmac

VELVET SURFACE

Velvetech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJM2 Boost Balance Pure
AJM3 Boost Balance White
AJM4 Boost Balance Ivory
AJM5 Boost Balance Cream
AJM6 Boost Balance Ash
AJM7 Boost Balance Moon
AJM8 Boost Balance Pearl
AJM9 Boost Balance Grey
AJNA Boost Balance Smoke
AJNB Boost Balance Tarmac

Velvetech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJNX Boost Balance Pure
AJNY Boost Balance White
AJNZ Boost Balance Ivory
AJNØ Boost Balance Cream
AJN1 Boost Balance Ash
AJN2 Boost Balance Moon
AJN3 Boost Balance Pearl
AJN4 Boost Balance Grey
AJN5 Boost Balance Smoke
AJN6 Boost Balance Tarmac

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.

GRIP SURFACE

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJNC Boost Balance Pure Grip
AJND Boost Balance White Grip
AJNE Boost Balance Ivory Grip
AJNF Boost Balance Cream Grip
AJNG Boost Balance Ash Grip
AJNH Boost Balance Moon Grip
AJNI Boost Balance Pearl Grip
AJNJ Boost Balance Grey Grip
AJNK Boost Balance Smoke Grip
AJNL Boost Balance Tarmac Grip

OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
AJPE Boost Balance White 20 mm
AJPF Boost Balance Ash 20 mm
AJMH Boost Balance Pearl 20 mm
AJPG Boost Balance Grey 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AJPH Boost Balance White 20 mm
AJPI Boost Balance Ash 20 mm
AJPJ Boost Balance Pearl 20 mm
AJPK Boost Balance Grey 20 mm


Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
AJPL Boost Balance White 20 mm
AJPM Boost Balance Ash 20 mm
AJPN Boost Balance Pearl 20 mm
AJPO Boost Balance Grey 20 mm

Sensitech P. 380
Velvetech P. 378

PURE


IVORY


CREAM


ASH

MOON


WHITE


PEARL


GREY


SMOKE


TARMAC


Boost Balance

Porcelain Tiles


DECOR RANGE

AJY9 Boost Balance Pure
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"

AJZB Boost Balance Ivory
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZC Boost Balance Cream
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZD Boost Balance Ash
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"

AJZE Boost Balance Moon
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"


AJZA Boost Balance White
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZF Boost Balance Pearl
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZG Boost Balance Grey
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJZH Boost Balance Smoke
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"




AJZI Boost Balance Tarmac
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"

AJ3Q Boost Balance Pure Matte Sensitech
AJ3G Boost Balance Pure Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3S Boost Balance Ivory Matte Sensitech
AJ3I Boost Balance Ivory Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"


AJ3T Boost Balance Cream Matte Sensitech
AJ3J Boost Balance Cream Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3U Boost Balance Ash Matte Sensitech
AJ3K Boost Balance Ash Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"


[1] **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов.

AJ3V Boost Balance Moon Matte Sensitech
AJ3L Boost Balance Moon Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"




AJ3X Boost Balance Grey Matte Sensitech
AJ3N Boost Balance Grey Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"


AJ3R Boost Balance White Matte Sensitech
AJ3H Boost Balance White Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3Y Boost Balance Smoke Matte Sensitech
AJ3O Boost Balance Smoke Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"



AJ3W Boost Balance Pearl Matte Sensitech
AJ3M Boost Balance Pearl Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"




AJ3Z Boost Balance Tarmac Matte Sensitech
AJ3P Boost Balance Tarmac Velvet Velvetech
Mosaico Strings [1]
60x120 - 23⁵/₈"x47¹/₄"

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.



60x120 cm - 23⁵/₈"x47¹/₄"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Balance

Porcelain Tiles


DECOR RANGE

AJX1 Boost Balance Pure
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

AJX3 Boost Balance Ivory
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX4 Boost Balance Cream
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



A	50,5 cm - 19⁷/₈"
B	37,4 cm - 15³/₄"
b	6 cm - 2³/₈"
c	12,3 cm - 4⁷/₈"
d	7,1 cm - 2¹/₄"
e	6,8 cm - 2⁵/₈"



AJX5 Boost Balance Ash
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

AJX6 Boost Balance Moon
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

AJX2 Boost Balance White
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJUF Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX7 Boost Balance Grey
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX8 Boost Balance Smoke
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"



AJX9 Boost Balance Tarmac
Mosaico Lock Matte Sensitech
37,4x50,5 - 14³/₄"x19⁷/₈"

TRIM TILES
P. 292

	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Davanzale / Soglia	Corner * ± 6 mm	Corner A.E * ± 6 mm
	7,2x120 cm 2⁷/₈"x47¹/₄"	7,2x80 cm 2⁷/₈"x31¹/₂"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x120 cm 11⁷/₈"x47¹/₄"	30x60 cm 11⁷/₈"x23⁵/₈"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11⁷/₈"		33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈"	max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Grip	Matte	Matte	Matte
									DX	SX				
Pure	AJZT	HAL6	AJZ3	AJØ7	AJ1H	AJ1R	AJ11	AJ2B	AJØN	AJØX	AJ2L	•	AJ2V	AJ25
White	AJZU	HALØ	AJZ4	AJØ8	AJ1I	AJ1S	AJ12	AJ2C	AJØO	AJØY	AJ2M	•	AJ2W	AJ26
Ivory	AJZV	HAL2	AJZ5	AJØ9	AJ1J	AJ1T	AJ13	AJ2D	AJØP	AJØZ	AJ2N	•	AJ2X	AJ27
Cream	AJZW	HALZ	AJZ6	AJ1A	AJ1K	AJ1U	AJ14	AJ2E	AJØQ	AJØØ	AJ2O	•	AJ2Y	AJ28
Ash	AJZX	HALY	AJZ7	AJ1B	AJ1L	AJ1V	AJ15	AJ2F	AJØR	AJØ1	AJ2P	•	AJ2Z	AJ29
Moon	AJZY	HAL7	AJZ8	AJ1C	AJ1M	AJ1W	AJ16	AJ2G	AJØS	AJØ2	AJ2Q	•	AJ2Ø	AJ3A
Pearl	AJZZ	HAL4	AJZ9	AJ1D	AJ1N	AJ1X	AJ17	AJ2H	AJØT	AJØ3	AJ2R	•	AJ21	AJ3B
Grey	AJZØ	HAL5	AJØA	AJ1E	AJ1O	AJ1Y	AJ18	AJ2I	AJØU	AJØ4	AJ2S	•	AJ22	AJ3C
Smoke	AJZ1	HALW	AJØB	AJ1F	AJ1P	AJ1Z	AJ19	AJ2J	AJØV	AJØ5	AJ2T	•	AJ23	AJ3D
Tarmac	AJZ2	HALX	AJØC	AJ1G	AJ1Q	AJ1Ø	AJ2A	AJ2K	AJØW	AJØ6	AJ2U	•	AJ24	AJ3E

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Color

In collaboration with **Piero Lissoni**





Color is Key.
A palette of 14 pastel colors.

Author signature.
Special selection by Piero Lissoni.

Contemporary combination.
Dynamic color interplay, with the neutral tones of Boost Balance.

Decorative Texture.
Wide décor range, featuring the unique Frog texture, designed by Piero Lissoni.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors

PURE | LINEN | MOON | DOVE

PEBBLE | MAUVE | CREAM | SUN

SALIX | MINT | JADE | IRIS

TEAL | NAVY

FIND A COORDINATED FLOOR IN **Boost Balance p. 88**

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⅝"x47¼"	8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⅝"x47¼"	8,5 mm	Matte

FROG : DESIGN BY **PIERO LISSONI**

FROG PURE | FROG DOVE | FROG NAVY

3D WALL DESIGN

3D PLEAT LINEN | 3D PLEAT MAUVE | 3D PLEAT JADE | 3D PLEAT IRIS

JADE | TEAL | MAUVE | SALIX

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¼"x109⅜"	6 mm	Matte **R9 A**

FROG : DESIGN BY **PIERO LISSONI**

FROG PURE

FIND A COORDINATED FLOOR IN **Boost Balance p. 88**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Color

Wall Tiles

V1 Uniform Appearance

MATTE SURFACE — Wall

∓ 8,5 mm
50x120 cm - 19⅝"x47¼"
AKMW Boost Color Pure
AKMX Boost Color Moon
AKMY Boost Color Dove
AKMZ Boost Color Linen
AKMØ Boost Color Mauve
AKM1 Boost Color Pebble
AKM2 Boost Color Cream
AKM3 Boost Color Sun
AKM4 Boost Color Salix
AKM5 Boost Color Mint
AKM6 Boost Color Jade
AKM7 Boost Color Teal
AKM8 Boost Color Iris
AKM9 Boost Color Navy
















TRIM TILES



1,4x50 cm - 5/8"x19⅝"
APZW Boost Color Pure Corner 50 *
APZX Boost Color Moon Corner 50 *
APZY Boost Color Dove Corner 50 *
APZZ Boost Color Linen Corner 50 *
APZØ Boost Color Mauve Corner 50 *
APZ1 Boost Color Pebble Corner 50 *
APZ2 Boost Color Cream Corner 50 *
APZ3 Boost Color Sun Corner 50 *
APZ4 Boost Color Salix Corner 50 *
APZ5 Boost Color Mint Corner 50 *
APZ6 Boost Color Jade Corner 50 *
APZ7 Boost Color Teal Corner 50 *
APZ8 Boost Color Iris Corner 50 *
APZ9 Boost Color Navy Corner 50 *



1,4x1,4 cm - 5/8"x5/8"
APØB Boost Color Pure Corner A.E. *
APØC Boost Color Moon Corner A.E. *
APØD Boost Color Dove Corner A.E. *
APØE Boost Color Linen Corner A.E. *
APØF Boost Color Mauve Corner A.E. *
APØG Boost Color Pebble Corner A.E. *
APØH Boost Color Cream Corner A.E. *
APØI Boost Color Sun Corner A.E. *
APØJ Boost Color Salix Corner A.E. *
APØK Boost Color Mint Corner A.E. *
APØL Boost Color Jade Corner A.E. *
APØM Boost Color Teal Corner A.E. *
APØN Boost Color Iris Corner A.E. *
APØO Boost Color Navy Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar
Las piezas se hacen por encargo - Изготовляются на заказ

DECOR RANGE

APZR Boost Color Linen
3D Pleat
50x120 cm - 19⅝"x47¼"



APZT Boost Color Mauve
3D Pleat
50x120 cm - 19⅝"x47¼"



APZU Boost Color Jade
3D Pleat
50x120 cm - 19⅝"x47¼"



APZV Boost Color Iris
3D Pleat
50x120 cm - 19⅝"x47¼"

FROG : DESIGN BY **PIERO LISSONI**

AKN6 Boost Color Pure
Frog
50x120 cm - 19⅝"x47¼"

AKN7 Boost Color Dove
Frog
50x120 cm - 19⅝"x47¼"




AKN8 Boost Color Navy
Frog
50x120 cm - 19⅝"x47¼"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Boost Color

Wall Tiles

DECOR RANGE



AP3U Boost Color Decoro Mint
Shade
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"




AP3V Boost Color Decoro Dove
Shade
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"




AP3T Boost Color Decoro Iris
Shade
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"


AP1J Boost Color Linen
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"




AP1K Boost Color Mauve
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"



AP1L Boost Color Jade
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"



AP1M Boost Color Iris
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"



A 50 cm - 23$^{5}/_{8}$"
B 40 cm - 15$^{3}/_{4}$"


AP1N Boost Color Pure
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"

AP1P Boost Color Moon
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"




AP1Q Boost Color Dove
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"

AP1R Boost Color Linen
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



A 33 cm - 13"
B 37 cm - 14$^{5}/_{8}$"



AP1S Boost Color Mauve
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1T Boost Color Pebble
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1U Boost Color Cream
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"

AP1V Boost Color Sun
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"


AP1W Boost Color Salix
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1X Boost Color Mint
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"




AP1Y Boost Color Jade
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1Z Boost Color Teal
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP2B Boost Color Iris
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP2C Boost Color Navy
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Color

Porcelain Tiles

Matte ≑ 6 mm | **R9 A** Matte ≑ 6 mm | V1 Uniform Appearance

MATTE SURFACE

Floor Wall

≑ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AKNE Boost Color Mauve
AKNI Boost Color Salix
AKNK Boost Color Jade
AKNL Boost Color Teal
AP3R Boost Color Pure Frog


JADE


TEAL


MAUVE

SALIX


FROG PURE


FROG : DESIGN BY **PIERO LISSONI**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Expression

In collaboration with **Elisa Ossino**





Tactile Experience.
Combining visual and tactile elements, in collaboration with Elisa Ossino.

Modern Palette.
Aligned with trends in architecture and design.

Rich textures, natural patterns.
Wide decor selection, earthy and refined.

In and Out.
Organic look, indoors and outdoors.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Facades



Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
80x80 cm - 31¹/₂"x31¹/₂"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31¹/₂"x31¹/₂"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**



DESIGN BY **ELISA OSSINO**



Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	± 8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⁵/₈"x47¹/₄"	± 10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Expression

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

Porcelain Tiles

MATTE SURFACE

Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AYSE Boost Expression Ice
AYSF Boost Expression Haze
AYSG Boost Expression Glow
AYSH Boost Expression Shell
AYSI Boost Expression Camel
AYSJ Boost Expression Tan
AYSN Boost Expression Duo Camel [1]
AYSM Boost Expression Duo Haze [2]

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AYT2 Boost Expression Ice
AYT4 Boost Expression Haze
AYT5 Boost Expression Carbon
AYT7 Boost Expression Glow
AYT8 Boost Expression Shell
AYT9 Boost Expression Camel
AYUA Boost Expression Tan

Sensitech
✣ 9 mm
80x80 cm - 31¹/₂"x31¹/₂"
AYVD Boost Expression Ice
AYVE Boost Expression Haze
AYVF Boost Expression Carbon
AYVG Boost Expression Glow
AYVH Boost Expression Shell
AYVI Boost Expression Camel
AYVJ Boost Expression Tan

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AYUT Boost Expression Ice
AYUU Boost Expression Haze
AYUV Boost Expression Carbon
AYUW Boost Expression Glow
AYUX Boost Expression Shell
AYUY Boost Expression Camel
AYUZ Boost Expression Tan

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AYVK Boost Expression Ice
AYVL Boost Expression Haze
AYVM Boost Expression Carbon
AYVN Boost Expression Glow
AYVO Boost Expression Shell
AYVP Boost Expression Camel
AYVQ Boost Expression Tan

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AYVR Boost Expression Ice
AYVS Boost Expression Haze
AYVT Boost Expression Carbon
AYVU Boost Expression Glow
AYVV Boost Expression Shell
AYVØ Boost Expression Camel
AYV1 Boost Expression Tan

GRIP SURFACE

Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AYUN Boost Expression Ice Grip
AYUO Boost Expression Haze Grip
AYUP Boost Expression Shell Grip
AYUQ Boost Expression Glow Grip
AYUR Boost Expression Camel Grip
AYUS Boost Expression Tan Grip

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AYUØ Boost Expression Ice Grip
AYU1 Boost Expression Haze Grip
AYU2 Boost Expression Shell Grip
AYU3 Boost Expression Glow Grip
AYU4 Boost Expression Camel Grip
AYU5 Boost Expression Tan Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
AYRS Boost Expression Ice 20 mm
AYRT Boost Expression Haze 20 mm
AYRU Boost Expression Shell 20 mm

Sensitech
✣ 20 mm
80x80 cm - 31¹/₂"x31¹/₂"
AYRY Boost Expression Ice 20 mm
AYRZ Boost Expression Haze 20 mm
AYRØ Boost Expression Shell 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AYRV Boost Expression Ice 20 mm
AYRW Boost Expression Haze 20 mm
AYRX Boost Expression Shell 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AYR1 Boost Expression Ice 20 mm
AYR2 Boost Expression Haze 20 mm
AYR3 Boost Expression Shell 20 mm

[1] **It can be combined with: Camel and Glow.** - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

[2] **It can be combined with: Haze and Ice.** - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

Sensitech P. 380

GLOW

SHELL


CAMEL


TAN


ICE


HAZE


CARBON

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Expression


Porcelain Tiles

DECOR RANGE

AYY1 Boost Expression Glow
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"

AYY2 Boost Expression Shell
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"

AYY3 Boost Expression Camel
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



A 32 cm - 12⅜"
B 32 cm - 12⅜"
a 5,2 cm - 2"



AYY4 Boost Expression Tan
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"

AYYY Boost Expression Ice
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



AYYZ Boost Expression Haze
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"




AYYØ Boost Expression Carbon
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"

AYY8 Boost Expression Glow
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"

AYY9 Boost Expression Shell
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"

AYZA Boost Expression Camel
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



A 37 cm - 14⅜"
B 37,8 cm - 14⅞"
a 3,2 cm - 1¼"
b 18,8 cm - 7⅜"



AYZB Boost Expression Tan
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"

AYY5 Boost Expression Ice
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



AYY6 Boost Expression Haze
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"




AYY7 Boost Expression Carbon
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"

These mosaics allow you to customize a wall by choosing the grout color during the laying phase. The colors presented in these pages are mood suggestions and purely indicative. - Questi mosaici permettono di personalizzare la parete attraverso la scelta del colore dello stucco durante la fase di posa. I colori presentati in queste pagine sono suggerimenti di mood e sono puramente indicativi. - Ces mosaïques permettent de personnaliser le mur moyennant le choix du coloris du joint pendant la phase de pose. Les coloris présentés sur ces pages sont des idées de mood fournies qu'à titre purement indicatif. - Diese Mosaike können zur Personalisierung der Wand mit Fugenmassen in Farben nach Wahl verfugt werden. Die auf diesen Seiten abgebildeten Farben verstehen sich als unverbindliche Beispiele für den erzielbaren Gesamteindruck. - Con estos mosaicos es posible llevar a cabo cualquier idea de personalización de la pared, con la elección del color del estuco durante la fase de colocación. Los colores que les presentamos en estas páginas son sugerencias de estados de ánimo ("mood") y puramente indicativos. Эта мозаика позволяет индивидуализировать стену путем выбора цвета шовной затирки. Цвета, представленные на этих страницах, приведены в качестве примеров и носят ориентировочный характер.

For the best performance of the mosaic, we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions. - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attendendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

BIG SLABS DECORS

AYSN Boost Expression
Duo Camel [1] ♦
120x278 cm - 47¼"x109⅜"



AYSM Boost Expression
Duo Haze [2] ♦
120x278 cm - 47¼"x109⅜"



TRIM TILES P. 292	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Corner * ± 6 mm	Corner A.E * ± 6 mm
	7,2x120 cm 2⅞"x47¼"	7,2x80 cm 2⅞"x31½"	7,2x60 cm 2⅞"x23⅝"	30x120 cm 11¾"x47¼"	30x60 cm 11¾"x23⅝"	33x120 cm 13"x47¼"	33x60 cm 13"x23⅝"	33x33 cm 13"x13"	7,2x30 cm 2⅞"x11¾"		33x120 H. 4 cm 13"x47¼" H.1 ⅜"	1x120 cm ⅜"x47¼"	1x1 cm ⅜"x⅜"
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech DX	Matte Sensitech SX	Grip Sensitech	Matte	Matte
Ice	AZØP	AZØW	AZ1B	AZ1X	AZ17	AZ2E	AZ2M	AZ2T	AZ1Q	AZ1I	AZ21	AZ3A	AZ3J
Haze	AZØQ	AZØX	AZ1C	AZ1Y	AZ18	AZ2F	AZ2N	AZ2U	AZ1R	AZ1K	AZ22	AZ3B	AZ3K
Carbon	AZØR	AZØY	AZ1D	AZ1Z	AZ19	AZ2G	AZ2O	AZ2V	AZ1S	AZ1L	-	-	-
Glow	AZØS	AZØZ	AZ1E	AZ1Ø	AZ2A	AZ2H	AZ2P	AZ2W	AZ1T	AZ1M	AZ24	AZ3C	AZ3L
Shell	AZØT	AZØØ	AZ1F	AZ14	AZ2B	AZ2I	AZ2Q	AZ2X	AZ1U	AZ1N	AZ27	AZ3D	AZ3M
Camel	AZØU	AZØ9	AZ1G	AZ15	AZ2C	AZ2K	AZ2R	AZ2Y	AZ1V	AZ1O	AZ28	AZ3E	AZ3N
Tan	AZØV	AZ1A	AZ1H	AZ16	AZ2D	AZ2L	AZ2S	AZ2Z	AZ1W	AZ1P	AZ29	AZ3F	AZ3O
Duo Haze	-	-	-	-	-	-	-	-	-	-	-	AZ3H	AZ3Q
Duo Camel	-	-	-	-	-	-	-	-	-	-	-	AZ3I	AZ3R

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **It can be combined with: Camel and Glow.** - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

[2] **It can be combined with: Haze and Ice.** - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este producto. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Expression

Wall Tiles

V2 Slight Variation

MATTE SURFACE — Wall

8,5 mm
50x120 cm - 19⅝"x47¼"
AYR4 Boost Expression Ice
AYR5 Boost Expression Glow
AYR6 Boost Expression Shell
AYR7 Boost Expression Olive
AYR8 Boost Expression Cyan
AYR9 Boost Expression Sienna

10 mm 3D WALL
50x120 cm - 19⅝"x47¼"
AYSA Boost Expression 3D Flute Ice
AYSB Boost Expression 3D Flute Glow
AYSD Boost Expression 3D Flute Shell


AYTO Boost Expression 3D Loop Ice
AYTQ Boost Expression 3D Loop Glow
AYTR Boost Expression 3D Loop Shell

AYTT Boost Expression Grain Glow
AYTU Boost Expression Grain Shell










TRIM TILES

1,4x50 cm - ⅝"x19⅝"
AYUB Boost Expression Ice Corner 50 *
AYUC Boost Expression Glow Corner 50 *
AYUD Boost Expression Shell Corner 50 *
AYUE Boost Expression Olive Corner 50 *
AYUF Boost Expression Cyan Corner 50 *
AYUG Boost Expression Sienna Corner 50 *

1,4x1,4 cm - ⅝"x⅝"
AYUH Boost Expression Ice Corner A.E. *
AYUI Boost Expression Glow Corner A.E. *
AYUJ Boost Expression Shell Corner A.E. *
AYUK Boost Expression Olive Corner A.E.*
AYUL Boost Expression Cyan Corner A.E. *
AYUM Boost Expression Sienna Corner A.E. *









* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar
Las piezas se hacen por encargo - Изготовляются на заказ

AZ59 Boost Expression Shell
Life ♦
50x120 cm - 19⅝"x47¼"



AZ6A Boost Expression Olive
Life ♦
50x120 cm - 19⅝"x47¼"



AZ6B Boost Expression Sienna
Life ♦
50x120 cm - 19⅝"x47¼"



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

reddot winner 2022

In collaboration with **Matteo Brioni**





Natural Inspiration.
A creative dialogue with Matteo Brioni and raw earth.

Authentic character.
Meticulous reproduction of texture and details.

Earthy decors.
3D Surfaces reproducing unique artworks.

Organic palette.
Shades inspired by natural clay.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades



FIND MORE COLORS IN **Boost Natural Pro** p. 120

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
80x80 cm - 31¹/₂"x31¹/₂"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	12 mm	Hammered



FIND MORE COLORS IN **Boost Natural Pro** p. 120

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

Porcelain Tiles

Matte ✣ 6 mm
Hammered ✣ 6 mm
MEDIUM TRAFFIC

Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm
HEAVY TRAFFIC

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
ALRØ Boost Natural Kaolin Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A67D Boost Natural Ecru
A67E Boost Natural Umber
A67F Boost Natural Coal
A67G Boost Natural Cobalt (1)
A67H Boost Natural Coral
A67B Boost Natural Kaolin
A67C Boost Natural Ash

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A6WU Boost Natural Ecru
A65O Boost Natural Umber
A65P Boost Natural Coal
A65Q Boost Natural Cobalt (1)
A65R Boost Natural Coral
A65N Boost Natural Kaolin
A6WT Boost Natural Ash

Sensitech
✣ 9 mm
80x80 cm - 31 1/2"x31 1/2"
A9RI Boost Natural Ecru
A9RG Boost Natural Umber
A9RJ Boost Natural Coal
A9RK Boost Natural Kaolin
A9RH Boost Natural Ash

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A6WW Boost Natural Ecru
A65T Boost Natural Umber
A65U Boost Natural Coal
A65V Boost Natural Cobalt (1)
A65W Boost Natural Coral
A65S Boost Natural Kaolin
A6WV Boost Natural Ash

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A66E Boost Natural Ecru
A66F Boost Natural Umber
A66G Boost Natural Coal
A658 Boost Natural Kaolin
A659 Boost Natural Ash

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A66J Boost Natural Ecru
A66K Boost Natural Umber
A66L Boost Natural Coal
A66H Boost Natural Kaolin
A66I Boost Natural Ash

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A655 Boost Natural Ecru Grip
A656 Boost Natural Umber Grip
A657 Boost Natural Coal Grip
A653 Boost Natural Kaolin Grip
A654 Boost Natural Ash Grip

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A65Ø Boost Natural Ecru Grip
A651 Boost Natural Umber Grip
A652 Boost Natural Coal Grip
A65Y Boost Natural Kaolin Grip
A65Z Boost Natural Ash Grip

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
A7Q9 Boost Natural Ecru 20 mm
A7Q7 Boost Natural Kaolin 20 mm
A7Q8 Boost Natural Ash 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x23 5/8"
A7RC Boost Natural Ecru 20 mm
A7RA Boost Natural Kaolin 20 mm
A7RB Boost Natural Ash 20 mm

TRIM TILES P. 292

	Battiscopa			Gradino *		Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7.2x120 cm 2 7/8"x47 1/4"	7.2x80 cm 2 7/8"x31 1/2"	7.2x60 cm 2 7/8"x23 5/8"	30x120 cm 11 3/4"x47 1/4"	30x60 cm 11 3/4"x23 5/8"	33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7.2x30 cm 2 7/8"x11 1/4"		max 315x50 H.4 cm 124"x19 5/8" H.1 5/8"	33x120 H. 4 cm 13"x47 1/4" H.1 5/8"	1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x3/8"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip	Matte	Matte
								DX	SX				
Kaolin	A7DV	HAMC	A7DQ	A7EQ	A7EL	A7IQ	A7IL	A7IX	A7D9	A7D2	•	A7I4	A7MY	A7M5
Ash	A7DW	HAL9	A7DR	A7ER	A7EM	A7IR	A7IM	A7IY	A7EA	A7D3	•	A7I5	A7MZ	A7M6
Ecru	A7DX	HAMA	A7DS	A7ES	A7EN	A7IS	A7IN	A7IZ	A7EB	A7D4	•	A7I6	A7MØ	A7M7
Umber	A7DY	HAL8	A7DT	A7ET	A7EO	A7IT	A7IO	A7IØ	A7EC	A7D5	•	A7I7	A7M1	A7M8
Coal	A7DZ	HAMB	A7DU	A7EU	A7EP	A7IU	A7IP	A7I1	A7ED	A7D6	•	A7I8	A7M2	A7M9
Cobalt	A7DØ	-	-	A7EV	-	A7IV	-	A7I2	A7EE	A7D7	•	-	A7M3	A7NA
Coral	A7D1	-	-	A7EW	-	A7IW	-	A7I3	A7EF	A7D8	•	-	A7M4	A7NB


*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **Cobalt: glazed porcelain tiles** - Cobalt: gres porcellanato smaltato - Cobalt: carreaux en grès cérame émaillé - Cobalt: glasierte Feinsteinzeugfliesen - Cobalt: gres porcelánico esmaltado - Cobalt: глазурованный керамогранит.

Sensitech P. 380

KAOLIN



UMBER


ASH


COAL


ECRU


CORAL


COBALT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

Porcelain Tiles

DECOR RANGE

A7CN Boost Natural Kaolin
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"




A7CO Boost Natural Ash
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CP Boost Natural Ecru
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CQ Boost Natural Umber
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A 36,7 cm - 14 1/2"
B 33,8 cm - 13 1/4"



A7CR Boost Natural Coal
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CT Boost Natural Coral
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CS Boost Natural Cobalt
Mosaico Rhombus
36,7x33,8 - 14 1/2"x13 1/4"



A7CF Boost Natural Kaolin
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A7CG Boost Natural Ash
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"




A7CH Boost Natural Ecru
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4""



A7CI Boost Natural Umber
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"




A7CJ Boost Natural Coal
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A 31 cm - 12 1/4"
B 31 cm - 12 1/4"



A7CL Boost Natural Coral
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"



A7CK Boost Natural Cobalt
Mosaico Tumbled [1]
31x31 - 12 1/4"x12 1/4"

[1] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural

Wall Tiles

MATTE SURFACE — Wall

8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A64P Boost Natural Kaolin
A64Q Boost Natural Ash
A64R Boost Natural Ecru

8,5 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
A64S Boost Natural 3D Brushed Kaolin
A64T Boost Natural 3D Brushed Ash
A64U Boost Natural 3D Brushed Ecru

A64V Boost Natural 3D Texture Kaolin
A64W Boost Natural 3D Texture Ash
A64X Boost Natural 3D Texture Ecru

A64Y Boost Natural 3D Wave Kaolin
A64Z Boost Natural 3D Wave Ash
A64Ø Boost Natural 3D Wave Ecru

TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
A641 Boost Natural Kaolin Corner 50 *
A642 Boost Natural Ash Corner 50 *
A643 Boost Natural Ecru Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
A644 Boost Natural Kaolin Corner A.E. *
A645 Boost Natural Ash Corner A.E. *
A646 Boost Natural Ecru Corner A.E. *

3D TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
A7BN Boost Natural 3D Texture Kaolin Corner 50 *
A7BO Boost Natural 3D Texture Ash Corner 50 *
A7BP Boost Natural 3D Texture Ecru Corner 50 *
A7BQ Boost Natural 3D Brushed Kaolin Corner 50 *
A7BR Boost Natural 3D Brushed Ash Corner 50 *
A7BS Boost Natural 3D Brushed Ecru Corner 50 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar
Las piezas se hacen por encargo - Изготовляются на заказ

V2 Slight Variation
























DECOR RANGE

AHVH Boost Natural Kaolin
Mosaico Piano [1]
50x40,5 - 19⁵/₈"x16"


AHHF Boost Natural Ash
Mosaico Piano [1]
50x40,5 - 19⁵/₈"x16"


AHHG Boost Natural Ecru
Mosaico Piano [1]
50x40,5 - 19⁵/₈"x16"


AHHH Boost Natural Kaolin
Mosaico Piano Mix [1]
50x40,5 - 19⁵/₈"x16"



AHHI Boost Natural Ash
Mosaico Piano Mix [1]
50x40,5 - 19⁵/₈"x16"


AHHJ Boost Natural Ecru
Mosaico Piano Mix [1]
50x40,5 - 19⁵/₈"x16"


AHHK Boost Natural Kaolin
Mosaico Trace Mix
30x29,2 - 11⁵/₄"x11¹/₂"


AHHL Boost Natural Ash
Mosaico Trace Mix
30x29,2 - 11⁵/₄"x11¹/₂"


AHHM Boost Natural Ecru
Mosaico Trace Mix
30x29,2 - 11⁵/₄"x11¹/₂"



A 50 cm - 19⁵/₈"
b 7,95 cm - 3¹/₈"
B 40,4 cm - 15⁷/₈"



A 14,5x1,3 cm - 5¹/₄"x¹/₂"
B 14,5x5,9 cm - 5¹/4"x2³/₄"
C 14,5x1 cm - 5¹/₄"x³/₈"
D 14,5x3 cm - 5¹/₄"x1¹/₈"
E 30,7 cm - 12¹/₈"
e 30 cm - 11⁷/₈"
F 29,1 cm - 11¹/₂"


[1] **For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.** - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attenendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaique, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural Pro

In collaboration with **Matteo Brioni**





Stunning shades.
New and warm colors.

3 unique surfaces.
Tailored to meet any desire.

Endless in&out solutions.
Versatility for every space.

Handcrafted wall-tiles decors.
Original masterpieces by Matteo Brioni.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades


SAND

OAT

SALT


CINDER


DOVE

FIND MORE COLORS IN **Boost Natural p. 112**

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B** Velvet Velvetech
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B** Velvet Velvetech
80x80 cm - 31¹/₂"x31¹/₂"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	12 mm	Hammered

SALT


3D RICE SALT


3D WAVE SALT


3D CRAFT SALT


OAT


3D RICE OAT


3D WAVE OAT


3D CRAFT OAT


CINDER


3D RICE CINDER


3D WAVE CINDER


3D CRAFT CINDER


SKIN


3D WAVE SKIN


LAVA


COFFÈ

FIND MORE COLORS IN **Boost Natural p. 112**

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural Pro

Porcelain Tiles

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

L LIGHT TRAFFIC — Velvet Velvetech ✣ 9 mm

M MEDIUM TRAFFIC — Matte ✣ 6 mm

H HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

MATTE SURFACE

Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AQ9E Boost Natural Pro Salt
AQ9F Boost Natural Pro Oat
AQ9G Boost Natural Pro Sand
AQ9H Boost Natural Pro Cinder
AQ9I Boost Natural Pro Dove

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AQ8U Boost Natural Pro Salt
AQ8V Boost Natural Pro Oat
AQ8W Boost Natural Pro Sand
AQ8X Boost Natural Pro Cinder
AQ8Y Boost Natural Pro Dove

Sensitech
✣ 9 mm
80x80 cm - 31¹/₂"x31¹/₂"
A9RL Boost Natural Pro Salt
A9RM Boost Natural Pro Oat
A9RN Boost Natural Pro Sand
A9RO Boost Natural Pro Cinder
A9RP Boost Natural Pro Dove

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AQ8Z Boost Natural Pro Salt
AQ9A Boost Natural Pro Oat
AQ9B Boost Natural Pro Sand
AQ9C Boost Natural Pro Cinder
AQ9D Boost Natural Pro Dove

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AQ9U Boost Natural Pro Salt
AQ9V Boost Natural Pro Oat
AQ9W Boost Natural Pro Sand
AQ9X Boost Natural Pro Cinder
AQ9Y Boost Natural Pro Dove

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AQ9Z Boost Natural Pro Salt
AQ99 Boost Natural Pro Oat
ARAB Boost Natural Pro Sand
ARAD Boost Natural Pro Cinder
ARAF Boost Natural Pro Dove

VELVET SURFACE

Velvetech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AQ8K Boost Natural Pro Salt Velvet
AQ8L Boost Natural Pro Oat Velvet
AQ8M Boost Natural Pro Sand Velvet
AQ8N Boost Natural Pro Cinder Velvet
AQ8O Boost Natural Pro Dove Velvet

Velvetech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AQ8P Boost Natural Pro Salt Velvet
AQ8Q Boost Natural Pro Oat Velvet
AQ8R Boost Natural Pro Sand Velvet
AQ8S Boost Natural Pro Cinder Velvet
AQ8T Boost Natural Pro Dove Velvet

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.

GRIP SURFACE — OUTDOOR ✣ 20 mm

Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AQ9J Boost Natural Pro Salt Grip
AQ9K Boost Natural Pro Oat Grip
AQ9L Boost Natural Pro Sand Grip
AQ9M Boost Natural Pro Cinder Grip
AQ9N Boost Natural Pro Dove Grip

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AQ9P Boost Natural Pro Salt Grip
AQ9Q Boost Natural Pro Oat Grip
AQ9R Boost Natural Pro Sand Grip
AQ9S Boost Natural Pro Cinder Grip
AQ9T Boost Natural Pro Dove Grip

Sensitech
✣ 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
ARB2 Boost Natural Pro Oat 20 mm
ARB4 Boost Natural Pro Cinder 20 mm

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
ARB6 Boost Natural Pro Oat 20 mm
ARB7 Boost Natural Pro Cinder 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
ARB8 Boost Natural Pro Oat 20 mm
ARB9 Boost Natural Pro Cinder 20 mm

TRIM TILES P. 292

	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7,2x120 cm 2⁷/₈"x47¹/₄"	7,2x80 cm 2⁷/₈"x31¹/₂"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	30x60 cm 11³/₄"x23⁵/₈"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		33x120 H. 4 cm 13"x47¹/₄" H.1 ³/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech DX	Matte Sensitech SX	Grip	Matte	Matte
Salt	ARAG	HAMD	ARAM	ARA8	ARBD	AURD	AURI	AURN	ARAY	ARA3	AURS	ARBI	ARBN
Oat	ARAH	HAME	ARAN	ARA9	ARBE	AURE	AURJ	AURO	ARAZ	ARA4	AURT	ARBJ	ARBP
Sand	ARAJ	HAMF	ARAO	ARBA	ARBF	AURF	AURK	AURP	ARAØ	ARA5	AURU	ARBK	ARBQ
Cinder	ARAK	HAMG	ARAP	ARBB	ARBG	AURG	AURL	AURQ	ARA1	ARA6	AURV	ARBL	ARBR
Dove	ARAL	HAMH	ARAQ	ARBC	ARBH	AURH	AURM	AURR	ARA2	ARA7	AURW	ARBM	ARBS


*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*


Sensitech P. 380 Velvetech P. 378


SAND


OAT

SALT


CINDER


DOVE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Natural Pro

Wall Tiles

MATTE SURFACE — Wall

8,5 mm
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AQ6N Boost Natural Pro Salt
AQ6O Boost Natural Pro Oat
AQ6P Boost Natural Pro Cinder
AQ6Q Boost Natural Pro Skin
AQ6R Boost Natural Pro Lava
AQ6S Boost Natural Pro Coffè

8,5 mm 3D WALL
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AQ6T Boost Natural Pro 3D Rice Salt
AQ6U Boost Natural Pro 3D Rice Oat
AQ6V Boost Natural Pro 3D Rice Cinder


AQ6W Boost Natural Pro 3D Wave Salt
AQ6X Boost Natural Pro 3D Wave Oat
AQ6Y Boost Natural Pro 3D Wave Cinder
AQ6Z Boost Natural Pro 3D Wave Skin

AQ7A Boost Natural Pro 3D Craft Salt
AQ7B Boost Natural Pro 3D Craft Oat
AQ7C Boost Natural Pro 3D Craft Cinder

SALT

3D RICE SALT

3D WAVE SALT


3D CRAFT SALT

OAT


3D RICE OAT


3D WAVE OAT


3D CRAFT OAT

TRIM TILES



1,4x50 cm - $^{5}/_{8}$"x19$^{5}/_{8}$"
AQ7Y Boost Natural Pro Salt Corner 50 *
AQ7Z Boost Natural Pro Sand Corner 50 *
AQ8A Boost Natural Pro Cinder Corner 50 *
AQ8B Boost Natural Pro Skin Corner 50 *
AQ8C Boost Natural Pro Lava Corner 50 *
AQ8D Boost Natural Pro Coffè Corner 50 *




1,4x1,4 cm - $^{5}/_{8}$"x$^{5}/_{8}$"
AQ8E Boost Natural Pro Salt Corner A.E. *
AQ8F Boost Natural Pro Sand Corner A.E. *
AQ8G Boost Natural Pro Cinder Corner A.E. *
AQ8H Boost Natural Pro Skin Corner A.E. *
AQ8I Boost Natural Pro Lava Corner A.E. *
AQ8J Boost Natural Pro Coffè Corner A.E. *


CINDER


3D RICE CINDER



3D WAVE CINDER


3D CRAFT CINDER

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar
Las piezas se hacen por encargo - Изготовляются на заказ


SKIN



3D WAVE SKIN


LAVA


COFFÈ

DECOR RANGE

AQ7D Boost Natural Pro Oat
Motion *
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"



AQ7E Boost Natural Pro Coffè
Motion *
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro



Industrial-chic concrete effect.
Embrace the sleek and modern look.

Five warm tones.
Completing the cold hues of Boost.

Endless combinations.
Mix and match within the Boost World collections for limitless design possibilities.

Contemporary elegance and versatile style.

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades

IVORY

CREAM

CLAY

TAUPE

TOBACCO

FIND COLD COLORS IN **Boost p. 80**

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	6 mm	Matte **R9 A**
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x240 cm - 47¹/₄"x94¹/₂"	9 mm	Matte Sensitech **R10 B**
120x120 cm - 47¹/₄"x47¹/₄"	6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	6 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
80x80 cm - 31¹/₂"x31¹/₂"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31¹/₂"x31¹/₂"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**

IVORY

CREAM

CLAY

MUSTARD

POWDER BLUE

3D URBAN IVORY

3D URBAN POWDER BLUE

3D URBAN CLAY

FIND COLD COLORS IN **Boost p. 80**

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15³/₄"x31¹/₂"	8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15³/₄"x31¹/₂"	10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm
Matte Sensitech ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE

Floor — Wall

✣ 6 mm
160x160 cm - 63"x63"
AØQG Boost Pro Clay
AØQH Boost Pro Taupe

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØCK Boost Pro Ivory
AØCM Boost Pro Cream
AØCN Boost Pro Clay
AØCO Boost Pro Taupe
AØCP Boost Pro Tobacco

✣ 6 mm
120x120 cm - 47 1/4"x47 1/4"
AØCQ Boost Pro Ivory
AØCR Boost Pro Cream
AØCS Boost Pro Clay
AØCT Boost Pro Taupe
AØCU Boost Pro Tobacco

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
ALSQ Boost Pro Ivory
ALSU Boost Pro Cream

Sensitech
✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AØCF Boost Pro Ivory
AØCG Boost Pro Cream
AØCJ Boost Pro Clay
AØCI Boost Pro Tobacco

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AØAF Boost Pro Ivory
AØAH Boost Pro Cream
AØAJ Boost Pro Clay
AØAL Boost Pro Taupe
AØAN Boost Pro Tobacco

Sensitech
✣ 9 mm
80x80 cm - 31 1/2"x31 1/2"
A9RU Boost Pro Ivory
A9RT Boost Pro Cream
A9RS Boost Pro Clay
A9RR Boost Pro Taupe
A9RQ Boost Pro Tobacco

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AØC3 Boost Pro Ivory
AØC4 Boost Pro Cream
AØC5 Boost Pro Clay
AØC6 Boost Pro Taupe
AØC7 Boost Pro Tobacco

Sensitech
✣ 9 mm
75x150 cm - 29 1/2"x59"
A7GØ Boost Pro Ivory
A7G2 Boost Pro Cream
A7G3 Boost Pro Clay
A7G4 Boost Pro Taupe
A7G1 Boost Pro Tobacco

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AØBY Boost Pro Ivory
AØBZ Boost Pro Cream
AØBØ Boost Pro Clay
AØB8 Boost Pro Taupe
AØB9 Boost Pro Tobacco

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AØC8 Boost Pro Ivory
AØC9 Boost Pro Cream
AØDA Boost Pro Clay
AØDB Boost Pro Taupe
AØDC Boost Pro Tobacco

GRIP SURFACE — OUTDOOR ✣ 20 mm

Outdoor

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AØAO Boost Pro Ivory Grip
AØAQ Boost Pro Cream Grip
AØBV Boost Pro Clay Grip
AØBW Boost Pro Taupe Grip
AØBX Boost Pro Tobacco Grip

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
A3DD Boost Pro Cream 20 mm
A3DE Boost Pro Clay 20 mm
A3DF Boost Pro Taupe 20 mm
A3DH Boost Pro Tobacco 20 mm

Sensitech
✣ 20 mm
80x80 cm - 31 1/2"x31 1/2"
HAN6 Boost Pro Cream 20 mm
HAN7 Boost Pro Clay 20 mm
HAN8 Boost Pro Taupe 20 mm
HAOA Boost Pro Tobacco 20 mm


Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
A4XU Boost Pro Cream 20 mm
A4XV Boost Pro Clay 20 mm
A4XW Boost Pro Taupe 20 mm
A4XX Boost Pro Tobacco 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
A4XQ Boost Pro Cream 20 mm
A4XR Boost Pro Clay 20 mm
A4XS Boost Pro Taupe 20 mm
A4XT Boost Pro Tobacco 20 mm

Sensitech P. 380









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro

Porcelain Tiles

DECOR RANGE



AØQQ Boost Pro Ivory Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQR Boost Pro Cream Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQS Boost Pro Clay Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQT Boost Pro Taupe Mosaico Matt
30x30 - 11³/₄"x11³/₄"



AØQU Boost Pro Tobacco Mosaico Matt
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm
1⁷/₈"x1⁷/₈"



AØP8 Boost Pro Ivory Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØP9 Boost Pro Cream Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØQB Boost Pro Clay Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"




AØQC Boost Pro Taupe Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



AØQD Boost Pro Tobacco Mosaico Shapes
31x33,5 - 12¹/₄"x13¹/₄"



A 11,4x6,5 cm - 4¹/₂"x2¹/₂"
B 11,4x6,5 cm - 4¹/₂"x2¹/₂"
C 6,3x3,2 cm - 2¹/₂"x1¹/₄"




AØQN Boost Pro Ivory Mosaico Hex Olive [1]
25x28,5 - 9⁷/₈"x11¹/₄"



AØQO Boost Pro Cream Mosaico Hex Blue [1]
25x28,5 - 9⁷/₈"x11¹/₄"



AØQP Boost Pro Taupe Mosaico Hex Coffee [1]
25x28,5 - 9⁷/₈"x11¹/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1³/₈"
D 4,6x3,6 cm - 1³/₄"x1³/₈"



A3HE Boost Pro Leaves A [2]
A3M2 Boost Pro Leaves B
120x278 - 47¹/₄"x109¹/₂"



Module Assembly



TRIM TILES
P. 292

	Battiscopa			Gradino *	Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
	7,2x80 cm 2⁷/₈"x31¹/₂"	7,2x60 cm 2⁷/₈"x23⁵/₈"	Digitale 4,6x60 cm 1³/₄"x23⁵/₈"	30x60 cm 11³/₄"x23⁵/₈"	33x150 cm 13"x59"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19³/₄" H.1⁵/₈"	33x120 H.4 cm 13"x47¹/₄" H.1³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip
									DX	SX		
Ivory	HAMM	AØQI	AØQV	A28Ø	A3CY	A3CT	A3CO	A3C3	AØQØ	AØRX	•	A3C8
Cream	HAML	AØQJ	AØQW	A283	A3CZ	A3CU	A3CP	A3C4	AØQ8	AØRY	•	A3C9
Clay	HAMK	AØQK	AØQX	A284	A3CØ	A3CV	A3CQ	A3C5	AØQ9	AØWQ	•	A3DA
Taupe	HAMJ	AØQL	AØQY	A285	A3C1	A3CW	A3CR	A3C6	AØRA	AØ4M	•	A3DB
Tobacco	HAMI	AØQM	AØQZ	A289	A3C2	A3CX	A3CS	A3C7	AØRM	A28Z	•	A3DC

• **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

[2] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Pro

Wall Tiles

V2 Slight Variation


MATTE SURFACE — Wall


± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8B8I Boost Pro Ivory
8B8E Boost Pro Cream
8B8C Boost Pro Clay
8B8M Boost Pro Mustard
8B8B Boost Pro Powder Blue

± 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BUI Boost Pro 3D Urban Ivory
8BUC Boost Pro 3D Urban Clay
8BUB Boost Pro 3D Urban Powder Blue









TRIM TILES



1,4x40 cm - 5/8"x15³/₄"
LBBI Boost Pro Ivory Corner 40 *
LBBM Boost Pro Cream Corner 40 *
LBBA Boost Pro Clay Corner 40 *
LBBU Boost Pro Mustard Corner 40 *
LBBG Boost Pro Powder Blue Corner 40 *

1,4x1,4 cm - 5/8"x5/8"
AØAI Boost Pro Ivory Corner A.E. *
AØAE Boost Pro Cream Corner A.E. *
AØAC Boost Pro Clay Corner A.E. *
AØAM Boost Pro Mustard Corner A.E. *
AØAB Boost Pro Powder Blue Corner A.E. *

3D TRIM TILES



1,4x40 cm - 5/8"x15³/₄"
LB3I Boost Pro Ivory 3D Corner 40 *
LB3C Boost Pro Clay 3D Corner 40 *
LB3B Boost Pro Powder Blue 3D Corner 40 *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

DECOR RANGE




9BMI Boost Pro Ivory
Minibrick Pro Olive [1]
29,7x33,3 - 11⁵/₈"x13¹/₄"



9BMV Boost Pro Cream
Minibrick Pro Blue [1]
29,7x33,3 - 11⁵/₈"x13¹/₄"



9BMZ Boost Pro Clay
Minibrick Pro Coffee [1]
29,7x33,3 - 11⁵/₈"x13¹/₄"



A 29,6 cm - 11⁵/₈"
B 37,6 cm - 14³/₄"
b 33,3 cm - 13¹/₈"



9BMT Boost Pro Mustard
Minibrick Pro Yellow [1]
29,7x33,3 - 11⁵/₈"x13¹/₄"



9BMU Boost Pro Powder Blue
Minibrick Pro Ocean [1]
29,7x33,3 - 11⁵/₈"x13¹/₄"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Prism

In collaboration
with **Piero Lissoni**





Color Palette by Piero Lissoni.
Extensive, curated colors.

Hand-Troweled Resin.
Timeless inspiration.

Harmonious Graphics.
Seamless spatula effect.

Silk Finish.
Velvety, slightly reflective.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades

COTTON | CLOUD | CORD | SUEDE

DUSK | MIDNIGHT | FOG

MOSS | EMERALD | GRAPHITE

BLOOM | CARAMEL | GRAPE

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Silk | Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Silk | Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	± 9 mm	Silk | Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31¹/₂"x31¹/₂"	± 20 mm	Outdoor Sensitech **R11 C**

Glazed Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte

CORD | COTTON | CLOUD

BLOOM | CARAMEL | GRAPE

SUEDE | DUSK | MIDNIGHT

GRAPHITE | MOSS | EMERALD

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	± 8,5 mm	Matte

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Prism

Porcelain Tiles

Matte ≠ 6 mm
Silk ≠ 9 mm

Matte ≠ 9 mm
Grip Sensitech ≠ 9 mm
Outdoor Sensitech ≠ 20 mm

R9 A Matte ≠ 6 mm
R10 B Matte Sensitech ≠ 9 mm
R11 C Grip Sensitech ≠ 9 mm
R11 C Outdoor Sensitech ≠ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

≠ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A4UP Prism Suede
A4UQ Prism Cord
A4UR Prism Cotton
A4US Prism Cloud
A4UT Prism Fog
A4UU Prism Graphite

≠ 9 mm Sensitech
120x120 cm - 47 1/4"x47 1/4"
A4OG Prism Suede
A4OH Prism Cord
A4OI Prism Cotton
A4OJ Prism Cloud
A4OK Prism Fog
A4OL Prism Graphite

≠ 9 mm Sensitech
60x120 cm - 23 5/8"x47 1/4"
A4OS Prism Suede
A4OT Prism Cord
A4OU Prism Cotton
A4OV Prism Cloud
A4OW Prism Fog
A4OX Prism Graphite

≠ 9 mm Sensitech
60x60 cm - 23 5/8"x23 5/8"
A4UV Prism Suede
A4UW Prism Cord
A4UX Prism Cotton
A4UY Prism Cloud
A4UZ Prism Fog
A4UØ Prism Graphite

≠ 9 mm Sensitech
30x60 cm - 11 3/4"x23 5/8"
A4U1 Prism Suede
A4U2 Prism Cord
A4U3 Prism Cotton
A4U4 Prism Cloud
A4U5 Prism Fog
A4U6 Prism Graphite

SILK SURFACE

≠ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A4OM Prism Suede Silk
A4ON Prism Cord Silk
A4OO Prism Cotton Silk
A4OP Prism Cloud Silk
A4OQ Prism Fog Silk
A4OR Prism Graphite Silk

≠ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A5RV Prism Suede Silk
A5RW Prism Cord Silk
A5RX Prism Cotton Silk
A5RY Prism Cloud Silk
A5RZ Prism Fog Silk
A5RØ Prism Graphite Silk

≠ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A5R2 Prism Suede Silk
A5R6 Prism Cord Silk
A5R7 Prism Cotton Silk
A5SA Prism Cloud Silk
A5SB Prism Fog Silk
A5SC Prism Graphite Silk

GRIP SURFACE — OUTDOOR ≠ 20 mm — Outdoor

≠ 9 mm Sensitech
120x120 cm - 47 1/4"x47 1/4"
A5OI Prism Suede Grip
A5OJ Prism Cord Grip
A5OK Prism Cloud Grip
A5OL Prism Fog Grip

≠ 20 mm Sensitech
120x120 cm - 47 1/4"x47 1/4"
A5OM Prism Suede 20 mm
A5ON Prism Cord 20 mm
A5OO Prism Cloud 20 mm
A5OP Prism Fog 20 mm

≠ 20 mm Sensitech
80x80 cm - 31 1/2"x31 1/2"
A56H Prism Suede 20 mm
A56I Prism Cord 20 mm
A56J Prism Cloud 20 mm
A56K Prism Fog 20 mm

Glazed Porcelain Tiles

MATTE SURFACE — Wall


≠ 6 mm
120x278 cm - 47 1/4"x109 1/2" (1)
A4VH Prism Bloom
A4VI Prism Caramel
A4VJ Prism Grape
A4VK Prism Dusk
A4VL Prism Midnight
A4VM Prism Moss
A4VN Prism Emerald


(1) **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.


Sensitech P. 380



























INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Prism

Porcelain Tiles

DECOR RANGE

A4V1 Prism Cotton
Mosaico Matte
30x30 - 11³/₄"x11³/₄"

A4VØ Prism Cord
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4VZ Prism Suede
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4V2 Prism Cloud
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4V3 Prism Fog
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A4V4 Prism Graphite
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm
1⁷/₈"x1⁷/₈"

A41S Prism Cotton
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41R Prism Cord
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41Q Prism Suede
Mosaico Maze
31x35,7 - 12¹/₄"x14"




A41T Prism Cloud
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41U Prism Fog
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A41V Prism Graphite
Mosaico Maze
31x35,7 - 12¹/₄"x14"



A	44,6 cm - 17¹/₂"
B	31 cm - 12¹/₄"
a	35,7 cm - 14"
b	7,6 cm - 3"
c	8,8 cm - 3¹/₂"
d	17,6 cm - 6⁷/₈"

A41Y Prism Cotton
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A41X Prism Cord
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A41W Prism Suede
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A41Z Prism Cloud
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A411 Prism Fog
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A412 Prism Graphite
Mosaico Maze Silk
31x35,7 - 12¹/₄"x14"



A4VO Prism Gradient XL [1] [2]
120x278 cm - 47¹/₄"x109¹/₂"



A4VP Prism Brush XL [1] [2]
120x278 cm - 47¹/₄"x109¹/₂"

TRIM TILES P. 292	Battiscopa		Gradino *		Scalino *		Scalino *		Scalino Ang.*		Battiscopa Sag. Scala *				Davanzale / Soglia *	Elemento L *	Corner * ✠ 6 mm	Corner A.E * ✠ 6 mm
	7,2x60 cm 2⁷/₈"x23⁵/₈"		30x60 cm 11³/₄"x23⁵/₈"		33x120 cm 13"x47¹/₄"		33x60 cm 13"x23⁵/₈"		33x33 cm 13"x13"		7,2x30 cm 2⁷/₈"x11³/₄"				max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈"	33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Silk	Matte	Silk	Matte	Silk	Matte	Silk	Matte	Silk	Matte SX	Matte DX	Silk SX	Silk DX	Matte	Grip	Matte	Matte
Cotton	A4XØ	A5SF	A4YI	A5SX	A4YU	A4Y6	A4YO	A5S3	A4YØ	A4ZD	A4YC	A4X6	A5SR	A5SL	•	-	A4ZJ	A4ZP
Cord	A4XZ	A5SE	A4YH	A5SW	A4YT	A4Y5	A4YN	A5S2	A4YZ	A4ZC	A4YB	A4X5	A5SQ	A5SK	•	A5OZ	A4ZI	A4ZO
Suede	A4XY	A5SD	A4YG	A5SV	A4YS	A4Y4	A4YM	A5S1	A4YY	A4ZB	A4YA	A4X4	A5SP	A5SJ	•	A5OY	A4ZH	A4ZN
Cloud	A4X1	A5SG	A4YJ	A5SY	A4YV	A4Y7	A4YP	A5S4	A4Y1	A4ZE	A4YD	A4X7	A5SS	A5SM	•	A5OØ	A4ZK	A4ZQ
Fog	A4X2	A5SH	A4YK	A5SZ	A4YW	A4Y9	A4YQ	A5S5	A4Y2	A4ZF	A4YE	A4X8	A5ST	A5SN	•	A5O1	A4ZL	A4ZR
Graphite	A4X3	A5SI	A4YL	A5SØ	A4YX	A4ZA	A4YR	A5S6	A4Y3	A4ZG	A4YF	A4X9	A5SU	A5SO	•	-	A4ZM	A4ZS

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The production process does not guarantee the presence of the exact sequence of the graphics inside the packaging** - Il processo produttivo non garantisce la presenza dell'esatta sequenza delle grafiche all'interno dell'imballo. - Le processus de fabrication ne garantit pas la présence de la séquence exacte des graphismes à l'intérieur de l'emballage. - Der Produktionsprozess garantiert nicht die exakte Sequenz der Grafiken in der Verpackung. - El proceso de producción no garantiza la presencia de la secuencia exacta de los gráficos dentro del embalaje. - Процесс производства не обеспечивает наличие точно совпадающих рисунков поверхности внутри упаковки.

[2] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Prism

Wall Tiles

MATTE SURFACE — Wall


8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A4TF Prism Suede
A4TG Prism Cord
A4TH Prism Cotton
A4TI Prism Cloud
A4TJ Prism Graphite
A4TK Prism Bloom
A4TL Prism Caramel
A4TM Prism Grape
A4TN Prism Dusk
A4TO Prism Midnight
A4TP Prism Moss
A4TQ Prism Emerald

V2 Slight Variation






















TRIM TILES



1,4x50 cm - ⁵/₈"x19²/₃"
A4ØO Prism Suede Corner 50 *
A4ØP Prism Cord Corner 50 *
A4ØQ Prism Cotton Corner 50 *
A4ØR Prism Cloud Corner 50 *
A4ØS Prism Graphite Corner 50 *
A4ØT Prism Bloom Corner 50 *
A4ØU Prism Caramel Corner 50 *
A4ØV Prism Grape Corner 50 *
A4ØW Prism Dusk Corner 50 *
A4ØX Prism Midnight Corner 50 *
A4ØY Prism Moss Corner 50 *
A4ØZ Prism Emerald Corner 50 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"
A4Ø1 Prism Suede Corner A.E. *
A4Ø2 Prism Cord Corner A.E. *
A4Ø3 Prism Cotton Corner A.E. *
A4Ø4 Prism Cloud Corner A.E. *
A4Ø5 Prism Graphite Corner A.E. *
A4Ø6 Prism Bloom Corner A.E. *
A4Ø7 Prism Caramel Corner A.E. *
A4Ø8 Prism Grape Corner A.E. *
A4Ø9 Prism Dusk Corner A.E. *
A41A Prism Midnight Corner A.E. *
A41B Prism Moss Corner A.E. *
A41C Prism Emerald Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

DECOR RANGE

A4ZX Prism Cotton Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4ZW Prism Cord Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"


A4ZV Prism Suede Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"


A4ZY Prism Cloud Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4ZZ Prism Graphite Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"


A4ZØ Prism Bloom Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A 32 cm - 12⁵/₈"
a 29,6 cm - 11⁵/₈"
B 32,6 cm - 12⁷/₈"
b 29,7 cm - 11³/₄"


A4Z1 Prism Caramel Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4Z2 Prism Grape Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4Z3 Prism Dusk Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4Z4 Prism Midnight Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"


A4Z5 Prism Moss Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4Z6 Prism Emerald Mosaico Bead
29,7x29,6 - 11⁵/₈"x11⁵/₈"



A4ØE Prism Cotton Mosaic Q
30,5x30,5 - 12"x12"



A4ØD Prism Cord Mosaic Q
30,5x30,5 - 12"x12"



A4ØC Prism Suede Mosaic Q
30,5x30,5 - 12"x12"



A4ØF Prism Cloud Mosaic Q
30,5x30,5 - 12"x12"



A4ØG Prism Graphite Mosaic Q
30,5x30,5 - 12"x12"



A4ØH Prism Bloom Mosaic Q
30,5x30,5 - 12"x12"



1,7x1,7 cm
⁵/₈"x⁵/₈"



A4ØI Prism Caramel Mosaic Q
30,5x30,5 - 12"x12"


A4ØJ Prism Grape Mosaic Q
30,5x30,5 - 12"x12"


A4ØK Prism Dusk Mosaic Q
30,5x30,5 - 12"x12"


A4ØL Prism Midnight Mosaic Q
30,5x30,5 - 12"x12"


A4ØM Prism Moss Mosaic Q
30,5x30,5 - 12"x12"



A4ØN Prism Emerald Mosaic Q
30,5x30,5 - 12"x12"

A4Z7 Prism Cotton Wiggle [1]
30,6x32,4 - 12"x12³/₄"


A4Z8 Prism Bloom Wiggle [1]
30,6x32,4 - 12"x12³/₄"


A4Z9 Prism Dusk Wiggle [1]
30,6x32,4 - 12"x12³/₄"


A4ØB Prism Moss Wiggle [1]
30,6x32,4 - 12"x12³/₄"



A 36,1 cm - 14¹/₄"
a 32,3 cm - 12³/₄"
B 35,2 cm - 13⁷/₈"
b 30,6 cm - 12"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Prism

Wall Tiles

DECOR RANGE



A4TS Prism Brush [2]
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

8 patterns




A4ZT Prism Enigma
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Cloud 50x120, Graphite 50x120, Cotton 50x120



A4TR Prism Gradient [2]
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

12 patterns



A4ZU Prism Gold [1]
50x120 cm - 19$^{3}/_{8}$"x47$^{1}/_{4}$"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Bloom 50x120, Caramel 50x120, Grape 50x120, Cord 50x120, Cloud 50x120, Suede 50x120, Cotton 50x120

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Item sold by square meter.** - Articolo venduto al mq. - Article vendu au mètre carré. - Artikel pro m^2 verkauft. - Artículo vendido por m^2 - Артикул продается квадратными метрами.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel



Where everything began.
The first marble collection of Atlas Concorde.

Exclusive inspiration.
Experience the luxury of the finest marble.

Timeless elegance.
Crafted to elevate your interiors with enduring sophistication.

DISCOVER MORE

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades





Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	± 6 mm	Polished I Matte **R9 A**
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished I Matte **R9 A**
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29 1/2"x59"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Polished I Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 296

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished I Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	± 12-20 mm	Polished I Silk | Matte
159x324 cm - 62 5/8"x127 1/2" NON-RECTIFIED	± 20 mm	Polished I Matte



Wall Tiles RECTIFIED MONOCALIBER


SHINY SURFACE —— Wall

± **8,5 mm**
30,5x56 cm - 12"x22"
9P5L Marvel Calacatta Extra



ASEK Marvel Greca Gold [1]
7,8x30,5 - 3 1/8"x12"

ASEM Marvel Greca A.E. [1]
7,8x1,2 - 3 1/8"x 1/2"



ASCM Marvel Calacatta Mosaic
30,5x30,5 - 12"x12"



1,7x1,7 cm
5/8"x5/8"

TRIM TILES P. 292

	Battiscopa		Gradino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x60 cm 2 7/8"x23 5/8"		30x60 cm 11 3/4"x23 5/8"	33x75 cm 13"x29 1/2"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7,2x30 cm 2 7/8"x11 3/4"		max 315x50 H.4 cm 124"x19 5/8" H.1 1/8"
	Matte	Polished	Matte	Matte	Matte	Matte	Matte		Matte
							DX	SX	
Calacatta Extra	ASLJ	AVXS	ASLQ	ASMZ	ASMN	ASMT	ASNC	ASNI	•
Grey Stone	ASLO	AVXX	ASLV	ASM7	ASMS	ASMY	ASNH	ASNN	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel

Porcelain Tiles

MEDIUM TRAFFIC — Polished ✣ 6 - 9 mm, Silk ✣ 6 mm, Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm

V2 Slight Variation

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJKT Marvel Calacatta Extra Bookmatch Polished
AJKS Marvel Calacatta Extra Polished

✣ 6 mm
160x160 cm - 63"x63"
AO51 Marvel Calacatta Extra Polished

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AØBM Marvel Calacatta Extra Polished
AOTJ Marvel Calacatta Extra Bookmatch A Polished
AOTK Marvel Calacatta Extra Bookmatch B Polished
AOUB Marvel Calacatta Extra Endless Polished
A6DU Marvel Calacatta Extra Kit Endless Lp Polished [2] [3]

✣ 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AY2N Marvel Calacatta Extra Polished
AY2O Marvel Grey Stone Polished

✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AY2R Marvel Calacatta Extra Polished

✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21S Marvel Calacatta Extra Polished
A21H Marvel Grey Stone Polished

✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
7N3O Marvel Calacatta Extra Polished

✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
DØ16 Marvel Calacatta Extra Polished

✣ 9 mm
75x150 cm - 29¹/₂"x59"
A6IF Marvel Calacatta Extra Polished

SILK SURFACE [4]

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJKZ Marvel Calacatta Extra Bookmatch Silk
AJKY Marvel Calacatta Extra Silk
AJKX Marvel Grey Stone Silk

MATTE SURFACE

✣ 6 mm
160x160 cm - 63"x63"
AO54 Marvel Calacatta Extra

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AØBT Marvel Calacatta Extra
A2RP Marvel Grey Stone

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2ØY Marvel Calacatta Extra

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A2Ø8 Marvel Calacatta Extra
A2Ø9 Marvel Grey Stone

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
7N3A Marvel Calacatta Extra
7N3F Marvel Grey Stone

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
DØ95 Marvel Calacatta Extra
D1ØØ Marvel Grey Stone

Sensitech
✣ 9 mm
75x150 cm - 29¹/₂"x59"
A7HX Marvel Calacatta Extra


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 337**

[4] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Sensitech P. 380






DECOR RANGE



ASLC Marvel Calacatta Mosaico 3D [5]
30x30 - 11³/₄"x11³/₄"



ASLH Marvel Grey Mosaico 3D [5]
30x30 - 11³/₄"x11³/₄"




7,4x7,4 cm - 2⁷/₈"x2⁷/₈"

ASK5 Marvel Calacatta Mosaico Matte
30x30 - 11³/₄"x11³/₄"




ASLA Marvel Grey Mosaico Matte
30x30 - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"



ASMB Marvel Calacatta Mosaico Polished
30x30 - 11³/₄"x11³/₄"



1,7x1,7 cm - ⁵/₈"x⁵/₈"

[5] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin máslique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel 3D



Lights on wall.
Marvel becomes 3D.

5 Marvel masterpieces.
Now reinterpreted in three 3D wall textures

3D Crease.
Balanced and contemporary.

3D Reed.
Material and irregular.

Field.
Discreet and elegant.

COLLECTION CATALOG

VIDEO

Wall | Decors


CALACATTA MERAVIGLIA FIELD


CALACATTA MERAVIGLIA 3D REED


CALACATTA MERAVIGLIA 3D CREASE


CALACATTA BERNINI FIELD


CALACATTA BERNINI 3D REED


CALACATTA BERNINI 3D CREASE


TRAVERTINE WHITE FIELD


TRAVERTINE WHITE 3D REED


TRAVERTINE WHITE 3D CREASE


TRAVERTINE SAND FIELD


TRAVERTINE SAND 3D REED


TRAVERTINE SAND 3D CREASE


LIGHT MAJESTIC FIELD


LIGHT MAJESTIC 3D REED


LIGHT MAJESTIC 3D CREASE

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⅝"x47¼"	⧳ 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19⅝"x47¼"	⧳ 8,5 mm	Matte

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Marvel 3D

Wall Tiles

V2 Slight Variation

MATTE SURFACE

Wall

∓ 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
AQ3M Marvel 3D Field Travertine White
AQ3N Marvel 3D Field Travertine Sand
AQ3O Marvel 3D Field Calacatta Meraviglia
AQ3P Marvel 3D Field Calacatta Bernini
AQ6F Marvel 3D Field Light Majestic

∓ 8,5 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
AQ3Q Marvel 3D Reed Travertine White
AQ3R Marvel 3D Reed Travertine Sand
AQ3S Marvel 3D Reed Calacatta Meraviglia
AQ3T Marvel 3D Reed Calacatta Bernini
AQ6G Marvel 3D Reed Light Majestic

AQ3U Marvel 3D Crease Travertine White
AQ3V Marvel 3D Crease Travertine Sand
AQ3W Marvel 3D Crease Calacatta Meraviglia
AQ3X Marvel 3D Crease Calacatta Bernini
AQ6H Marvel 3D Crease Light Majestic

TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
ASØP Marvel Field Travertine White Corner 50 *
ASØQ Marvel Field Travertine Sand Corner 50 *
ASØR Marvel Field Calacatta Meraviglia Corner 50 *
ASØS Marvel Field Calacatta Bernini Corner 50 *
ASØT Marvel Field Light Majestic Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
ASØU Marvel Field Travertine White Corner A.E. *
ASØV Marvel Field Travertine Sand Corner A.E. *
ASØW Marvel Field Calacatta Meraviglia Corner A.E. *
ASØX Marvel Field Calacatta Bernini Corner A.E. *
ASØY Marvel Field Light Majestic Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


CALACATTA MERAVIGLIA FIELD


CALACATTA MERAVIGLIA 3D REED


CALACATTA MERAVIGLIA 3D CREASE


CALACATTA BERNINI FIELD


CALACATTA BERNINI 3D REED


CALACATTA BERNINI 3D CREASE

TRAVERTINE WHITE FIELD


TRAVERTINE WHITE 3D REED



TRAVERTINE WHITE 3D CREASE


TRAVERTINE SAND FIELD


TRAVERTINE SAND 3D REED


TRAVERTINE SAND 3D CREASE


LIGHT MAJESTIC FIELD


LIGHT MAJESTIC 3D REED


LIGHT MAJESTIC 3D CREASE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Diva



Inspired by 10 exquisite marbles.
Unmatched rarity, unique like a DIVA.

Perfect finishes.
Each stone in an impeccable finish.

Striking details.
Rich hues, bold veins,
sophisticated weaves.

Tactile allure.
New captivating wall-tile textures.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades





















Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Silk
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Velvet Velvetech
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Polished I Velvet Velvetech Matte Sensitech **R10 B**

LARGE SIZES P. 296

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished I Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Polished I Silk
159x324 cm - 62⁵/₈"x127¹/₂" NON-RECTIFIED	± 20 mm	Polished













Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	± 8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⁵/₈"x47¹/₄"	± 8,5 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Diva

L LIGHT TRAFFIC — Velvet Velvetech ≠ 9 mm
M MEDIUM TRAFFIC — Polished ≠ 6 - 9 mm, Silk ≠ 6 mm
H HEAVY TRAFFIC — Matte Sensitech ≠ 9 mm
R10 B Matte Sensitech ≠ 9 mm
V3 Moderate Variation

Porcelain Tiles

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

≠ 6 mm
160x320 cm - 63"x126"
AXXG Marvel Ice Crystal Polished Endless
AXXO Marvel Taj Mahal Polished Endless
AXXV Marvel Baobab Polished Endless
AXYJ Marvel Ice Crystal Polished Kit Endless [2] [3]
AXYL Marvel Taj Mahal Polished Kit Endless [2] [3]
AXYN Marvel Baobab Polished Kit Endless [2] [3]

≠ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AX8K Marvel Ice Crystal Polished
AX8M Marvel White Everest Polished
AX8L Marvel Taj Mahal Polished
AX8P Marvel Amethyst Polished
AX8N Marvel Aqua Polished
ARR3 Marvel Baobab Polished
AX8O Marvel Galaxy Polished
AYV3 Marvel Ice Crystal Polished Kit Endless [2] [3]
AYV5 Marvel White Everest Polished Kit Endless [2] [3]
AYV4 Marvel Taj Mahal Polished Kit Endless [2] [3]
AYV8 Marvel Amethyst Polished Kit Endless [2] [3]
AYV6 Marvel Aqua Polished Kit Endless [2] [3]
AYV2 Marvel Baobab Polished Kit Endless [2] [3]
AYV7 Marvel Galaxy Polished Kit Endless [2] [3]

≠ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AXJU Marvel Ice Crystal Polished
AXJW Marvel White Everest Polished
AXJV Marvel Taj Mahal Polished

≠ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AUQU Marvel Ice Crystal Polished
AUQV Marvel White Everest Polished
AU8C Marvel Taj Mahal Polished
AU8F Marvel Amethyst Polished
AU8E Marvel Aqua Polished
AU8B Marvel Baobab Polished
AU8D Marvel Galaxy Polished

SILK SURFACE

atlasPLAN

≠ 6 mm
160x320 cm - 63"x126"
AXXH Marvel Ice Crystal Silk Endless
ARTK Marvel Appennino Silk
AXXP Marvel Taj Mahal Silk Endless
AKGB Marvel Precious Brown Silk
AXYK Marvel Ice Crystal Silk Kit Endless [2] [3]
AXYM Marvel Taj Mahal Silk Kit Endless [2] [3]
ARTM Marvel Appennino Silk Bookmatch
AKGC Marvel Precious Brown Silk Bookmatch

≠ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AX81 Marvel Ice Crystal Silk
AX83 Marvel White Everest Silk
AX82 Marvel Taj Mahal Silk
AX8Y Marvel Precious Brown Silk
AX8Z Marvel Sky Stone Silk
AX8Ø Marvel Black Tempest Silk
AYWC Marvel Ice Crystal Silk Kit Endless [2] [3]
AYWE Marvel White Everest Silk Kit Endless [2] [3]
AYWD Marvel Taj Mahal Silk Kit Endless [2] [3]
AYV9 Marvel Precious Brown Silk Kit Endless [2] [3]
AYWA Marvel Sky Stone Silk Kit Endless [2] [3]
AYWB Marvel Black Tempest Silk Kit Endless [2] [3]

VELVET SURFACE

Velvetech

≠ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AU8X Marvel Ice Crystal Velvet
AX8R Marvel White Everest Velvet
AX8Q Marvel Taj Mahal Velvet

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.

Velvetech

≠ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AUQW Marvel Ice Crystal Velvet
AUQX Marvel White Everest Velvet
AU8G Marvel Taj Mahal Velvet
AU8H Marvel Precious Brown Velvet
AU8I Marvel Sky Stone Velvet
AU8J Marvel Black Tempest Velvet

MATTE SURFACE

Sensitech

≠ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AX8S Marvel Ice Crystal
AX8U Marvel White Everest
AX8T Marvel Taj Mahal

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 337**

Sensitech P. 380 Velvetech P. 378



ICE CRYSTAL



TAJ MAHAL


AMETHYST


WHITE EVEREST


PRECIOUS BROWN


AQUA


BAOBAB


SKY STONE


GALAXY


BLACK TEMPEST

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Diva

Porcelain Tiles

DECOR RANGE



AYD7 Marvel Diva Ice Crystal
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




AYD9 Marvel Diva White Everest
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYD8 Marvel Diva Taj Mahal
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYEA Marvel Diva Amethyst
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



A 35 cm - 13³/₄"
B 27,6 cm - 10⁷/₈"



AYLT Marvel Diva Ice Crystal
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"




AYLW Marvel Diva White Everest
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



AYLU Marvel Diva Taj Mahal
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



AYLX Marvel Diva Aqua
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



A 33,4 cm - 13¹/₈"
B 28,9 cm - 11³/₈"



AYLP Marvel Diva Ice Crystal
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"




AYLR Marvel Diva White Everest
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYLQ Marvel Diva Taj Mahal
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYLS Marvel Diva Baobab
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



A 23,3 cm - 9¹/₈"
B 40,3 cm - 15⁷/₈"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Eviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives.- Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.



AYDl Marvel Diva Ice Crystal [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"




AYDM Marvel Diva Taj Mahal [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYDØ Marvel Diva White Everest [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYD1 Marvel Diva Sky Stone [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



A 118,2 cm - 46¹/₂"
B 59,5 cm - 23³/₈"



AYD2 Marvel Diva Ice Crystal
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"




AYD4 Marvel Diva White Everest
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



AYD3 Marvel Diva Taj Mahal
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



AYD5 Marvel Diva Black Tempest
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



A 46,3 cm - 6⁷/₈"
B 17,5 cm - 18¹/₄"

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.

[2] **Metal insert. We recommend use of a neutral detergent. Do not use acid, alkaline or waxing products or metal scouring pads. Detergents may cause a light loss of colour of the metallic insert, due to either repetitive use or too long contact time.** - Inserto metallico. Si consiglia l'utilizzo di un comune detergente neutro, evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo. I detergenti, anche di uso comune, possono portare ad una leggera perdita di colore della bacchetta stessa, o per uso ripetuto o per tempo di contatto troppo elevato. - Insert métallique. Il est conseillé d'utiliser un produit détergent commun et neutre, d'éviter d'utiliser des produits acides ou alcalins, à base de cire ainsi que les pailles de métal. - Metalleinlage. Ein handelsübliches, neutrales Reinigungsmittel und keine sauren oder alkalischen, wachshaltigen Produkte oder Stahlwolle verwenden. - Inserto metálico. Se recomienda utilizar un detergente neutro y evitar productos ácidos o alcalinos, ceras y estropajos metálicos. - Металлическая вставка. Рекомендуется использовать обычное нейтральное моющее средство, избегать использования кислотных или щелочных продуктов,а также средств для вощения и металлических мочалок.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Diva

Wall Tiles

V3 Moderate Variation

MATTE SURFACE —— Wall


± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
AYLY Marvel Diva Ice Crystal Field
AYL1 Marvel Diva Taj Mahal Field
AYLZ Marvel Diva White Everest Field
AYLØ Marvel Diva Sky Stone Field

± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
AYL2 Marvel Diva Ice Crystal 3D Crease
AYL3 Marvel Diva White Everest 3D Crease


ICE CRYSTAL FIELD



ICE CRYSTAL 3D CREASE


WHITE EVEREST FIELD


WHITE EVEREST 3D CREASE


TAJ MAHAL FIELD


SKY STONE FIELD



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Dream



Timeless Elegance.
Elegant white and black marbles effects for stylish projects.

The refined beauty of marble.
Marble effect to enhance any space with elegance and sophistication.

Seamless integration.
Perfectly pairs with all Marvel World products and the entire Atlas Concorde catalog.

DISCOVER
MORE

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades





Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	⧗ 6 mm	Polished I Matte **R9 A**
120x240 cm - 47¹/₄"x94¹/₂"	⧗ 9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	⧗ 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	⧗ 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	⧗ 9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 296

atlasPLAN

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" **NON-RECTIFIED**	⧗ 12 mm	Polished I Silk

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Dream

Porcelain Tiles

Polished ✣ 6 - 9 mm
Matte ✣ 6 mm
MEDIUM TRAFFIC

R10 B Matte Sensitech ✣ 9 mm
HEAVY TRAFFIC

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm

V2 Slight Variation
Bianco Fantastico, Black Atlantis

POLISHED SURFACE [1]

Floor — Wall

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AOSE Marvel Bianco Fantastico Polished
AOSG Marvel Black Atlantis Polished


✣ 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AO3P Marvel Bianco Fantastico Polished
AO3R Marvel Black Atlantis Polished

✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AL7N Marvel Bianco Fantastico Polished
AL7P Marvel Black Atlantis Polished

✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21J Marvel Bianco Fantastico Polished
A21I Marvel Black Atlantis Polished

✣ 9 mm
75x150 cm - 29¹/₂"x59"
A7FS Marvel Bianco Fantastico Polished
A7FV Marvel Black Atlantis Polished





MATTE SURFACE

✣ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
A2RR Marvel Bianco Fantastico
A2RQ Marvel Black Atlantis

Sensitech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2Ø3 Marvel Bianco Fantastico
A2ØZ Marvel Black Atlantis

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21B Marvel Bianco Fantastico
A21A Marvel Black Atlantis

Sensitech
✣ 9 mm
75x150 cm - 29¹/₂"x59"
A7HY Marvel Bianco Fantastico
A7H1 Marvel Black Atlantis

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

Sensitech P. 380


DECOR RANGE



AOU4 Marvel Bianco Fantastico Line Polished
30,5x26 - 12"x10¹/₄"




AOU6 Marvel Black Atlantis Line Polished
30,5x26 - 12"x10¹/₄"



A 34 cm - 13³/₈"
a 26 cm - 10¹/₄"
B 30,5 cm - 12"




AOVQ Marvel Bianco Fantastico Liberty Polished
31,8x26,1 - 12¹/₂"x10¹/₄"



A 32,8 cm - 12⁷/₈"
a 26,1 cm - 10¹/₄"
B 31,8 cm - 12¹/₂"



AOVF Marvel Bianco Fantastico Mosaico Matte
30x30 - 11³/₄"x11³/₄"




AOVI Marvel Black Atlantis Mosaico Matte
30x30 - 11³/₄"x11³/₄"




3,5x3,5 cm
1³/₈"x1³/₈"




AOVJ Marvel Bianco Fantastico Basket Weave Matte
30,5x30,5 - 12"x12"
Bianco Fantastico + Black Atlantis



A 30,5 cm - 12"
B 30,5 cm - 12"



AOU8 Marvel Bianco Fantastico Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AOVB Marvel Black Atlantis Mosaico Polished
30x30 - 11³/₄"x11³/₄"




1,7x1,7 cm
⁵/₈"x⁵/₈"



AOVY Marvel Bianco Fantastico Hex
25,4x29,6 - 10"x11⁵/₈"



AOV1 Black Atlantis Hex
25,4x29,6 - 10"x11⁵/₈"



A 29,7 cm - 11³/₄"
a 25,3 cm - 10"
B 34,4 cm - 13¹/₂"
b 29,5 cm - 11⁵/₈"

TRIM TILES
P. 292

	Battiscopa		Scalino *		Scalino Ang.*						Scalin Ang.*						Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x150 cm 2⁷/₈"x59"		37,5x150 cm 14³/₄"x59"		37,5x37,5 cm 14³/₄"x14³/₄"						33x33 cm 13"x13"						7,2x30 cm - 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈"
	Polished	Matte	Polished	Matte	Polished		Matte				Polished		Polished		Matte		Matte		Matte
					SX	DX	SX	DX					SX	DX	SX	DX	DX	SX	
Bianco Fantastico	AOWE	AOWA	AO7L	AO7H	-	-	APAG	APAF	AO95	AO94	-	-	AO9Z	AO9Y	AO9T	AO9S	AOWL	AOWP	•
Black Atlantis	AOWH	AOWD	AO7O	AO7K	AO99	AO93	-	-	-	-	AO9X	AO9R	-	-	-	-	AOWO	AOWS	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Gala



Distinctive personalities.
Inspired by 5 rare and precious stones.

Vibrant and deep colors.
Marble, crystal, granite,
and quartzite inspirations.

Inspired by natural wonders.
The glaciers of Alaska, the Californian desert, the green of Amazon, the turquoise of the tropical seas, the Icelandic volcanoes.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Polished

LARGE SIZES P. 296

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12-20 mm	Polished | Silk
159x324 cm - 62⁵/₈"x127¹/₂" NON-RECTIFIED	± 20 mm	Polished

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Gala

Porcelain Tiles

MEDIUM TRAFFIC

Polished ≠ 6 - 9 mm

V3 Moderate Variation

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

≠ 6 mm
160x320 cm - 63"x126"
AJKV Marvel Crystal White Bookmatch Polished
AJKU Marvel Crystal White Polished
AJKH Marvel Desert Soul Bookmatch Polished
AJKG Marvel Desert Soul Polished
AJRQ Marvel Exotic Green Bookmatch Polished
AJRP Marvel Exotic Green Polished

≠ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFXU Marvel Exotic Green Polished
AFXV Marvel Desert Soul Polished
AFXW Marvel Crystal White Polished
AFXX Marvel Amazzonite Polished
AFXY Marvel Calacatta Black Polished


≠ 9 mm
120x120 cm - 47 1/4"x47 1/4"
ABKA Marvel Exotic Green Polished
AFXM Marvel Desert Soul Polished
AFXN Marvel Crystal White Polished
ABKB Marvel Amazzonite Polished
AFXO Marvel Calacatta Black Polished

≠ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFXP Marvel Exotic Green Polished
AFXQ Marvel Desert Soul Polished
AFXR Marvel Crystal White Polished
AFXS Marvel Amazzonite Polished
AFXT Marvel Calacatta Black Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

CRYSTAL WHITE


DESERT SOUL


AMAZZONITE


EXOTIC GREEN


CALACATTA BLACK

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Gems



Modern Venetian Terrazzo.
A contemporary take on classic Venetian terrazzo.

Contemporary colors.
Available in modern, neutral shades.

Seamless Pairing.
Perfectly matches with Marvel World collections.

DISCOVER MORE

Floor | Wall











Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor | Wall

Sensitech
± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
ATW3 Marvel Terrazzo White
ATW4 Marvel Terrazzo Pearl
ATW5 Marvel Terrazzo Cream
ATW6 Marvel Terrazzo Grey
ATW7 Marvel Terrazzo Black

MEDIUM TRAFFIC — Matte ± 9 mm | **R10 B** Matte Sensitech ± 9 mm | V2 Slight Variation

TRIM TILES
P. 292

	Battiscopa 7.2x60 cm 2⁷/₈"x23⁵/₈"	Battiscopa Digitale 4.6x60 cm 1¹³/₁₆"x23⁵/₈"	Gradino * 30x60 cm 11¹³/₁₆"x23⁵/₈"	Scalino * 33x60 cm 13"x23⁵/₈"	Scalino Ang.* 33x33 cm 13"x13"	Davanzale / Soglia * max 315x50 H.4 cm 124"x19⁹/₁₆" H.1¹³/₁₆"
	Matte	Matte	Matte	Matte	Matte	Matte
Terrazzo White	AT9M	AT9H	AUDB	AT9R	AS8Y	•
Terrazzo Pearl	AT9N	AT9I	AUDC	AT9T	AS8Z	•
Terrazzo Cream	AT9O	AT9J	AUDD	AT9U	AS8Ø	•
Terrazzo Grey	AT9P	AT9K	AUDE	AT9V	AS81	•
Terrazzo Black	AT9Q	AT9L	AUDF	AT9W	AS82	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P. 380

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

ADI DESIGN INDEX 2024


Diamond decor designed by **Zaha Hadid Architects**



COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades



Inspired by five elegant marbles.
Calacatta Meraviglia is the protagonist of the collection

Velvetech.
The advanced technology with patent field in Europe for an impeccable smooth touch and semi-opaque reflections.

A distinctive decorative proposal.
The Diamond décor in collaboration with Zaha Hadid Architects has been selected for the prestigious Adi Design Index 2024.











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished | Velvet Velvetech
75x150 cm - 29¹/₂"x59"	± 9 mm	Polished
60x120 cm - 23⁵/₈"x47¹/₄"	± 6 mm	Polished
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Polished | Velvet Velvetech Matte Sensitech **R10 B** Hammered Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Polished | Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	± 9 mm	Polished | Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Hammered Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished I Matte **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Polished | Silk
159x324 cm - 62⁵/₈"x127¹/₂" NON-RECTIFIED	± 20 mm	Polished I Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Porcelain Tiles

Polished ∓ 6 - 9 mm

MEDIUM TRAFFIC

V3 Moderate Variation

POLISHED SURFACE [1]

Floor — Wall



∓ 6 mm
160x320 cm - 63"x126"
AJRT Marvel Calacatta Bernini Polished
AJRU Marvel Calacatta Bernini Bookmatch Polished
AJG9 Marvel Calacatta Meraviglia Polished Endless
AKFI Marvel Calacatta Meraviglia Polished Kit Endless [2] [3]
AJJ9 Marvel Calacatta Meraviglia Polished
AJKA Marvel Calacatta Meraviglia Bookmatch Polished



∓ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AJH2 Marvel Calacatta Meraviglia Polished
AJH3 Marvel Calacatta Bernini Polished
AJH4 Marvel Silver Majestic Polished
AJH5 Marvel Grigio Elegante Polished
AJH6 Marvel Black Origin Polished
AKF8 Marvel Calacatta Meraviglia Polished Kit Endless [2] [3]
AKF9 Marvel Calacatta Bernini Polished Kit Endless [2] [3]
AKQU Marvel Silver Majestic Polished Kit Endless [2] [3]
AKQV Marvel Grigio Elegante Polished Kit Endless [2] [3]
AKQW Marvel Black Origin Polished Kit Endless [2] [3]



∓ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKHM Marvel Calacatta Meraviglia Polished
AKHN Marvel Calacatta Bernini Polished
AKPF Marvel Black Origin Polished
AKHO Marvel Grigio Elegante Polished
ALSL Marvel Silver Majestic Polished



∓ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AJH7 Marvel Calacatta Meraviglia Polished
AJH8 Marvel Calacatta Bernini Polished
AJH9 Marvel Silver Majestic Polished
AJIA Marvel Grigio Elegante Polished
AJIB Marvel Black Origin Polished



∓ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AJIC Marvel Calacatta Meraviglia Polished
AJID Marvel Calacatta Bernini Polished
AJIE Marvel Silver Majestic Polished
AJIF Marvel Grigio Elegante Polished
AJIG Marvel Black Origin Polished



∓ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AJAN Marvel Calacatta Meraviglia Polished
AJHU Marvel Calacatta Bernini Polished
AJHV Marvel Silver Majestic Polished
AJHW Marvel Grigio Elegante Polished
AJHX Marvel Black Origin Polished



∓ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AJI5 Marvel Calacatta Meraviglia Polished
AJI6 Marvel Calacatta Bernini Polished
AJI7 Marvel Silver Majestic Polished
AJI8 Marvel Grigio Elegante Polished
AJI9 Marvel Black Origin Polished



∓ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AJJF Marvel Calacatta Meraviglia Polished
AJJG Marvel Calacatta Bernini Polished
AJJH Marvel Silver Majestic Polished
AJJI Marvel Grigio Elegante Polished
AJJJ Marvel Black Origin Polished



∓ 9 mm
75x150 cm - 29 1/2"x59"
AJEQ Marvel Calacatta Meraviglia Polished
AJHY Marvel Calacatta Bernini Polished
AJHZ Marvel Silver Majestic Polished
AJHØ Marvel Grigio Elegante Polished
AJH1 Marvel Black Origin Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 337**


CALACATTA MERAVIGLIA


CALACATTA BERNINI


SILVER MAJESTIC


GRIGIO ELEGANTE


BLACK ORIGIN

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Porcelain Tiles

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R10 B Hammered Matte Sensitech ✣ 9 mm
R11 C Hammered Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

L LIGHT TRAFFIC — Velvet Velvetech ✣ 9 mm

M MEDIUM TRAFFIC — Matte ✣ 9 mm

H HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Hammered Matte Sensitech ✣ 9 mm
Hammered Outdoor Sensitech ✣ 20 mm

VELVET SURFACE

Floor — Wall

Velvetech
✣ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJII Marvel Calacatta Meraviglia Velvet
AJJ Marvel Calacatta Bernini Velvet
AJIK Marvel Silver Majestic Velvet
AJIL Marvel Grigio Elegante Velvet
AJIM Marvel Black Origin Velvet

Velvetech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJGJ Marvel Calacatta Meraviglia Velvet
AJGK Marvel Calacatta Bernini Velvet
AJGL Marvel Silver Majestic Velvet
AI8R Marvel Grigio Elegante Velvet
AJGN Marvel Black Origin Velvet

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.

MATTE SURFACE

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AJSZ Marvel Calacatta Meraviglia Endless
AKFJ Marvel Calacatta Meraviglia Kit Endless [2] [3]

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJIR Marvel Calacatta Meraviglia
AJIS Marvel Calacatta Bernini
AJIT Marvel Silver Majestic
AJIU Marvel Grigio Elegante
AJIV Marvel Black Origin

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJJA Marvel Calacatta Meraviglia
AJJB Marvel Calacatta Bernini
AJJC Marvel Silver Majestic
AJJD Marvel Grigio Elegante
AJJE Marvel Black Origin

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AJJK Marvel Calacatta Meraviglia
AJJL Marvel Calacatta Bernini
AJJM Marvel Silver Majestic
AJJN Marvel Grigio Elegante
AJJO Marvel Black Origin

HAMMERED MATTE SURFACE

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJIX Marvel Calacatta Meraviglia Hammered
AJJU Marvel Calacatta Bernini Hammered
AJIY Marvel Grigio Elegante Hammered

HAMMERED OUTDOOR ✣ 20 mm

Outdoor

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJPQ Marvel Calacatta Meraviglia Hammered Outdoor
AJPR Marvel Calacatta Bernini Hammered Outdoor
AJPS Marvel Grigio Elegante Hammered Outdoor


Sensitech P. 380 Velvetech P. 378

VELVET/MATTE


CALACATTA MERAVIGLIA


CALACATTA BERNINI


SILVER MAJESTIC


GRIGIO ELEGANTE


BLACK ORIGIN

HAMMERED


CALACATTA MERAVIGLIA HAMMERED


CALACATTA BERNINI HAMMERED


GRIGIO ELEGANTE HAMMERED


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

Porcelain Tiles

Decor designed by
Zaha Hadid Architects

DECOR RANGE





AJQ6 Marvel Calacatta Meraviglia
Diamond Polished
46,6x284,6 - 18³/₈"x112"

Calacatta Meraviglia + Black Origin




AJQ8 Marvel Black Origin
Diamond Polished
46,6x284,6 - 18³/₈"x112"

Black Origin + Calacatta Meraviglia


AJQ7 Marvel Silver Majestic
Diamond Polished
46,6x284,6 - 18³/₈"x112"

Silver Majestic + Black Origin




mod A

A	50,5 cm - 19⁷/₈"
a	46,6 cm - 18³/₈"
B	44,8 cm - 17⁵/₈"
b	40,3 cm - 15⁷/₈"




mod B

A	50,5 cm - 19⁷/₈"
a	46,6 cm - 18³/₈"
B	58,3 cm - 23"
b	51,9 cm - 20⁷/₈"



mod C

A	52,9 cm - 20⁷/₈"
a	46,6 cm - 18³/₈"
B	54,2 cm - 21³/₈"
b	49,8 cm - 19⁵/₈"



mod D

A	52,9 cm - 20⁷/₈"
a	46,6 cm - 18³/₈"
B	54,2 cm - 21³/₈"
b	49,3 cm - 19⁵/₈"

Diamond designed by ZHA consists of six modules in a box. The mosaic covers a height of 2.85 m, but it's possible to lengthen the composition for larger areas by using the Hexagon mosaic, which corresponds to Module A. For an optimal aesthetic result, it's recommended to lay the product keeping the color transition of the tiles in the center of the composition. - Diamond designed by ZHA è composto da sei moduli contenuti in una scatola. Il mosaico ricopre un'altezza di 2.85 mt, ma è possibile allungare la composizione per superfici più estese utilizzando il mosaico Hexagon, che corrisponde al modulo A. Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo la transizione di colore delle tessere al centro della composizione.



© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Meraviglia

DECOR RANGE




AJQY Marvel Calacatta Meraviglia
Hexagon [1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"



AJQZ Marvel Calacatta Bernini
Hexagon [1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"




AJQØ Marvel Silver Majestic
Hexagon [1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"



A 50,5 cm - 19⁷/₈"
a 46,6 cm - 18³/₈"
B 44,8 cm - 17⁵/₈"
b 40,3 cm - 15⁷/₈"



AJQ1 Marvel Grigio Elegante
Hexagon [1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"



AJQ2 Marvel Black Origin
Hexagon [1] Polished
40,3x46,6 - 15⁷/₈"x18³/₈"

AJP8 Marvel Calacatta Meraviglia
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJP9 Marvel Calacatta Bernini
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"




AJQA Marvel Silver Majestic
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"



AJQB Marvel Grigio Elegante
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"



AJQC Marvel Black Origin
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"

[1] **Marvel Meraviglia Hexagon recalls the hexagonal Module A of Diamond designed by ZHA, which can be combined with to clad larger surfaces. Or use it on its own to give rooms a prestigious touch.** - Marvel Meraviglia Hexagon riprende il modulo esagonale A di Diamond designed by ZHA, a cui si può abbinare per ricoprire superfici più estese. Oppure utilizzare da solo per conferire agli ambienti un tocco di pregio. - Marvel Meraviglia Hexagon reprend le module hexagonal A de Diamond designed by ZHA, auquel elle peut être associée pour recouvrir de plus grandes superficies. Elle peut aussi être utilisée seule pour conférer une touche d'élégance aux espaces. - Marvel Meraviglia Hexagon greift das Sechskantmodul A von Diamond designed by ZHA auf und kann mit diesem kombiniert werden, um ausgedehntere Flächen zu verkleiden. Es kann auch allein verwendet werden, um dem Ambiente besonderes Prestige zu verleihen.- Marvel Meraviglia Hexagon toma el módulo hexagonal A de Diamond diseñado por ZHA, con el cual se puede combinar para cubrir superficies más grandes. O bien, se puede utilizar solo para dar un toque de prestigio a los ambientes.- Marvel Meraviglia Hexagon перенимает шестигранный модуль A у декора Diamond от ZHA и может сочетаться с последним для облицовки более крупных поверхностей. Также может использоваться отдельно для придания интерьерам ноты изысканности.



APV5 Marvel Calacatta Meraviglia
Grid Velvet Velvetech
59,5x118,2 - 23³/₈"x46¹/₂"



APV6 Marvel Calacatta Bernini
Grid Velvet Velvetech
59,5x118,2 - 23³/₈"x46¹/₂"



APV8 Marvel Grigio Elegante
Grid Velvet Velvetech
59,5x118,2 - 23³/₈"x46¹/₂"



APV7 Marvel Silver Majestic
Grid Velvet Velvetech
59,5x118,2 - 23³/₈"x46¹/₂"




APV9 Marvel Black Origin
Grid Velvet Velvetech
59,5x118,2 - 23³/₈"x46¹/₂"

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 378.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.



A 118,2 cm - 46¹/₂"
B 59,5 cm - 23³/₈"
a 29,4 cm - 11⁵/₈"

TRIM TILES P. 292

	Battiscopa						Gradino *		Scalino *			Scalino *		Scalino Ang.*		Battiscopa Sag. Scala *				Davanzale / Soglia *	Corner * ⊥ 6 mm	Corner A.E * ⊥ 6 mm
	7,2x60 cm 2⁷/₈"x23⁵/₈"		7,2x150 cm 2⁷/₈"x59"	7,2x120 cm 2⁷/₈"x47¹/₄"			30x60 cm 11³/₄"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	33x120 cm 13"x47¹/₄"		33x150 cm 13"x59"	33x60 cm 13"x23⁵/₈"		33x33 cm 13"x13"		7,2x30 cm 2⁷/₈"x11³/₄"				max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Polished	Matte	Polished	Polished	Matte	Hammered Matte	Matte	Matte	Polished	Matte	Polished	Polished	Matte	Polished	Matte	Polished		Matte		Matte	Polished	Polished
																DX	SX	DX	SX			
Calacatta Meraviglia	AJUG	AJUV	AJUQ	AJUL	AJUØ	AJU5	AJVS	AJVX	AJWH	AJV7	AJWM	AJWC	AJV2	AJWW	AJWR	AJVD	AJU8	AJVN	AJVI	•	AJW1	AJW6
Calacatta Bernini	AJUH	AJUW	AJUR	AJUM	AJU1	AJU6	AJVT	AJVY	AJWI	AJV8	AJWN	AJWD	AJV3	AJWX	AJWS	AJVE	AJU9	AJVO	AJVJ	•	AJW2	AJW7
Silver Majestic	AJUI	AJUX	AJUS	AJUN	AJU2	-	AJVU	AJVZ	AJWJ	AJV9	AJWO	AJWE	AJV4	AJWY	AJWT	AJVF	AJVA	AJVP	AJVK	•	AJW3	AJW8
Grigio Elegante	AJUJ	AJUY	AJUT	AJUO	AJU3	AJU7	AJVV	AJVØ	AJWK	AJWA	AJWP	AJWF	AJV5	AJWZ	AJWU	AJVG	AJVB	AJVQ	AJVL	•	AJW4	AJW9
Black Origin	AJUK	AJUZ	AJUU	AJUP	AJU4	-	AJVW	AJV1	AJWL	AJWB	AJWQ	AJWG	AJV6	AJWØ	AJWV	AJVH	AJVC	AJVR	AJVM	•	AJW5	AJXA

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Onyx



Onyx like never before.
A contemporary and refined Interpretation.

Superior aesthetics.
Elegance and depth of details for sophisticated spaces.

Timeless Allure.
Transparent and translucent as a glass surface.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 6 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 9 mm	Polished
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"	± 9 mm	Polished

LARGE SIZES P. 296

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" NON-RECTIFIED	± 12 mm	Polished | Silk

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Marvel Onyx

Porcelain Tiles

MEDIUM TRAFFIC

Polished ≠ 6 - 9 mm

V3 Moderate Variation

POLISHED SURFACE [1]

Floor — Wall

≠ 6 mm
160x320 cm - 63"x126"
AJHA Marvel White Polished
AJKB Marvel White Bookmatch Polished

≠ 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AJAH Marvel White Polished
AJAI Marvel Alabaster Polished
AJAJ Marvel Pearl Polished
AJAK Marvel Noir Polished
AJAL Marvel Sky Polished
AJAM Marvel Quartz Polished

≠ 6 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AKPH Marvel White Polished

≠ 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AJBG Marvel White Polished
AJBH Marvel Alabaster Polished
AJBI Marvel Pearl Polished
AJBJ Marvel Noir Polished

≠ 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJBK Marvel White Polished
AJBL Marvel Alabaster Polished
AJBM Marvel Pearl Polished
AJBN Marvel Noir Polished

≠ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJBO Marvel White Polished
AJBQ Marvel Alabaster Polished
AJBS Marvel Pearl Polished
AJBT Marvel Noir Polished

≠ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJBU Marvel White Polished
AJBV Marvel Alabaster Polished
AJBW Marvel Pearl Polished
AJBX Marvel Noir Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.



WHITE


PEARL


ALABASTER



NOIR


SKY


QUARTZ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine



Inspired by Italian white marbles.
Featuring exquisite marbles handpicked from the most prestigious quarries.

Wide range of finishes.
Available in an extensive array of finishes.

Seamless vein graphics.
Continuous vein patterns in large formats.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
160x160 cm - 63"x63"	± 6 mm	Polished
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Polished I Silk
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Polished
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	± 9 mm	Polished I Silk
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Polished I Silk I Matte Sensitech **R10 B**
30x60 cm - 11⁵/₈"x23⁵/₈"	± 9 mm	Silk

LARGE SIZES P. 296

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished | Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Polished I Silk
159x324 cm - 62⁵/₈"x127¹/₂" NON-RECTIFIED	± 20* mm	Polished I Matte









Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⁵/₈"x47¹/₄"	± 8,5 mm	Silk
40x80 cm - 15³/₄"x31¹/₂"	± 8,5 mm	Shiny

* Natura-vein tech

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Porcelain Tiles

MEDIUM TRAFFIC

Polished ✣ 6 - 9 mm

V2 Slight Variation
Calacatta Delicato, Calacatta Prestigio, Statuario Supremo

V3 Moderate Variation
Calacatta Imperiale

POLISHED SURFACE [1]

Floor — Wall



✣ 6 mm
160x320 cm - 63"x126"
A4RR Marvel Calacatta Prestigio Polished Endless
AKFL Marvel Calacatta Prestigio Polished Kit Endless [2] [3]



✣ 6 mm
160x160 cm - 63"x63"
A4RP Marvel Calacatta Prestigio Polished
A4RQ Marvel Statuario Supremo Polished



✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A4OY Marvel Calacatta Delicato Polished
A4OZ Marvel Calacatta Prestigio Polished
A4O2 Marvel Calacatta Prestigio Bookm A Lp [3] [5]
A4O3 Marvel Calacatta Prestigio Bookm B Lp [3] [5]
A6EO Marvel Calacatta Prestigio Polished Kit Endless [2] [3]
A4OØ Marvel Statuario Supremo Polished
A4O4 Marvel Statuario Supremo Bookm A Lp [3] [5]
A4O5 Marvel Statuario Supremo Bookm B Lp [3] [5]
A6EP Marvel Statuario Supremo Polished Kit Endless [2] [3]
A4O1 Marvel Calacatta Imperiale Polished
A6EQ Marvel Calacatta Imperiale Polished Kit Endless [2] [3]



✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
A4RH Marvel Calacatta Delicato Polished
A4RI Marvel Calacatta Prestigio Polished
A4RJ Marvel Statuario Supremo Polished
A4RK Marvel Calacatta Imperiale Polished



✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A4Q8 Marvel Calacatta Delicato Polished
A4Q9 Marvel Calacatta Prestigio Polished
A4RA Marvel Statuario Supremo Polished
A4RB Marvel Calacatta Imperiale Polished



✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A4QØ Marvel Calacatta Delicato Polished
A4Q1 Marvel Calacatta Prestigio Polished
A4Q2 Marvel Statuario Supremo Polished
A4Q3 Marvel Calacatta Imperiale Polished



✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A4QS Marvel Calacatta Delicato Polished
A4QT Marvel Calacatta Prestigio Polished
A4QU Marvel Statuario Supremo Polished
A4QV Marvel Calacatta Imperiale Polished



✣ 9 mm
75x150 cm - 29 1/2"x59"
A7GA Marvel Calacatta Delicato Polished
A7GB Marvel Calacatta Prestigio Polished
A7GC Marvel Statuario Supremo Polished
A4PH Marvel Statuario Supremo Lp Macchia Aperta
A7GD Marvel Calacatta Imperiale Polished
A4PI Marvel Calacatta Imperiale Lp Macchia Aperta

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] [5] **Please read the notes at page 337**

CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

Marvel Shine

Silk ≠ 6 - 9 mm — MEDIUM TRAFFIC
Matte ≠ 9 mm — HEAVY TRAFFIC
R9 A Matte ≠ 9 mm
R10 B Matte Sensitech ≠ 9 mm
V2 Slight Variation: Calacatta Delicato, Calacatta Prestigio, Statuario Supremo
V3 Moderate Variation: Calacatta Imperiale

Porcelain Tiles

SILK SURFACE [1]

Floor — Wall

≠ 6 mm
160x320 cm - 63"x126"
AJK1 Marvel Calacatta Imperiale Bookmatch Silk
AJKØ Marvel Calacatta Imperiale Silk

≠ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A4O6 Marvel Calacatta Prestigio Silk
A6ER Marvel Calacatta Prestigio Silk Kit Endless [2] [3]
A4O7 Marvel Statuario Supremo Silk
A6ES Marvel Statuario Supremo Silk Kit Endless [2] [3]

≠ 9 mm
75x150 cm - 29 1/2"x59"
A7H2 Marvel Calacatta Delicato Silk
A7H3 Marvel Calacatta Prestigio Silk
A7H4 Marvel Statuario Supremo Silk
A7H5 Marvel Calacatta Imperiale Silk

≠ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A5TC Marvel Calacatta Delicato Silk
A5TD Marvel Calacatta Prestigio Silk
A5TE Marvel Statuario Supremo Silk
A5TF Marvel Calacatta Imperiale Silk

≠ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A5TG Marvel Calacatta Delicato Silk
A5TH Marvel Calacatta Prestigio Silk
A5TI Marvel Statuario Supremo Silk
A5TJ Marvel Calacatta Imperiale Silk

MATTE SURFACE

Sensitech
≠ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A4Q4 Marvel Calacatta Delicato
A4Q5 Marvel Calacatta Prestigio
A4Q6 Marvel Statuario Supremo
A4Q7 Marvel Calacatta Imperiale

Sensitech
≠ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A4QW Marvel Calacatta Delicato
A4QX Marvel Calacatta Prestigio
A4QY Marvel Statuario Supremo
A4QZ Marvel Calacatta Imperiale

Sensitech
≠ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A4QO Marvel Calacatta Delicato
A4QQ Marvel Calacatta Prestigio
A4QR Marvel Statuario Supremo
A4QP Marvel Calacatta Imperiale

TRIM TILES P. 292

	Battiscopa					Gradino *		Scalino *					Scalino Ang.*					Battiscopa Sag. Scala *						Davanzale / Soglia *	Corner * ≠ 6 mm	Corner A.E. * ≠ 6 mm
	7.2x150 cm 2 1/8"x59"		7.2x120 cm 2 1/8"x47 1/4"	7.2x60 cm 2 1/8"x23 5/8"		30x120 cm 11 3/4"x47 1/4"	30x60 cm 11 3/4"x23 5/8"	37.5x150 cm 14 1/4"x59"		33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"		37.5x37.5 cm 14 3/4"x14 3/4"		33x33 cm 13"x13"			7.2x30 cm 2 1/8"x11 1/4"						max 315x50 H.4 cm 124"x19 3/4"x H.1 1/2"	1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x3/8"
	Polish.	Silk	Matte	Polish.	Silk	Matte	Silk	Polish.	Silk	Matte	Polish.	Silk	Polish.	Silk	Polish.	Matte	Silk	Polished		Matte		Silk		Matte	Polish.	Silk	Polished
																		DX	SX	DX	SX	DX	SX				
Calacatta Delicato	A43T	A43P	A535	A43H	A539	A55F	A54W	A443	A44Z	A3CV	A44I	A543	A45K	A45G	A45C	A547	A55B	A54G	A54K	A43X	A431	A54O	A54S	•	A45O	-	A45U
Calacatta Prestigio	A43U	A43Q	A536	A43I	A54D	A55G	A54X	A444	A44Ø	A54Ø	A44J	A544	A45L	A45H	A45D	A548	A55C	A54H	A54L	A43Y	A432	A54P	A54T	•	A45P	A45S	A45X
Statuario Supremo	A43V	A43R	A537	A43J	A54E	A55H	A54Y	A445	A441	A541	A44K	A545	A45M	A45I	A45E	A549	A55D	A54I	A54M	A43Z	A433	A54Q	A54U	•	A45Q	A45T	A45W
Calacatta Imperiale	A43W	A43S	A538	A43K	A54F	A55I	A54Z	A446	A442	A542	A44L	A546	A45N	A45J	A45F	A55A	A55E	A54J	A54N	A43Ø	A434	A54R	A54V	•	A45R	-	A45V


* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 337**

Sensitech P. 380

CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Marvel Shine

Porcelain Tiles

MACCHIA APERTA, SUGGESTED COMPOSITION

A4PI Marvel Calacatta Imperiale Lappato Macchia Aperta - 75x150 - 29½"x59"

LAYOUT A




LAYOUT B




A4PH Marvel Statuario Supremo Lappato Macchia Aperta - 75x150 - 29½"x59"


LAYOUT E




LAYOUT F




LAYOUT C




LAYOUT D



LAYOUT G



LAYOUT H



The collection allows creating an open vein measuring 6 m x 3 m (16 75x150 slabs) ideal for large rooms where you can enhance the entire interior design. The junction between the graphics that make up the open vein is not geometrically perfect but imitates the natural irregularity of the open veins of natural marble products. The code "polished open vein" corresponds to a pallet composed of 16 tiles in the 75x150 cm (8+8) format that make up the entire open vein. A number is printed on the edge of each tile (see laying diagram).

La collezione permette di creare una macchia aperta di dimensioni 6m x 3m (16 facce di 75x150) ideale per ambienti ampi nei quali poter valorizzare l'intera composizione. La giunzione tra le grafiche che compongono la macchia aperta non è geometricamente perfetta ma imita la naturale irregolarità delle macchie aperte dei prodotti in marmo naturale. Il codice "lappato macchia aperta" corrisponde ad un pallet composto da 16 piastrelle in formato 75cmx150cm (8+8) che compongono l'intera macchia aperta. Sulla costa di ciascuna piastrella è stampato il numero corrispondente (vedi schema di posa).

La collection permet de créer une tache ouverte de 6m x 3m (16 faces de 75x150) idéale pour les grandes pièces où l'on peut mettre en valeur l'ensemble de la composition. La jonction entre les graphismes qui composent la tache ouverte n'est pas géométriquement parfaite mais imite l'irrégularité naturelle des taches ouvertes des produits en marbre naturel. Le code "lappato macchia aperta" (tache ouverte rodée) correspond à une palette composée de 16 carreaux au format 75cmx150cm (8+8) qui constituent la totalité de la tache ouverte. Le numéro correspondant est imprimé sur le bord de chaque carreau (voir schéma de pose).

Die Kollektion erlaubt die Bildung einer Spiegeloptik mit den Abmessungen 6 m x 3 m (16 verschiedenen Oberflächen 75 x 150). Ideal in weitläufigen Räumen, in denen die Komposition optimal zur Geltung gebracht werden kann. Der Anschluss zwischen den einzelnen Grafikbildern, die den Spiegeleffekt bilden, ist geometrisch nicht perfekt, sondern empfindet die natürliche Unregelmäßigkeit der mit Naturmarmor erzielten Spiegeloptik nach. Die Artikelbezeichnung „geläppt gespiegelt" entspricht einer Palette mit 16 Fliesen im Format 75 cm x 150 cm (8+8), die das gesamte, gespiegelte Motiv bilden. Jede Fliese ist an der Seite nummeriert (siehe Verlegeplan).

La colección permite crear una mancha abierta de 6m x 3m (16 caras de 75x150) ideal para ambientes amplios donde se puede realzar toda la composición. La unión entre los gráficos que componen la mancha abierta no es geométricamente perfecta, sino que imita la natural irregularidad de las manchas abiertas de los productos de mármol natural. El código «lapeado mancha abierta» corresponde a una paleta compuesta de 16 baldosas de formato 75cmx150cm (8+8) que componen toda la mancha abierta. El número correspondiente está impreso en el borde de cada baldosa (ver diagrama de colocación).

Коллекция позволяет создавать облицовку с симметричным зеркальным рисунком 6 м x 3 м (16 плит 75x150). Данная композиция максимально раскрывает свой потенциал в больших помещениях. Стык между плитами, которые образуют симметричный рисунок, не является геометрически совершенным, а имитирует естественную неровность аналогичных рисунков, составляемых из плит природного мрамора. Код «лаппатированный с симметричным зеркальным рисунком» соответствует поддону, состоящему из 16 плит формата 75 см x 150 см (8+8), из которых складывается данный симметричный рисунок. На торце каждой из плит напечатан соответствующий номер (см. схему укладки).

The miniatures are not in proportion. - I minimali non sono in proporzione. - Les illustrations à échelle réduite ne sont pas proportionnelles. - Die Abbildungen sind nicht verhältnismäßig. - Los miniaturas no están en proporción. n. - Изображения не соблюдают пропорций.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Porcelain Tiles


DECOR RANGE




A421 Marvel Calacatta Prestigio Scenic Bookm A Lp[1]
120x278 - 47¹/₄"x109¹/₂"




A43L Marvel Calacatta Prestigio Scenic Bookm B Lp [1]
120x278 - 47¹/₄"x109¹/₂"



A43O Marvel Statuario Supremo Scenic Bookm A Lp [1]
120x278 - 47¹/₄"x109¹/₂"



A43M Marvel Statuario Supremo Scenic Bookm B Lp [1]
120x278 - 47¹/₄"x109¹/₂"



A423 Marvel Calacatta Delicato Mosaico Polished
30x30 - 11³/₄"x11³/₄"




A424 Marvel Calacatta Prestigio Mosaico Polished
30x30 - 11³/₄"x11³/₄"



A425 Marvel Statuario Supremo Mosaico Polished
30x30 - 11³/₄"x11³/₄"



A426 Marvel Calacatta Imperiale Mosaico Polished
30x30 - 11³/₄"x11³/₄"



2,3x2,3 cm - ⁷/₈"x⁷/₈"

A413 Marvel Calacatta Delicato Mosaico Matte
30x30 - 11³/₄"x11³/₄"




A414 Marvel Calacatta Prestigio Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A415 Marvel Statuario Supremo Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A416 Marvel Calacatta Imperiale Mosaico Matte
30x30 - 11³/₄"x11³/₄"



3,1x3,1 cm - 1¹/₄"x1¹/₄"

A42K Marvel Calacatta Delicato Mosaico. Esagono Polished
30,5x35,2 - 12"x13⁷/₈"




A42W Marvel Calacatta Prestigio Mosaico Esagono Polished
30,5x35,2 - 12"x13⁷/₈"



A42X Marvel Statuario Supremo Mosaico Esagono Polished
30,5x35,2 - 12"x13⁷/₈"



A42Y Marvel Calacatta Imperiale Mosaico Esagono Polished
30,5x35,2 - 12"x13⁷/₈"



A 30,5 cm - 12"
B 35,2 cm - 13⁷/₈"
10x17 cm - 3⁷/₈"x6⁷/₄"

A417 Marvel Calacatta Delicato Mosaico Esagono Matte
30,5x35,2 - 12"x13⁷/₈"



A418 Marvel Calacatta Prestigio Mosaico Esagono Matte
30,5x35,2 - 12"x13⁷/₈"



A419 Marvel Statuario Supremo Mosaico Esagono Matte
30,5x35,2 - 12"x13⁷/₈"



A42J Marvel Calacatta Imperiale Mosaico Esagono Matte
30,5x35,2 - 12"x13⁷/₈"

[1] **120x278 cm slabs cut into modules that recompose the open vein. This makes it possible to lay them even on curved surfaces. Each slab is cut into 16 numbered modules measuring 15x139 cm. To recreate the open vein, follow the sequence of pieces indicated in the laying patterns inside the packaging. Each slab is placed in 4 boxes, each of which contains 4 modules, for a total of 16 modules, corresponding to a surface of 3.3 mq.** - Lastre 120cmx278cm tagliate in moduli che ricompongono la macchia aperta. Consentono la posa anche su superfici curve. Ogni lastra viene tagliata in 16 moduli numerati, di dimensione 15cmx139cm: per ricreare la macchia aperta seguire la sequenza dei pezzi indicata negli schemi di posa all'interno dell'imballo. Ogni lastra viene collocata in 4 scatole, ciascuna delle quali contiene 4 moduli, per un totale di 16 moduli, corrispondenti ad una superficie di 3,3mq. - Dalles de 120 cm x 278 cm découpées en modules qui recomposent la tache ouverte. Elles permettent la pose même sur des surfaces courbes. Chaque dalle est découpée en 16 modules numérotés, mesurant 15 cm x 139 cm: pour recréer la tache ouverte, suivez la séquence de pièces indiquée dans les schémas de pose à l'intérieur de l'emballage. Chaque dalle est placée dans 4 boîtes contenant chacune 4 modules, pour un total de 16 modules, correspondant à une surface de 3,3 mètres carrés. - Platten 120 cm x 278 cm, zu Modulen geschnitten, die das gespiegelte Motiv bilden. Die Verlegung ist auch auf gewölbten Oberflächen möglich. Jede Platte wird in 16 nummerierte Module mit Abmessungen 15 cm x 139 cm geschnitten. Um die Spiegeloptik zu erzielen, die auf den der Verpackung beiliegenden Verlegeplänen angegebene Reihenfolge beachten. Jede Platte wird in 4 Schachteln mit je 4 Modulen verpackt. Die insgesamt 16 Module entsprechen einer Oberfläche von 3,3 qm. - Placas 120cmx278cm cortadas en módulos que recomponen la mancha abierta. También permiten la colocación en superficies curvas. Cada losa se corta en 16 módulos numerados que miden 15cmx139cm: para recrear la mancha abierta, se sigue la secuencia de las piezas indicadas en los esquemas de colocación dentro del embalaje. Cada losa se coloca en 4 cajas, cada una de estas contiene 4 módulos por un total de 16 módulos, lo que corresponde a un área de 3,3 metros cuadrados. - Плиты 120 см x278 см разрезаны на модули, которые впоследствии складываются в симметричный зеркальный рисунок. Также возможна укладка на изогнутые поверхности. Каждая плита разрезается на 16 пронумерованных модулей размером 15 см x 139 см: чтобы заново сложить исходный симметричный рисунок, необходимо соблюдать последовательность, указанную на схемах укладки внутри упаковки. Каждая плита помещается в 4 коробки по 4 модуля; всего - 16 модулей, соответствующих площади 3,3 кв.м.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Shine

Wall Tiles

V2 Slight Variation
Calacatta Delicato, Calacatta Prestigio, Statuario Supremo

V3 Moderate Variation
Calacatta Imperiale

SILK SURFACE — Wall

± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A4TT Marvel Calacatta Delicato Silk
A4TU Marvel Calacatta Prestigio Silk
A4TV Marvel Statuario Supremo Silk
A4TW Marvel Calacatta Imperiale Silk

SHINY SURFACE

± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
A3ZS Marvel Calacatta Delicato Shiny
A3ZT Marvel Calacatta Prestigio Shiny
A3ZU Marvel Statuario Supremo Shiny
A3ZV Marvel Calacatta Imperiale Shiny

CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

TRIM TILES


1,4x50 cm - ⁵/₈"x19⁵/₈"
A41D Marvel Calacatta Delicato Corner 50 Silk *
A41E Marvel Calacatta Prestigio Corner 50 Silk *
A41F Marvel Statuario Supremo Corner 50 Silk *
A41G Marvel Calacatta Imperiale Corner 50 Silk *


1,4x40 cm - ⁵/₈"x15³/₄"
A41H Marvel Calacatta Delicato Corner 40 Shiny *
A41I Marvel Calacatta Prestigio Corner 40 Shiny *
A41J Marvel Statuario Supremo Corner 40 Shiny *
A41K Marvel Calacatta Imperiale Corner 40 Shiny *


1,4x1,4 cm - ⁵/₈"x⁵/₈"
A41L Marvel Calacatta Delicato Corner A.E. *
A41M Marvel Calacatta Prestigio Corner A.E. *
A41N Marvel Statuario Supremo Corner A.E. *
A41O Marvel Calacatta Imperiale Corner A.E. *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


DECOR RANGE

A4WK Marvel
Calacatta Delicato
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


A4WL Marvel
Calacatta Prestigio
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


A4WM Marvel
Statuario Supremo
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


A4WN Marvel
Calacatta Imperiale
Mosaico Twist Shiny
30,5x30,5 - 12"x12"


2,5x6,8 cm
1"x2⁵/₈"

A4WO Marvel
Calacatta Delicato
Mosaico Twist Silk
30,5x30,5 - 12"x12"


A4WP Marvel
Calacatta Prestigio
Mosaico Twist Silk
30,5x30,5 - 12"x12"


A4WQ Marvel
Statuario Supremo
Mosaico Twist Silk
30,5x30,5 - 12"x12"


A4WR Marvel
Calacatta Imperiale
Mosaico Twist Silk
30,5x30,5 - 12"x12"



A4WT Marvel
Calacatta Delicato
Gold Hex Shiny (1)
25,1x29 - 9⁷/₈"x11³/₈"


A4WU Marvel
Calacatta Prestigio
Gold Hex Shiny (1)
25,1x29 - 9⁷/₈"x11³/₈"


A4WV Marvel
Statuario Supremo
Platino Hex Shiny (1)
25,1x29 - 9⁷/₈"x11³/₈"


A4WW Marvel
Calacatta Imperiale
Gold Hex Shiny (1)
25,1x29 - 9⁷/₈"x11³/₈"


A4WS Marvel
Calacatta Prestigio
Rose Hex Silk
25,1x29 - 9⁷/₈"x11³/₈"


A 33,9 cm - 13³/₈"
a 29 cm - 11³/₈"
B 27,9 cm - 11"
b 25,1 cm - 9⁷/₈"

(1) **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone



White and black marbles.
The refined beauty of classic marble.

Infinite Combinations.
Rich graphic variations and endless pairing possibilities with marble, wood, and concrete effects.

Unmatched elegance and personalized style.
Subtle textures and tones for both modern and traditional spaces.

COLLECTION
CATALOG

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades







Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished I Matte **R9 A**
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished I Matte Sensitech **R10 B**
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 9 mm	Polished I Matte Sensitech **R10 B**
75x150 cm - 29$^{1}/_{2}$"x59"	± 9 mm	Polished
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"	± 9 mm	Polished I Matte Sensitech **R10 B**
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"	± 9 mm	Polished I Matte Sensitech **R10 B**

LARGE SIZES P. 296

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished | Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" NON-RECTIFIED	± 12-20 mm	Polished | Silk | Matte
159x324 cm - 62$^{5}/_{8}$"x127$^{1}/_{2}$" NON-RECTIFIED	± 20 mm	Polished

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

Porcelain Tiles

M MEDIUM TRAFFIC — Polished ✣ 6 - 9 mm, Silk ✣ 6 mm, Matte ✣ 6 mm
H HEAVY TRAFFIC — Matte ✣ 9 mm
R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
V2 Slight Variation

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJKW Marvel Nero Marquina Polished

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØBP Marvel Bianco Dolomite Polished

✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AZTV Marvel Bianco Dolomite Polished

✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AZTT Marvel Bianco Dolomite Polished
AZTU Marvel Carrara Pure Polished

✣ 9 mm
75x150 cm - 29 1/2"x59"
A7GE Marvel Bianco Dolomite Polished
A7GH Marvel Carrara Pure Polished
A7GI Marvel Nero Marquina Polished

✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21K Marvel Bianco Dolomite Polished
AKSØ Marvel Carrara Pure Polished

✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AZRI Marvel Bianco Dolomite Polished
AZRL Marvel Carrara Pure Polished
AZRM Marvel Nero Marquina Polished

✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
DØ39 Marvel Bianco Dolomite Polished
DØ44 Marvel Carrara Pure Polished
DØ45 Marvel Nero Marquina Polished

SILK SURFACE [2]

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJK2 Marvel Nero Marquina Silk

MATTE SURFACE

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A2RS Marvel Bianco Dolomite

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A2Ø4 Marvel Bianco Dolomite
A2Ø7 Marvel Carrara Pure

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21C Marvel Bianco Dolomite
A21E Marvel Carrara Pure

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AZQS Marvel Bianco Dolomite
AZQV Marvel Carrara Pure
AZQW Marvel Nero Marquina

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
D11Ø Marvel Bianco Dolomite
D113 Marvel Carrara Pure
D114 Marvel Nero Marquina

TRIM TILES
P. 292

	Battiscopa				Gradino *	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x60 cm 2 7/8"x23 5/8"		Digitale 4,6x60 cm 1 3/4"x23 5/8"		30x60 cm 11 3/4"x23 5/8"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"		7,2x30 cm 2 7/8"x11 5/8"		max 315x50 H.4 cm 124"x19 5/8" H.1 5/8"
	Matte	Polished	Matte	Polished	Matte	Matte	Matte		Matte		Matte
							DX	SX	DX	SX	
Bianco Dolomite	ATDT	ATDO	ATDJ	ATDE	ATDY	ATD3	ATEE	ATD8	ATEO	ATEJ	•
Carrara Pure	ATDW	ATDR	ATDM	ATDH	ATD1	ATD6	ATEH	ATEC	ATER	ATEM	•
Nero Marquina	ATDX	ATDS	ATDN	ATDI	ATD2	ATD7	ATEI	ATED	ATES	ATEN	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Sensitech P. 380


BIANCO DOLOMITE


CARRARA PURE


NERO MARQUINA

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Stone

Porcelain Tiles

DECOR RANGE



AS3Y Marvel Carrara Pure
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




AS3V Marvel Bianco Dolomite
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AS3Z Marvel Nero Marquina
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AS3T Marvel Carrara Pure
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS2T Marvel Bianco Dolomite
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS3U Marvel Nero Marquina
Mosaico Polished
30x30 - 11³/₄"x11³/₄"



AS2J Marvel Carrara Pure
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



AS2G Marvel Bianco Dolomite
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



AS2K Marvel Nero Marquina
Mosaico Esagono Polished
30x35 - 11³/₄"x13³/₄"



AS4A Marvel Carrara Pure
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



AS36 Marvel Bianco Dolomite
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



AS4B Marvel Nero Marquina
Mosaico Esagono 3D [1]
28,2x35,3 - 11"x14"



AS34 Marvel Carrara Pure
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"



AS31 Marvel Bianco Dolomite
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"




AS35 Marvel Nero Marquina
Mosaico Polished Burattato [2]
29,8x29,8 - 11³/₄"x11³/₄"




3,5x3,5 cm - 1³/₈"x1³/₈"




1,7x1,7 cm - ⁵/₈"x⁵/₈"



A 30 cm - 11³/₄"
B 35 cm - 13³/₄"
10x17 cm - 3⁷/₈"x6³/₄"



A 8,8 cm - 3¹/₂"
B 8,1 cm - 3¹/₈"



3,5x1,7 cm
1³/₈"x⁵/₈"



AS1V Marvel
Carrara Pure
Chevron Polished
22,5x22,9 - 8¹/₄"x9"


AS1Q Marvel
Bianco Dolomite
Chevron Polished
22,5x22,9 - 8¹/₄"x9"



AS1W Marvel
Nero Marquina
Chevron Polished
22,5x22,9 - 8¹/₄"x9"




AS2F Marvel
Chevron Cold Polished
22,5x22,9 - 8¹/₄"x9"
Carrara Pure + Nero Marquina



A 26,4 cm - 10³/₈"
B 9,6 cm - 3³/₄"



AMMS Marvel Half Hex Cold Polished
33x48,3 - 13"x19"
Carrara Pure + Nero Marquina




32,1x8 cm
12⁵/₈"x3¹/₈"



AS2O Marvel
Basketweave Cold Polished
30x30 - 11³/₄"x11³/₄"

Carrara Pure +
Nero Marquina



6,7x2,9 cm / 2⁵/₈"x1¹/₈"
1,7x1,7 cm / ⁵/₈"x⁵/₈"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

[2] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.


The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Travertine

In collaboration with **HBA**





The Grandeur of Travertine.
An iconic star of design.

Eternal Material.
Marble and Stone share a powerful identity.

International Design Vocation.
Exclusive decors designed in collaboration with HBA.

Vein Cut and Cross Cut.
Expanding Travertine application possibilities and design.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades













Porcelain Tiles RECTIFIED MONOCALIBER

VEIN CUT

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x240 cm - 47¹/₄"x94¹/₂"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 6 mm	Matte **R9 A**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11⁸/₄"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" **NON-RECTIFIED**	± 12 mm	Hammered

CROSS CUT

Sizes	Thickness	Surface finish
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Travertine

MEDIUM TRAFFIC — Matte ✣ 6 mm, Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm, Grip Sensitech ✣ 9 mm, Outdoor Sensitech ✣ 20 mm

R9 A Matte / Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

Porcelain Tiles

Vein Cut

MATTE SURFACE — Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
ALYW Marvel Travertino White Hammered
AJKQ Marvel Travertino Sand Hammered
ALYV Marvel Travertino Pearl Hammered

✣ 6 mm
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"
AFS1 Marvel White Vein
AFS2 Marvel Sand Vein
AFS3 Marvel Pearl Vein

✣ 6 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
AKQO Marvel White Vein
AKQP Marvel Sand Vein
AKQQ Marvel Pearl Vein

Sensitech
✣ 9 mm
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"
AFT7 Marvel White Vein
AFT8 Marvel Sand Vein
AFT9 Marvel Pearl Vein

Sensitech
✣ 9 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
A8UW Marvel White Vein
AFUA Marvel Sand Vein
AFUB Marvel Pearl Vein

Sensitech
✣ 9 mm
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"
AUR9 Marvel White Vein
AUSA Marvel Sand Vein
AUSB Marvel Pearl Vein

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
AFUC Marvel White Vein Grip
AFUD Marvel Sand Vein Grip
AFUE Marvel Pearl Vein Grip

Sensitech
✣ 20 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
AGE7 Marvel White Vein 20 mm
AGE8 Marvel Sand Vein 20 mm
AGE9 Marvel Pearl Vein 20 mm

Cross Cut

MATTE SURFACE — Floor — Wall

Sensitech
✣ 9 mm
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"
A8WU Marvel White Cross
A8WV Marvel Sand Cross
A8WW Marvel Pearl Cross

Sensitech
✣ 9 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
A8UZ Marvel White Cross
AFUF Marvel Sand Cross
AFUG Marvel Pearl Cross

Sensitech
✣ 9 mm
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"
AFUK Marvel White Cross
AFUL Marvel Sand Cross
AFUM Marvel Pearl Cross

GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
AFUH Marvel White Cross Grip
AFUI Marvel Sand Cross Grip
AFUJ Marvel Pearl Cross Grip

Sensitech P. 380



WHITE VEIN CUT

WHITE CROSS CUT


SAND VEIN CUT


SAND CROSS CUT


PEARL VEIN CUT


PEARL CROSS CUT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel Travertine


Porcelain Tiles

Decors designed by HBA


DECOR RANGE



AF9S Marvel Travertine White Diamond [2]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9T Marvel Travertine Sand Diamond [2]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9U Marvel Travertine Pearl Diamond [2]
60x60 cm - 23⅝"x23⅝" Cross Cut

AF9P Marvel Travertine White Cross Chiselled Urban Grid [2]
30x60 cm - 11⅞"x23⅝" Cross Cut




AF9Q Marvel Travertine Sand Cross Chiselled Urban Grid [2]
30x60 cm - 11⅞"x23⅝" Cross Cut




AF9R Marvel Travertine Pearl Cross Chiselled Urban Grid [2]
30x60 cm - 11⅞"x23⅝" Cross Cut


For best results it is recommended to follow one of the following laying patterns. - Per un risultato estetico ottimale si consiglia di seguire uno dei seguenti schemi di posa. - Nous vous invitons à respecter un des schémas de pose suivants pour un résultat esthétique optimal. - Für ein optisch optimales Resultat empfehlen wir, eines der nachstehenden Verlegemuster zu befolgen. - Para obtener un mejor resultado estético, es aconsejable seguir uno de los siguientes esquemas de colocación. - Для достижения наилучшего эстетического результата рекомендуется использовать одну из следующих схем укладки.



LAYING PATTERN 1



LAYING PATTERN 2



[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки. использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.

Decors designed by HBA

DECOR RANGE




AF9J Marvel Travertine White Mosaico Origami
28x41,2 cm - 11"x16¼"



AF9K Marvel Travertine Sand Mosaico Origami
28x41,2 cm - 11"x16¼"



AF9L Marvel Travertine Pearl Mosaico Origami
28x41,2 cm - 11"x16¼"



Vein Cut

A	38,81 cm - 15¼"
B	28 cm - 11"
C	48,05 cm - 18⅞"
D	41,2 cm - 16¼"




AF9M Marvel Travertine White Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



AF9N Marvel Travertine Sand Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



AF9O Marvel Travertine Pearl Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



Vein Cut
Cross Cut

A	35 cm - 13¾"
B	49,8 cm - 19⅝"
C	46,8 cm - 18½"
D	14,5 cm - 5¾"
E	1,3 cm - ½"
F	5,7 cm - 2¼"
G	8,7 cm - 3⅜"




AF9G Marvel Travertine White Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



AF9H Marvel Travertine Sand Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



AF9I Marvel Travertine Pearl Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



Vein Cut
Cross Cut

A	31,6 cm - 12½"
B	26,2 cm - 10¼"
C	22 cm - 8⅝"

TRIM TILES P. 292	Battiscopa	Gradino *	Scalino *		Scalino Ang.*		Corner * ± 6 mm	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
											
	Digitale 7,2x120 cm 2⅞"x47¼"	30x120 cm 11¾"x47¼"	33x120 cm 13"x47¼"	33x60 cm 13"x23⅝"	33x33 cm 13"x13"		1x120 cm ⅜"x47¼"	7,2x30 cm 2⅞"x11¾"		max 315x50 H.4 cm 124"x19⅝" H.1⅝"	33x120 H. 4 cm 13"x47¼" H.1 ⅝"
	Matte	Matte	Matte	Matte	Matte		Matte	Matte		Matte	Grip
					DX	SX		DX	SX		
White Vein Cut	AF7B	AF7T	AF7Z	-	AF9V	AF9Y	AGE2	AF7K	AF7H	•	AGEV
Sand Vein Cut	AF7C	AF7U	AF8A	-	AF9W	AF9Z	AGE3	AF7L	AF7I	•	AGEW
Pearl Vein Cut	AF7D	AF7V	AF8B	-	AF9X	AF92	AGE4	AF7M	AF7J	•	AGEX
White Cross Cut	AF7E	AF7W	AF8C	AGAA	AGEQ		-	AF7Q	AF7N	•	AGEY
Sand Cross Cut	AF7F	AF7X	AF8D	AGEO	AGET		-	AF7R	AF7O	•	AGEZ
Pearl Cross Cut	AF7G	AF7Y	AF8E	AGEP	AGEU		-	AF7S	AF7P	•	AGEØ

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel X



10 years of Marvel.
Five new essences that embody Marvel distinctive elements.

Everyday Extraordinary.
Soft hues, graphic depth, and attention to detail.

Marble for outdoors.
Hammered finish design with a texture inspired by freshly quarried marble.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO


CALACATTA APUANO HAMMERED


FIOR DI BOSCO HAMMERED

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"	± 6 mm	Polished | Silk
120x240 cm - 47$^{1}/_{4}$"x94$^{1}/_{2}$"	± 9 mm	Polished
120x120 cm - 47$^{1}/_{4}$"x47$^{1}/_{4}$"	± 9 mm	Polished | Silk
75x150 cm - 29$^{1}/_{2}$"x59"	± 9 mm	Polished | Silk
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 6 mm	Polished
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 9 mm	Polished | Matte Sensitech **R10 B** Hammered Matte Sensitech **R10 B**
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"	± 9 mm	Polished | Matte Sensitech **R10 B**
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"	± 9 mm	Polished | Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished | Silk

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63$^{3}/_{4}$"x127$^{1}/_{2}$" **NON-RECTIFIED**	± 12 mm	Polished | Silk

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Marvel X

Porcelain Tiles

MEDIUM TRAFFIC

Polished ⧳ 6 - 9 mm

V2 Slight Variation
Calacatta Apuano

V3 Moderate Variation
Calacatta Sublime, Calacatta Perla, Grey Cloud, Fior di Bosco

POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

⧳ 6 mm
160x320 cm - 63"x126"
AJRV Marvel Fior di Bosco Polished
AJRW Marvel Fior di Bosco Bookmatch Polished
AJRR Marvel Calacatta Apuano Polished Endless
AKFN Marvel Calacatta Apuano Polished Kit Endless [2] [3]

⧳ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFUS Marvel Calacatta Apuano Polished
AFUT Marvel Calacatta Sublime Polished
AFWN Marvel Calacatta Sublime Kit Endless [2] [3]
AFUU Marvel Calacatta Perla Polished
AFUV Marvel Grey Cloud Polished
AFUW Marvel Fior di Bosco Polished

⧳ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKQR Marvel Calacatta Apuano Polished
AKQS Marvel Fior di Bosco Polished

⧳ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AFU2 Marvel Calacatta Apuano Polished
AFU3 Marvel Calacatta Sublime Polished
AFU4 Marvel Calacatta Perla Polished
AFU5 Marvel Grey Cloud Polished
AFU6 Marvel Fior di Bosco Polished

⧳ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AFU7 Marvel Calacatta Apuano Polished
A8YT Marvel Calacatta Sublime Polished
AFU8 Marvel Calacatta Perla Polished
AFU9 Marvel Grey Cloud Polished
AFVA Marvel Fior di Bosco Polished

⧳ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A8Z2 Marvel Calacatta Apuano Polished
A8Z3 Marvel Calacatta Sublime Polished
A8Z4 Marvel Calacatta Perla Polished
A8Z5 Marvel Grey Cloud Polished
A8Z6 Marvel Fior di Bosco Polished

⧳ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AFVY Marvel Calacatta Apuano Polished
AFVZ Marvel Calacatta Sublime Polished
AFVØ Marvel Calacatta Perla Polished
AFV1 Marvel Grey Cloud Polished
AFV2 Marvel Fior di Bosco Polished

⧳ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AFV8 Marvel Calacatta Apuano Polished
AFV9 Marvel Calacatta Sublime Polished
AFWA Marvel Calacatta Perla Polished
AFWB Marvel Grey Cloud Polished
AFWC Marvel Fior di Bosco Polished

⧳ 9 mm
75x150 cm - 29 1/2"x59"
AFVB Marvel Calacatta Apuano Polished
AFVC Marvel Calacatta Sublime Polished
AFVD Marvel Calacatta Perla Polished
AEKQ Marvel Grey Cloud Polished
AEKR Marvel Fior di Bosco Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 337**


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel X

MEDIUM TRAFFIC — Silk ✣ 6 - 9 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Hammered Matte Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R10 B Matte Sensitech ✣ 9 mm
R10 B Hammered Matte Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation
Calacatta Apuano

V3 Moderate Variation
Calacatta Sublime, Calacatta Perla, Grey Cloud, Fior di Bosco

Porcelain Tiles

SILK SURFACE [1] — Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AYB4 Fior di Bosco Silk
AYB5 Fior di Bosco Bookmatch Silk

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AFUX Marvel Calacatta Apuano Silk
AFUY Marvel Calacatta Sublime Silk
AFWO Marvel Calacatta Sublime 120x278 Silk Kit Endless [2] [3]
AFUZ Marvel Calacatta Perla Silk
AFUØ Marvel Grey Cloud Silk
AFU1 Marvel Fior di Bosco Silk

✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AFVJ Marvel Calacatta Apuano Silk
AFVK Marvel Calacatta Sublime Silk
AFVL Marvel Calacatta Perla Silk
AFVM Marvel Grey Cloud Silk
AFVN Marvel Fior di Bosco Silk

✣ 9 mm
75x150 cm - 29 1/2"x59"
AFVO Marvel Calacatta Apuano Silk
AFVP Marvel Calacatta Sublime Silk
AFVQ Marvel Calacatta Perla Silk
AFVR Marvel Grey Cloud Silk
AFVS Marvel Fior di Bosco Silk

MATTE SURFACE

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFWI Marvel Calacatta Apuano
AFWJ Marvel Calacatta Sublime
AFWK Marvel Calacatta Perla
AFWL Marvel Grey Cloud
AFWM Marvel Fior di Bosco

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AFV3 Marvel Calacatta Apuano
AFV4 Marvel Calacatta Sublime
AFV5 Marvel Calacatta Perla
AFV6 Marvel Grey Cloud
AFV7 Marvel Fior di Bosco

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AFWD Marvel Calacatta Apuano
AFWE Marvel Calacatta Sublime
AFWF Marvel Calacatta Perla
AFWG Marvel Grey Cloud
AFWH Marvel Fior di Bosco

HAMMERED MATTE SURFACE

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AFM2 Marvel Calacatta Apuano Hammered
AFM3 Marvel Fior di Bosco Hammered

OUTDOOR SURFACE — Outdoor

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AGFA Marvel Calacatta Apuano Hammered 20 mm
AGFB Marvel Fior di Bosco Hammered 20 mm

[1] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 337**

Sensitech P. 380


SILK/MATTE


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO

HAMMERED


CALACATTA APUANO HAMMERED


FIOR DI BOSCO HAMMERED

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Marvel X

Porcelain Tiles

DECOR RANGE




AF8W Marvel Calacatta Apuano
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8X Marvel Calacatta Sublime
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8Y Marvel Calacatta Perla
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



A 46,3 cm - 18¼"
B 32,2 cm - 12⅝"
C 19,2 cm - 7½"



AF8Z Marvel Grey Cloud
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"




AF9A Marvel Fior di Bosco
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8Q Marvel
Mosaico Hive Hex Polished [2]
37,2x32,2 - 14⅝"x12⅝"

Calacatta Sublime + Grey Cloud + Fior di Bosco



A 37 cm - 14⅝"
a 32,2 cm - 12⅝"
B 40 cm - 15¾"
b 37,2 cm - 14⅝"

AF8R Marvel Calacatta Apuano
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8S Calacatta Sublime
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"


AF8T Calacatta Perla
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8U Calacatta Grey Cloud
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8V Calacatta Fior di Bosco
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



A 34,2 cm - 13½"
a 30,5 cm - 12"
B 38 cm - 15"
b 27,7 cm - 10⅞"



AF8L Marvel Calacatta Apuano
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



AF8M Marvel Calacatta Sublime
Mosaico Esagono Silk
30x35 - 11¾"x13¾"




AF8N Marvel Calacatta Perla
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



AF8O Marvel Grey Cloud
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



AF8P Marvel Fior di Bosco
Mosaico Esagono Silk
30x35 - 11¾"x13¾"



A 30 cm - 11¾"
B 35 cm - 13¾"
10x17 cm - 3⅞"x6¾"



AF9B Marvel Calacatta Apuano
Mosaico Matte
30x30 - 11¾"x11¾"




AF9C Marvel Calacatta Sublime
Mosaico Matte
30x30 - 11¾"x11¾"



AF9D Marvel Calacatta Perla
Mosaico Matte
30x30 - 11¾"x11¾"



AF9E Marvel Grey Cloud
Mosaico Matte
30x30 - 11¾"x11¾"



AF9F Marvel Fior di Bosco
Mosaico Matte
30x30 - 11¾"x11¾"



3,5x3,5 cm
1⅜"x1⅜"

TRIM TILES P. 292	Battiscopa					Gradino *				Scalino *						Scalino Ang.*					Battiscopa Sag. Scala *						Davanzale / Soglia *	Corner * ✠ 6 mm		Corner A.E.* ✠ 6 mm	
	7,2x150 cm 2⅞"x59"		7,2x120 cm 2⅞"x47¼"			7,2x60 cm 2⅞"x23⅝"		30x120 cm 11¾"x47¼"	30x60 cm 11¾"x23⅝"	37,5x150 cm 14¾"x59"		33x120 cm 13"x47¼"		33x60 cm 13"x23⅝"		37,5x37,5 cm 14¾"x14¾"		33x33 cm 13"x13"			7,2x30 cm 2⅞"x11¾"						max 315x50 H 4 cm 124"x19¾" H 1⅝"	1x120 cm ⅜"x47¼"		1x1 cm ⅜"x⅜"	
	Pol.	Silk	Pol.	Silk	Matte	Pol.	Matte	Matte	Matte	Pol.	Silk	Matte	Pol.	Silk	Matte	Pol.	Pol.	Silk	Pol.	Matte	Silk	Polished DX	SX	Matte DX	SX	Silk DX	SX	Matte	Pol.	Silk	Pol.	Silk
Calacatta Apuano	AGF8	AGGD	AGFV	AGFØ	AGFO	AGFI	AGFD	AGHM	AGHH	AGIO	AGIU	AGH7	AGID	AGII	AGHS	AGHX	AGJN	AGJI	AGI8	AGIZ	AGJD	AGGV	AGGØ	AGGI	AGGO	AGG6	AGHC	•	AGJX	AGJS	AGJ9	AGJ4
Calacatta Sublime	AGF9	AGGE	AGFW	AGF1	AGFR	AGFJ	AGFE	AGHN	AGHI	AGIP	AGIV	AGH9	AGIE	AGIJ	AGHT	AGHY	AGJO	AGJJ	AGI9	AGIØ	AGJE	AGGW	AGG2	AGGJ	AGGP	AGG7	AGHD	•	AGJY	AGJT	AGKA	AGJ5
Calacatta Perla	AGGA	AGGF	AGFX	AGF2	AGFS	AGFK	AGFF	AGHO	AGHJ	AGIQ	AGIW	AGIA	AGIF	AGIK	AGHU	AGHZ	AGJP	AGJK	AGJA	AGI5	AGJF	AGGX	AGG3	AGGL	AGGQ	AGG8	AGHE	•	AGJZ	AGJU	AGKB	AGJ6
Grey Cloud	AGGB	AGGG	AGFY	AGF3	AGFT	AGFM	AGFG	AGHP	AGHK	AGIS	AGIX	AGIB	AGIG	AGIL	AGHV	AGHØ	AGJQ	AGJL	AGJB	AGI6	AGJG	AGGY	AGG4	AGGM	AGGS	AGHA	AGHF	•	AGJØ	AGJV	AGKC	AGJ7
Fior di Bosco	AGGC	AGGH	AGFZ	AGF5	AGFU	AGFN	AGFH	AGHQ	AGHL	AGIT	AGIY	AGIC	AGIH	AGIN	AGHW	AGH5	AGJR	AGJM	AGJC	AGI7	AGJH	AGGZ	AGG5	AGGN	AGGU	AGHB	AGHG	•	AGJ1	AGJW	AGKD	AGJ8
Calacatta Apuano Hammered	-	-	-	-	AGF6			-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
Fior di Bosco Hammered	-	-	-	-	AGF7			-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Eviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **For an optimal look it is advisable to lay the product in the same direction.** - Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo lo stesso verso. - Pour un résultat esthétique optimal, il est recommandé de poser le produit dans le même sens. - Für ein optisch optimales Resultat sollte die Verlegung stets in dieselbe Richtung erfolgen. - Para un resultado estético óptimo, se recomienda colocar el producto manteniendo la misma dirección. - Для оптимального эстетического результата рекомендуется укладывать изделие в одном направлении.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Icor



Limestone, reimagined.
Warm, modern, comfortable.

Breaking barriers.
Outdoor and indoor merged into one.

Captivating textures.
New exclusive 3D wall-tiles like carved in the stone.

Outstanding range.
New extensive choice of indoor&outdoor decors.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¼"x109½"	6 mm	Matte **R9 A**
120x240 cm - 47¼"x94½"	9 mm	Matte Sensitech **R10 B**
120x120 cm - 47¼"x47¼"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⅝"x47¼"	9 mm	Matte Sensitech **R10 B**
80x80 cm - 31½"x31½"	9 mm	Matte Sensitech **R10 B**
75x150 cm - 29½"x59"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⅝"x23⅝"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11¾"x23⅝"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⅝"x47¼" **Railway** ♦	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⅝"x47¼"	9 mm	Grip Sensitech **R11 C**
30x60 cm - 11¾"x23⅝"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¼"x47¼"	**20 mm**	Outdoor Sensitech **R11 C**
60x120 cm - 23⅝"x47¼"	20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31½"x31½"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⅝"x23⅝"	20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⅝"x47¼" **Railway** ♦	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63¾"x127½" NON-RECTIFIED	12 mm	Hammered













Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19⅝"x47¼"	8,5 mm	Matte

3D WALL TILES

50x120 cm - 19⅝"x47¼"	10 mm	Matte

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Icor

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm
Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

✣ 6 mm
160x320 cm - 63"x126"
AX6K Boost Icor Bone Hammered
AX6M Boost Icor Dune Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AYAO Boost Icor Dust
AYAN Boost Icor Bone
AYAQ Boost Icor Oyster
AYAP Boost Icor Dune

Sensitech
✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AX54 Boost Icor Dust
AX53 Boost Icor Bone
AX55 Boost Icor Oyster
AX1Y Boost Icor Dune

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AYAZ Boost Icor Dust
AYAY Boost Icor Bone
AYA2 Boost Icor Oyster
AYAØ Boost Icor Dune
AYA4 Boost Icor Sideral
AYA3 Boost Icor Crete

Sensitech
✣ 9 mm
80x80 cm - 31 1/2"x31 1/2"
HBAS Boost Icor Dust
HBAR Boost Icor Bone
HBAU Boost Icor Oyster
HBAT Boost Icor Dune
HBAW Boost Icor Sideral
HBAV Boost Icor Crete

Sensitech
✣ 9 mm
75x150 cm - 29 1/2"x59"
AYAT Boost Icor Dust
AYAR Boost Icor Bone
AYAV Boost Icor Oyster
AYAU Boost Icor Dune
AYAX Boost Icor Sideral
AYAW Boost Icor Crete

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AX59 Boost Icor Dust
AX58 Boost Icor Bone
AX6B Boost Icor Oyster
AX6A Boost Icor Dune
AX6D Boost Icor Sideral
AX6C Boost Icor Crete

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AYBA Boost Icor Dust
AYA9 Boost Icor Bone
AYBC Boost Icor Oyster
AYBB Boost Icor Dune
AYBE Boost Icor Sideral
AYBD Boost Icor Crete

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AYBG Boost Icor Dust
AYBF Boost Icor Bone
AYBI Boost Icor Oyster
AYBH Boost Icor Dune
AYBK Boost Icor Sideral
AYBJ Boost Icor Crete

GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AYA6 Boost Icor Dust Grip
AYA5 Boost Icor Bone Grip
AYA8 Boost Icor Oyster Grip
AYA7 Boost Icor Dune Grip

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AYBM Boost Icor Dust Grip
AYBL Boost Icor Bone Grip
AYBO Boost Icor Oyster Grip
AYBN Boost Icor Dune Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
AYCH Boost Icor Dust 20mm
AYCG Boost Icor Bone 20mm
AYCJ Boost Icor Oyster 20mm
AYCI Boost Icor Dune 20mm

Sensitech
✣ 20 mm
80x80 cm - 31 1/2"x31 1/2"
HBAY Boost Icor Dust 20mm
HBAX Boost Icor Bone 20mm
HBAØ Boost Icor Oyster 20mm
HBAZ Boost Icor Dune 20mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AYCE Boost Icor Dust 20mm
AYCD Boost Icor Bone 20mm
AYCF Boost Icor Oyster 20mm
AX8J Boost Icor Dune 20mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
AYCM Boost Icor Dust 20mm
AYCK Boost Icor Bone 20mm
AYCO Boost Icor Oyster 20mm
AYCN Boost Icor Dune 20mm


Sensitech P. 380













INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Icor

Porcelain Tiles

DECOR RANGE



Boost Icor Bone
Railway ♦
60x120 - 23⁵/₈"x47¹/₄"

AYBP 9 mm Matte Sensitech
AYBQ 9 mm Grip Sensitech



AYZC Boost Icor Bone
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZD Boost Icor Dust
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZE Boost Icor Dune
Mosaico Chevron
30,5x35,6 cm - 12"x14"




AYZG Boost Icor Crete
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZF Boost Icor Oyster
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZH Boost Icor Sideral
Mosaico Chevron
30,5x35,6 cm - 12"x14"



30,5x35,6 cm
12"x14"



AZ82 Boost Icor Bone
Mosaico Furnace
30x19,5 cm - 11³/₄"x7⁵/₈"



AZ83 Boost Icor Dust
Mosaico Furnace
30x19,5 cm - 11³/₄"x7⁵/₈"



AZ84 Boost Icor Dune
Mosaico Furnace
30x19,5 cm - 11³/₄"x7⁵/₈"



AZ86 Boost Icor Crete
Mosaico Furnace
30x19,5 cm - 11³/₄"x7⁵/₈"



AZ85 Boost Icor Oyster
Mosaico Furnace
30x19,5 cm - 11³/₄"x7⁵/₈"



AZ87 Boost Icor Sideral
Mosaico Furnace
30x19,5 cm - 11³/₄"x7⁵/₈"



30x19,5 cm
11³/₄"x7⁵/₈"


Bordi irregolari
Uneven edges
Bords irréguliers
Kanten unterbrochen
Bordes irregulares
Неровными краями

TRIM TILES P. 292	Battiscopa				Gradino *		Scalino *			Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Corner * ⧳ 6 mm	Corner A.E * ⧳ 6 mm
	7,2x150 cm 2⁷/₈"x59"	7,2x120 cm 2⁷/₈"x47¹/₄"	7,2x80 cm 2⁷/₈"x31¹/₂"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	30x60 cm 11³/₄"x23⁵/₈"	33x150 cm 13"x59"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		33x120 H. 4 cm 13"x47¹/₄" H.1⁵/₈"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech DX	SX	Grip Sensitech	Matte	Matte
Bone	AYHF	AYG2	HBA6	AYG9	AYH3	AYHX	AYJK	AYJE	AYI1	AYJQ	AYHR	AYHL	AYH9	AYJW	AYJ2
Dust	AYHG	AYG3	HBA7	AYHA	AYH4	AYHY	AYJL	AYJF	AYI2	AYJR	AYHT	AYHM	AYIA	AYJX	AYJ3
Dune	AYHH	AYG4	HBA8	AYHB	AYH5	AYHZ	AYJM	AYJG	AYI3	AYJS	AYHU	AYHN	AYIB	AYJY	AYJ4
Oyster	AYHI	AYG5	HBA9	AYHC	AYH6	AYHØ	AYJN	AYJH	AYI4	AYJT	AYHV	AYHO	AYIC	AYJZ	AYJ5
Crete	AYHJ	AYG7	HBBA	AYHD	AYH7	AYH1	AYJO	AYJI	AYI5	AYJU	AYHS	AYHP	-	-	-
Sideral	AYHK	AYG8	HBBB	AYHE	AYH8	AYH2	AYJP	AYJJ	AYI7	AYJV	AYHW	AYHQ	-	-	-

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

OUTDOOR DECORS



Boost Icor Bone
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZU 9 mm Grip Sensitech
AYZ1 20 mm Outdoor Sensitech



Boost Icor Dust
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZV 9 mm Grip Sensitech
AYZ2 20 mm Outdoor Sensitech




Boost Icor Dune
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZW 9 mm Grip Sensitech
AYZ3 20 mm Outdoor Sensitech




Boost Icor Oyster
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZX 9 mm Grip Sensitech
AYZ4 20 mm Outdoor Sensitech



59,5x59,5 cm
23³/₈"x23³/₈"


Pebble A: 0.259 mq
Pebble B: 0.252 mq



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Icor

Porcelain Tiles




48,4x119 cm
19$^{1}/_{8}$"x46$^{7}/_{8}$"
Combo A

42,5x119 cm
16$^{3}/_{4}$"x46$^{7}/_{8}$"
Combo B




AYZM Boost Icor Bone
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZQ Boost Icor Bone
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"



AYZN Boost Icor Dust
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZR Boost Icor Dust
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"



AYZO Boost Icor Dune
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZS Boost Icor Dune
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"



AYZP Boost Icor Oyster
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZT Boost Icor Oyster
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"

Wall Tiles

MATTE SURFACE —— Wall

8,5 mm
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AYQM Boost Icor Bone Field
AYQN Boost Icor Dust Field

10 mm 3D WALL
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AYQO Boost Icor 3D Wheat Bone
AYQP Boost Icor 3D Wheat Dust

AYQQ Boost Icor 3D Masonry Bone
AYQR Boost Icor 3D Masonry Dust

TRIM TILES


1,4x50 cm - $^{5}/_{8}$"x19$^{5}/_{8}$"
AYQS Boost Icor Bone Field Corner 50 *
AYQT Boost Icor Dust Field Corner 50 *


1,4x1,4 cm - $^{5}/_{8}$"x$^{5}/_{8}$"
AYQU Boost Icor Bone Field Corner A.E. *
AYQV Boost Icor Dust Field Corner A.E. *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ













INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Mineral



Quartzite effect.
A rich and comprehensive project inspired by the elegance of quartzite.

In&Out versatility:
Perfect for both indoor and outdoor spaces.

Natural contemporary style.
A modern solution for those who love the natural stone look in a contemporary design setting.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¼"x109½"	6 mm	Matte **R9 A** *
120x240 cm - 47¼"x94½"	9 mm	Matte Sensitech **R10 B** *
120x120 cm - 47¼"x47¼"	9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⅝"x47¼"	6 mm	Matte Sensitech **R10 B** *
60x120 cm - 23⅝"x47¼"	9 mm	Matte Sensitech **R10 B**
75x150 cm - 29½"x59"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⅝"x23⅝"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11¾"x23⅝"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⅝"x47¼"	9 mm	Grip Sensitech **R11 C**
60x60 cm - 23⅝"x23⅝"	9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¼"x47¼"	20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⅝"x47¼"	20 mm	Outdoor Sensitech **R11 C**
60x90 cm - 23⅝"x35⅜"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⅝"x23⅝"	20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63¾"x127½" NON-RECTIFIED	12 mm	Hammered

*Elegant surface

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Mineral

Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm · Matte Sensitech ✣ 6 mm · Hammered ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm · Grip Sensitech ✣ 9 mm · Outdoor Sensitech ✣ 20 mm

R9 A Matte / Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

atlasPLAN
✣ 6 mm
160x320 cm - 63"x126"
AKGA Boost Mineral Grey Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
AHWZ Boost Mineral Smoke Elegant
AHWØ Boost Mineral Tarmac Elegant
AHWW Boost Mineral White Elegant
AHWX Boost Mineral Pearl Elegant
AHWY Boost Mineral Grey Elegant

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
ALSW Boost Mineral White Elegant
ALSX Boost Mineral Pearl Elegant

Sensitech
✣ 9 mm
120x240 cm - 47 1/4"x94 1/2"
AHW4 Boost Mineral Smoke Elegant
AHW5 Boost Mineral Tarmac Elegant
AHW1 Boost Mineral White Elegant
AHW2 Boost Mineral Pearl Elegant
AHW3 Boost Mineral Grey Elegant

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
AHT9 Boost Mineral Smoke
AHUA Boost Mineral Tarmac
AHT6 Boost Mineral White
AHT7 Boost Mineral Pearl
AHT8 Boost Mineral Grey

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AHUE Boost Mineral Smoke
AHUF Boost Mineral Tarmac
AHUB Boost Mineral White
AHUC Boost Mineral Pearl
AHUD Boost Mineral Grey

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AHW9 Boost Mineral Smoke
AHXA Boost Mineral Tarmac
AHW6 Boost Mineral White
AHW7 Boost Mineral Pearl
AHW8 Boost Mineral Grey

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
AH2V Boost Mineral Smoke
AH2W Boost Mineral Tarmac
AH2S Boost Mineral White
AH2T Boost Mineral Pearl
AH2U Boost Mineral Grey

Sensitech
✣ 9 mm
75x150 cm - 29 1/2"x59"
AHWU Boost Mineral Smoke
AHWV Boost Mineral Tarmac
AHWS Boost Mineral White
AHWT Boost Mineral Pearl
AHSD Boost Mineral Grey

GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
AHXJ Boost Mineral Smoke Grip
AHXK Boost Mineral Tarmac Grip
AHXG Boost Mineral White Grip
AHXH Boost Mineral Pearl Grip
AHXI Boost Mineral Grey Grip

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
AHXO Boost Mineral Smoke Grip
AHXP Boost Mineral Tarmac Grip
AHXL Boost Mineral White Grip
AHXM Boost Mineral Pearl Grip
AHXN Boost Mineral Grey Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
AH37 Boost Mineral Smoke 20 mm
AH38 Boost Mineral Tarmac 20 mm
AH35 Boost Mineral White 20 mm
AH36 Boost Mineral Grey 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
AH4B Boost Mineral Smoke 20 mm
AH4C Boost Mineral Tarmac 20 mm
AH39 Boost Mineral White 20 mm
AH4A Boost Mineral Grey 20 mm

Sensitech
✣ 20 mm
60x90 cm - 23 5/8"x35 3/8"
AH4F Boost Mineral Smoke 20 mm
AH4G Boost Mineral Tarmac 20 mm
AH4D Boost Mineral White 20 mm
AH4E Boost Mineral Grey 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
AH4J Boost Mineral Smoke 20 mm
AH4K Boost Mineral Tarmac 20 mm
AH4H Boost Mineral White 20 mm
AH4I Boost Mineral Grey 20 mm


TRIM TILES P. 292


	Battiscopa			Gradino *		Scalino *			Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7.2x150 cm 2 7/8"x59"	7.2x120 cm 2 7/8"x47 1/4"	7.2x60 cm 2 7/8"x23 5/8"	30x120 cm 11 3/4"x47 1/4"	30x60 cm 11 3/4"x23 5/8"	33x150 cm 13"x59"	33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7.2x30 cm 2 7/8"x11 3/4"		max 315x50 H.4 cm 124"x19 5/8" H.1 5/8"	33x120 H. 4 cm 13"x47 1/4" H. 1 5/8"	1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x3/8"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	DX	SX	Matte	Grip	Matte	Matte
White	AIIR	AIIK	AIIA	AIJC	AII7	AIJW	AIJR	AIJM	AIJ1	AIIW	AII1	•	AIJH	AIJ6	AIKB
Pearl	AIIS	AIIL	AIIB	AIJD	AII8	AIJX	AIJS	AIJN	AIJ2	AIIX	AII2	•	AIJI	AIJ7	AIKC
Grey	AIIT	AIIN	AIIC	AIJE	AII9	AIJY	AIJT	AIJO	AIJ3	AIIY	AII4	•	AIJJ	AIJ8	AIKD
Smoke	AIIU	AIIO	AIID	AIJF	AIJA	AIJZ	AIJU	AIJP	AIJ4	AIIZ	AII5	•	AIJK	AIJ9	AIKE
Tarmac	AIIV	AIIP	AIIE	AIJG	AIJB	AIJØ	AIJV	AIJQ	AIJ5	AIIØ	AII6	•	AIJL	AIKA	AIKF

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 380











INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Mineral

Porcelain Tiles

DECOR RANGE



AIGS Boost Mineral White
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




AIGT Boost Mineral Pearl
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AIGU Boost Mineral Grey
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AIGW Boost Mineral Smoke
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



AIGX Boost Mineral Tarmac
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AIGY Boost Mineral White
Brick
30x60 - 11³/₄"x23⁵/₈"




AIGZ Boost Mineral Pearl
Brick
30x60 - 11³/₄"x23⁵/₈"




A 59,5 cm - 18¹/₄"
B 29,65 cm - 12⁵/₈"
b 2,3 cm - 7/₂"



AIGØ Boost Mineral Grey
Brick
30x60 - 11³/₄"x23⁵/₈"



AIG2 Boost Mineral Smoke
Brick
30x60 - 11³/₄"x23⁵/₈"



AIG3 Boost Mineral Tarmac
Brick
30x60 - 11³/₄"x23⁵/₈"




AIHG Boost Mineral White
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"



AIHH Boost Mineral Pearl
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"




AIHI Boost Mineral Grey
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"




A 35 cm - 13³/₄"
a 1,5 cm - 18¹/₄"
B 29,2 cm - 11¹/₂"
b 9,6 cm - 7⁵/₂"



AIHJ Boost Mineral Smoke
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"



AIHK Boost Mineral Tarmac
Domino Lux (*)
35x29,2 - 13³/₄"x11¹/₂"




AIG4 Boost Mineral White
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"




AIG5 Boost Mineral Pearl
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"




AIG7 Boost Mineral Grey
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



AIG8 Boost Mineral Smoke
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



AIG9 Boost Mineral Tarmac
Venus Lux (*)(°)
60x120 - 23⁵/₈"x47¹/₄"



A 120 cm - 18¹/₄"
B 60 cm - 12⁵/₈"

(*) **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** / Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. / Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. / Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. / Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. / Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.


(°) **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** / Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. / Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. / Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. / Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. / Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Boost Mineral

Porcelain Tiles


DECOR RANGE




AIHN Boost Mineral White
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech




AIHR Boost Mineral White
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHO Boost Mineral Grey
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech




AIHS Boost Mineral Grey
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech




A	119,5 cm - 18¹/₄"
B	59,5 cm - 12⁵/₈"
a	35,3 cm - 7¹/₂"
b	24,2 cm - 7¹/₂"
c	14 cm - 7¹/₂"
d	45,5 cm - 7¹/₂"

[1] **We recommend "dry" installation on gravel and/or grass.** / Si consiglia posa "a secco" su ghiaia e/o erba. / Pose « à sec » sur gravillons et/ou herbe conseillée. / Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. / Se recomienda colocación «en seco» sobre grava o hierba. / Рекомендуется «сухая» укладка на гравий и/или траву.


Sensitech P. 380




AIHP Boost Mineral Smoke
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHT Boost Mineral Smoke
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHQ Boost Mineral Tarmac
Slice A [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



AIHU Boost Mineral Tarmac
Slice B [1]
60x120 - 23⁵/₈"x47¹/₄" ✠ 20 mm Matte Sensitech



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Mix



Inspired by Ceppo di Grè.
The iconic stone of 20th-century Milanese architecture, reinterpreted.

Elegant Personality.
Featuring a distinctive but stylish pebble-like appearance.

Sought-after solution.
One of the most coveted choices for contemporary interior and exterior design.

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades







Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

30x60 cm - 11³/₄"x23⁵/₈"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Mix

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

✣ **6 mm**
120x278 cm - 47¹/₄"x109¹/₂"
A8Y7 Boost Mix Ivory
A8Y8 Boost Mix Pearl
A8Y9 Boost Mix Smoke

Sensitech
✣ **9 mm**
120x120 cm - 47¹/₄"x47¹/₄"
A8XD Boost Mix Ivory
A8XE Boost Mix Pearl
A8XF Boost Mix Smoke

Sensitech
✣ **9 mm**
60x120 cm - 23⁵/₈"x47¹/₄"
A8ØI Boost Mix Ivory
A8ØJ Boost Mix Pearl
A8ØK Boost Mix Smoke

Sensitech
✣ **9 mm**
60x60 cm - 23⁵/₈"x23⁵/₈"
A8ØL Boost Mix Ivory
A8ØM Boost Mix Pearl
A8ØN Boost Mix Smoke

Sensitech
✣ **9 mm**
30x60 cm - 11³/₄"x23⁵/₈"
A8ØO Boost Mix Ivory
A8ØP Boost Mix Pearl
A8ØQ Boost Mix Smoke

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ **9 mm**
30x60 cm - 11³/₄"x23⁵/₈"
A8ØR Boost Mix Ivory Grip
A8ØS Boost Mix Pearl Grip
A8ØT Boost Mix Smoke Grip

Sensitech
✣ **20 mm**
120x120 cm - 47¹/₄"x47¹/₄"
A84U Boost Mix Ivory 20 mm
A84V Boost Mix Pearl 20 mm
A84W Boost Mix Smoke 20 mm

Sensitech
✣ **20 mm**
60x120 cm - 23⁵/₈"x47¹/₄"
A84R Boost Mix Ivory 20 mm
A84S Boost Mix Pearl 20 mm
A84T Boost Mix Smoke 20 mm

Sensitech
✣ **20 mm**
60x60 cm - 23⁵/₈"x23⁵/₈"
A84O Boost Mix Ivory 20 mm
A84P Boost Mix Pearl 20 mm
A84Q Boost Mix Smoke 20 mm

TRIM TILES P. 292

	Battiscopa		Gradino *		Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	7,2x120 cm 2⁷/₈"x47¹/₄"	7,2x60 cm 2⁷/₈"x23⁵/₈"	30x120 cm 11³/₄"x47¹/₄"	30x60 cm 11³/₄"x23⁵/₈"	33x120 cm 13"x47¹/₄"	33x60 cm 13"x23⁵/₈"	33x33 cm 13"x13"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁹/₁₆" H.1³/₄"	15x60 H. 4 cm 5⁹/₁₆"x23⁵/₈" H. 1³/₄"	1x120 cm ³/₈"x47¹/₄"	1x1 cm ³/₈"x³/₈"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Grip	Matte	Matte
								DX	SX				
Ivory	A83O	A83L	A832	A83X	A838	A835	A84C	A83U	A83R	•	A84F	A84I	A84L
Pearl	A83P	A83M	A833	A83Y	A839	A836	A84D	A83V	A83S	•	A84G	A84J	A84M
Smoke	A83Q	A83N	A834	A83Z	A84B	A837	A84E	A83W	A83T	•	A84H	A84K	A84N

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

Sensitech P. 380

Porcelain Tiles

DECOR RANGE



A829 Boost Mix Ivory
Mosaico Matte
30x30 - 11³/₄"x11³/₄"



A83G Boost Mix Pearl
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




A83H Boost Mix Smoke
Mosaico Matte
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A83I Boost Mix Ivory
Mosaico Slide [1]
29x32,6 - 11³/₈"x12⁷/₈"



A83J Boost Mix Pearl
Mosaico Slide [1]
29x32,6 - 11³/₈"x12⁷/₈"



A83K Boost Mix Smoke
Mosaico Slide [1]
29x32,6 - 11³/₈"x12⁷/₈"




a 6,3x28,8 cm - 2⁷/₁₆"x11³/₈"
b 6,3x29,8 cm - ⁵/₈"x11³/₄"
C 32,57 cm - 12⁷/₈"

[1] **For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.** - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attendendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaique, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Stone



Inspired by Pyrenean Limestone.
Timeless sophistication
and modern charm.

Contemporary style.
Create spaces with subtle tones, delicate hues, and minimal color variations.

Perfect micro-details.
Flawlessly replicate the varied surface of the inspirational stone.

Ten Neutral Colors.
Derived from the cement-effect collections of Boost and Boost Pro.


COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	± 6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 6 mm	Matte Sensitech **R10 B**
60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Matte Sensitech **R10 B**
80x80 cm - 31¹/₂"x31¹/₂"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	± 9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	± 9 mm	Grip Sensitech **R11 C**
30x60 cm - 11³/₄"x23⁵/₈"	± 9 mm	Grip Sensitech **R11 C**
120x120 cm - 47¹/₄"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	± 20 mm	Outdoor Sensitech **R11 C**

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered **R9 A**

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63³/₄"x127¹/₂" NON-RECTIFIED	± 12 mm	Hammered

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Stone

Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm · Matte Sensitech ✣ 6 mm · Hammered ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm · Grip Sensitech ✣ 9 mm · Outdoor Sensitech ✣ 20 mm

R9 A Matte / Hammered ✣ 6 mm
R10 B Matte Sensitech ✣ 6 - 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

atlasPLAN

✣ 6 mm
160x320 cm - 63"x126"
AJRX B.Stone Ivory Hammered

✣ 6 mm
120x278 cm - 47 1/4"x109 1/2"
A6R7 B.Stone White
A6SC B.Stone Pearl
A6SD B.Stone Grey
A6SE B.Stone Smoke
A6SG B.Stone Tarmac
A6R8 B.Stone Ivory
A6R9 B.Stone Cream
A6SA B.Stone Clay
A6SB B.Stone Taupe
A6SF B.Stone Tobacco

Sensitech
✣ 6 mm
60x120 cm - 23 5/8"x47 1/4"
AKQL B.Stone White
AKQN B.Stone Pearl
AKQM B.Stone Ivory

Sensitech
✣ 9 mm
120x120 cm - 47 1/4"x47 1/4"
A6QS B.Stone White
A6QX B.Stone Pearl
A6QY B.Stone Grey
A6L8 B.Stone Smoke
A6QØ B.Stone Tarmac
A6QT B.Stone Ivory
A6QU B.Stone Cream
A6QV B.Stone Clay
A6QW B.Stone Taupe
A6QZ B.Stone Tobacco

Sensitech
✣ 9 mm
80x80cm - 31 1/2"x31 1/2"
A9R1 Boost Stone White
A9R3 Boost Stone Pearl
A9R4 Boost Stone Grey
A9RV Boost Stone Smoke
A9RZ Boost Stone Tarmac
A9R2 Boost Stone Ivory
A9RØ Boost Stone Cream
A9RX Boost Stone Clay
A9RY Boost Stone Taupe
A9RW Boost Stone Tobacco

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A6Q2 B.Stone White
A6Q7 B.Stone Pearl
A6Q8 B.Stone Grey
A6Q9 B.Stone Smoke
A6RB B.Stone Tarmac
A6Q3 B.Stone Ivory
A6Q4 B.Stone Cream
A6Q5 B.Stone Clay
A6Q6 B.Stone Taupe
A6RA B.Stone Tobacco

Sensitech
✣ 9 mm
60x60 cm - 23 5/8"x23 5/8"
A6RC B.Stone White
A6RL B.Stone Pearl
A6RM B.Stone Grey
A6RN B.Stone Smoke
A6RP B.Stone Tarmac
A6RD B.Stone Ivory
A6RI B.Stone Cream
A6RJ B.Stone Clay
A6RK B.Stone Taupe
A6RO B.Stone Tobacco

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A6RX B.Stone White
A6R2 B.Stone Pearl
A6R3 B.Stone Grey
A6R4 B.Stone Smoke
A6R6 B.Stone Tarmac
A6RY B.Stone Ivory
A6RZ B.Stone Cream
A6RØ B.Stone Clay
A6R1 B.Stone Taupe
A6R5 B.Stone Tobacco

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23 5/8"x47 1/4"
A66R B.Stone White Grip
A66W B.Stone Pearl Grip
A66X B.Stone Grey Grip
A66Y B.Stone Smoke Grip
A66Ø B.Stone Tarmac Grip
A66S B.Stone Ivory Grip
A66T B.Stone Cream Grip
A66U B.Stone Clay Grip
A66V B.Stone Taupe Grip
A66Z B.Stone Tobacco Grip

Sensitech
✣ 9 mm
30x60 cm - 11 3/4"x23 5/8"
A661 B.Stone White Grip
A666 B.Stone Pearl Grip
A667 B.Stone Grey Grip
A668 B.Stone Smoke Grip
A67A B.Stone Tarmac Grip
A662 B.Stone Ivory Grip
A663 B.Stone Cream Grip
A664 B.Stone Clay Grip
A665 B.Stone Taupe Grip
A669 B.Stone Tobacco Grip

Sensitech
✣ 20 mm
120x120 cm - 47 1/4"x47 1/4"
A67M B.Stone White 20 mm
A67P B.Stone Grey 20 mm
A7II B.Stone Smoke 20 mm
A67Q B.Stone Tarmac 20 mm
A67N B.Stone Cream 20 mm
A67O B.Stone Clay 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23 5/8"x47 1/4"
A67R B.Stone White 20 mm
A67U B.Stone Grey 20 mm
A7IJ B.Stone Smoke 20 mm
A67V B.Stone Tarmac 20 mm
A67S B.Stone Cream 20 mm
A67T B.Stone Clay 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23 5/8"x23 5/8"
A67W B.Stone White 20 mm
A67Z B.Stone Grey 20 mm
A7IK B.Stone Smoke 20 mm
A67Ø B.Stone Tarmac 20 mm
A67X B.Stone Cream 20 mm
A67Y B.Stone Clay 20 mm

TRIM TILES P. 292

	Battiscopa 7,2x80 cm 2 7/8"x31 1/2" Matte	Battiscopa 7,2x60 cm 2 7/8"x23 5/8" Matte	Gradino * 30x60 cm 11 3/4"x23 5/8" Matte	Scalino * 33x120 cm 13"x47 1/4" Matte	Scalino * 33x60 cm 13"x23 5/8" Matte	Scalino Ang.* 33x33 cm 13"x13" Matte	Battiscopa Sag. Scala * 7,2x30 cm 2 7/8"x11 1/4" Matte DX	Battiscopa Sag. Scala * SX	Davanzale / Soglia * max 315x50 H 4 cm 124"x19 5/8" H.1 1/8" Matte	Elemento L 33x120 H. 4 cm 13"x47 1/4" H. 1 1/8" Grip	Corner * ✣ 6 mm 1x120 cm 3/8"x47 1/4" Matte	Corner A.E * ✣ 6 mm 1x1 cm 3/8"x1/8" Matte
White	HAMT	A7NC	A7N6	A7OQ	A7OG	A7OØ	A7NW	A7NM	•	A7P8	A7PA	A7PK
Pearl	HAMV	A7NH	A7OB	A7OV	A7OL	A7O5	A7N1	A7NR	•	A7QD	A7PF	A7PP
Grey	HAMW	A7NI	A7OC	A7OW	A7OM	A7O6	A7N2	A7NS	•	A7QE	A7PG	A7PQ
Smoke	HAMN	A7NJ	A7OD	A7OX	A7ON	A7O7	A7N3	A7NT	•	A7QF	A7PH	A7PR
Tarmac	HAMR	A7NL	A7OF	A7OZ	A7OP	A7O9	A7N5	A7NV	•	A7QH	A7PJ	A7PT
Ivory	HAMU	A7ND	A7N7	A7OR	A7OH	A7O1	A7NX	A7NN	•	A7P9	A7PB	A7PL
Cream	HAMS	A7NE	A7N8	A7OS	A7OI	A7O2	A7NY	A7NO	•	A7QA	A7PC	A7PM
Clay	HAMP	A7NF	A7N9	A7OT	A7OJ	A7O3	A7NZ	A7NP	•	A7QB	A7PD	A7PN
Taupe	HAMQ	A7NG	A7OA	A7OU	A7OK	A7O4	A7NØ	A7NQ	•	A7QC	A7PE	A7PO
Tobacco	HAMO	A7NK	A7OE	A7OY	A7OO	A7O8	A7N4	A7NU	•	A7QG	A7PI	A7PS

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 380





















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Boost Stone

Porcelain Tiles

DECOR RANGE



A7C3 Boost Stone White
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C4 Boost Stone Ivory
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C8 Boost Stone Pearl
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C5 Boost Stone Cream
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C9 Boost Stone Grey
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C6 Boost Stone Clay
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




A7DA Boost Stone Smoke
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




A7C7 Boost Stone Taupe
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DC Boost Stone Tarmac
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DB Boost Stone Tobacco
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A 3,9x60 cm - 1¹/₂"x23⁵/₈"
B 1,7x60 cm - ⁵/₈"x23⁵/₈"
C 4,6x60 cm - 1³/₄"x23⁵/₈"



A7DD Boost Stone White
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A7DI Boost Stone Pearl
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DJ Boost Stone Grey
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DK Boost Stone Smoke
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DM Boost Stone Tarmac
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A7DE Boost Stone Ivory
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DF Boost Stone Cream
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DG Boost Stone Clay
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DH Boost Stone Taupe
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DL Boost Stone Tobacco
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A67I Boost Stone White
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CY Boost Stone Pearl
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7CZ Boost Stone Grey
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CØ Boost Stone Smoke
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7C2 Boost Stone Tarmac
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1⁵/₈"



A7CU Boost Stone Ivory
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CV Boost Stone Cream
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CW Boost Stone Clay
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CX Boost Stone Taupe
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7C1 Boost Stone Tobacco
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7DO Boost Stone
Mosaico Cube Warm
30x30 cm - 11³/₄"x11³/₄"
Warm:
Boost Stone Cream
Boost Stone Clay
Boost Stone Ivory
Boost Pro Ivory




A7DN Boost Stone
Mosaico Cube Cold
30x30 cm - 11³/₄"x11³/₄"
Cold:
Boost Stone Smoke
Boost Stone Grey
Boost Stone Pearl
Boost Pearl



A 29,8 cm - 11³/₄"
a 14,6 cm - 5³/₄"
b 14,8 cm - 5⁷/₈"
c 20,8 cm - 8¹/₄"
D 29,8 cm - 11³/₄"
d 29,5 cm - 11⁵/₈"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Brave



Inspired by Italian alpine quartzites.
Timeless elegance
and modern sophistication.

The feature of the natural stone.
Distinctive veins, colors and inclusions inspired by natural stones.

Five Color Variants.
From warm, natural white to deep anthracite, perfect for modern design projects.

Indoor and Outdoor Versatility.
Combining the realism of stone-effect surfaces with the allure of trendy natural hues.

COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
75x150 cm - 29 1/2"x59"	± 9 mm	Matte Sensitech **R10 B**
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech **R10 B**
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech **R10 B**
OUTDOOR AND WET AREAS		
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Grip Sensitech **R11 C**
60x120 cm - 23 5/8"x47 1/4"	± 20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23 5/8"x23 5/8"	± 20 mm	Outdoor Sensitech **R11 C**











Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 3/4"x31 1/2"	± 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15 3/4"x31 1/2"	± 10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Brave

Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall

Sensitech
✣ 9 mm
75x150 cm - 29$^{1}/_{2}$"x59"
A7G5 Brave Gypsum
A7G6 Brave Pearl
A7G7 Brave Grey
A7G8 Brave Earth
A7G9 Brave Coke

Sensitech
✣ 9 mm
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"
AW9U Brave Gypsum
AW9V Brave Pearl
AW9W Brave Grey
AW9X Brave Earth
AW9Y Brave Coke

Sensitech
✣ 9 mm
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"
DØ46 Brave Gypsum
DØ47 Brave Pearl
DØ48 Brave Grey
DØ49 Brave Earth
DØ5Ø Brave Coke

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
30x60 cm - 11$^{3}/_{4}$"x23$^{5}/_{8}$"
DØ51 Brave Gypsum Grip
DØ52 Brave Pearl Grip
DØ53 Brave Grey Grip
DØ54 Brave Earth Grip
DØ55 Brave Coke Grip

Sensitech
✣ 20 mm
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"
AT5I Brave Gypsum 20 mm
AT5J Brave Pearl 20 mm
AT5K Brave Grey 20 mm
AT5L Brave Earth 20 mm
AT5M Brave Coke 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23$^{5}/_{8}$"x23$^{5}/_{8}$"
AXAT Brave Gypsum 20 mm
AXAU Brave Pearl 20 mm
AXAV Brave Grey 20 mm
AXAW Brave Earth 20 mm
AXAX Brave Coke 20 mm

TRIM TILES
P. 292

	Battiscopa	Gradino *	Scalino *	Scalino *			Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,2x60 2"/$_{8}$"x23$^{5}/_{8}$"	30x60 11$^{3}/_{4}$"x23$^{5}/_{8}$"	33x150 13"x59"	33x90 13"x35$^{1}/_{8}$"	33x75 13"x29$^{1}/_{2}$"	33x60 13"x23$^{5}/_{8}$"	33x33 13"x13"		7,2x30 2"/$_{8}$"x11$^{3}/_{4}$"		max 315x50 H.4 cm 124"x19$^{7}/_{8}$" H.1$^{1}/_{8}$"	15x60 H. 4 5"/$_{8}$"x23$^{5}/_{8}$" H. 1$^{1}/_{8}$"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte		Matte	Grip
							DX	SX	DX	SX		
Gypsum	A1IE	A1IJ	AZT9	A1IP	A1IU	A1IZ	A1JA	A1I4	A1JK	A1JF	•	A1JP
Pearl	A1IF	A1IL	AZUA	A1IQ	A1IV	A1IØ	A1JB	A1I5	A1JL	A1JG	•	A1JQ
Grey	A1IG	A1IM	A1ZQ	A1IR	A1IW	A1I1	A1JC	A1I6	A1JM	A1JH	•	A1JR
Earth	A1IH	A1IN	AZUB	A1IS	A1IX	A1I2	A1JD	A1I7	A1JN	A1JI	•	A1JS
Coke	A1II	A1IO	AZEW	A1IT	A1IY	A1I3	A1JE	A1I8	A1JO	A1JJ	•	A1JT

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


Sensitech P. 380


GYPSUM


PEARL


EARTH


GREY


COKE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Brave

Porcelain Tiles

DECOR RANGE



A1FM Brave Gypsum
Mosaico
30x30 - 11³/₄"x11³/₄"




A1FO Brave Grey
Mosaico
30x30 - 11³/₄"x11³/₄"



A1FQ Brave Coke
Mosaico
30x30 - 11³/₄"x11³/₄"



A1FN Brave Pearl
Mosaico
30x30 - 11³/₄"x11³/₄"



A1FP Brave Earth
Mosaico
30x30 - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A1F1 Brave Gypsum
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A1F2 Brave Pearl
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A 19,9x7,1 cm - 7⁷/₈"x2⁷/₈"
B 38,6x7,1 cm - 15⁷/₈"x2⁷/₈"



A1F3 Brave Grey
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A1F4 Brave Earth
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"



A1F5 Brave Coke
Brick 3D [1]
29x59 - 11³/₈"x23¹/₄"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Wall Tiles

MATTE SURFACE —— Wall

8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8BWU Brave Gypsum
8BWL Brave Pearl

10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BDG Brave 3D Wave Gypsum
8BDP Brave 3D Wave Pearl
8BBG Brave 3D Blade Gypsum












DECOR RANGE



9BBG Brave Gypsum
Mosaic
30,5x30,5 - 12"x12"



9BBP Brave Pearl
Mosaic
30,5x30,5 - 12"x12"



1,7x8,5 cm
⁵/₈"x3³/₈"

1,7x6,4 cm
⁵/₈"x2¹/₂"

TRIM TILES

LBSU Brave Gypsum
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"

A1BU Brave Gypsum
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"

LBSL Brave Pearl
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"

A1BL Brave Pearl
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"

3D TRIM TILES

LB1G Brave Gypsum
Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"

LB1R Brave Pearl
Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - Lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - Le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Dicke von 10-11 mm kombinierbar - La arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - Угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Lims



Inspired by global limestone selections.
Experience the seamless blend of nature and design.

Variety and detail.
Featuring a wide range of graphics and rich details.

Contemporary style.
Essential and welcoming, perfect for modern spaces.

Warm and natural tones.
Achieve stylistic harmony in residential, commercial, and hospitality spaces.

DISCOVER MORE

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades



Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂"	6 mm	Matte **R9 A**
120x120 cm - 47¹/₄"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
75x150 cm - 29¹/₂"x59"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**











Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15³/₄"x31¹/₂"	8,5 mm	Matte

3D WALL TILES

40x80 cm - 15³/₄"x31¹/₂"	10 mm	Matte

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Lims

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech / Tumbled ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech / Tumbled ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

✣ 6 mm
120x278 cm - 47¼"x109½"
A3EI Lims Ivory
A3EJ Lims Beige


Sensitech
✣ 9 mm
120x120 cm - 47¼"x47¼"
A3DI Lims Ivory
A3DJ Lims Beige

Sensitech
✣ 9 mm
75x150 cm - 29½"x59"
A7HT Lims Ivory
A7HU Lims Beige

OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 20 mm
60x120 cm - 23⅝"x47¼"
A3LU Lims Ivory 20 mm
A3LV Lims Beige 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⅝"x23⅝"
A3LY Lims Ivory 20 mm
A3LZ Lims Beige 20 mm


IVORY


BEIGE

TRIM TILES P. 292

	Gradino *	Scalino *			Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *	Corner * ✣ 6 mm	Corner A.E * ✣ 6 mm
	37,5x75 cm 14¾"x29½"	37,5x150 cm 14¾"x59"	33x120 cm 13"x47¼"	37,5x75 cm 14¾"x29½"	37,5x37,5 cm 14¾"x14¾"	33x33 cm 13"x13"	7,2x30 cm 2⅞"x11¾"		max 315x50 H.4 cm 124"x19¾" H.1⅝"	15x75 H. 4 cm 5⅞"x29½" H. 1⅝"	1x120 cm ⅜"x47¼"	1x1 cm ⅜"x⅜"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip	Matte	Matte
							DX	SX				
Ivory	A3VV	A3NU	A3NQ	A3VZ	A3WD	A3NY	A3JQ	A3JM	•	A3N2	A3WH	A3WL
Beige	A3VW	A3NV	A3NR	A3WA	A3WE	A3NZ	A3JR	A3JN	•	A3N3	A3WI	A3WM

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 380

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Lims

Wall Tiles

MATTE SURFACE — Wall


≠ 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
A3HO Lims Ivory
A3HP Lims Beige

≠ 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
A3HR Lims 3D Wallpaper Ivory
A3HS Lims 3D Wallpaper Beige
A3HT Lims 3D Way Ivory
A3HU Lims 3D Way Beige


V2 Slight Variation

IVORY


BEIGE


3D WALLPAPER IVORY


3D WALLPAPER BEIGE


3D WAY IVORY


3D WAY BEIGE


TRIM TILES

1,4x40 cm - 5/8"x15³/₄"
A3HV Lims Ivory Corner 40 *
A3HW Lims Beige Corner 40 *

1,4x1,4 cm - 5/8"x5/8"
A3HZ Lims Ivory Corner A.E. *
A3HØ Lims Beige Corner A.E. *

1,4x40 cm - 5/8"x15³/₄"
A3HX Lims 3D Wallpaper Ivory Corner 40 *
A3HY Lims 3D Wallpaper Beige Corner 40 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Norde



Bold Quartzite Effect.
Strong, dynamic personality.

High Accuracy.
Meticulous, realistic reproduction.

Seamless Integration.
Blends indoor and outdoor.

Outdoor selection.
Unique decors range for customized and modern outdoor flooring.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades









Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
60x60 cm - 23⁵/₈"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**
30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

30x60 cm - 11³/₄"x23⁵/₈"	9 mm	Roccia **R12 C**
60x120 cm - 23⁵/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
60x120 cm - 23⁵/₈"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**
60x90 cm - 23⁵/₈"x35³/₈"	20 mm	Outdoor Sensitech **R11 C**
60x60 cm - 23⁵/₈"x23⁵/₈"	20 mm	Outdoor Sensitech **R11 C**
80x80 cm - 31¹/₂"x31¹/₂"	20 mm	Outdoor Sensitech **R11 C**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Norde

Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech / Roccia ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R12 C Roccia ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

MATTE SURFACE — Floor — Wall

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A5LM Norde Magnesio
A5LN Norde Oro
A45Z Norde Platino
A5LO Norde Piombo

Sensitech
✣ 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A5M6 Norde Magnesio
A5M7 Norde Oro
A5M8 Norde Platino
A5M9 Norde Piombo

Sensitech
✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A5ND Norde Magnesio
A5NE Norde Oro
A5NF Norde Platino
A5NG Norde Piombo

GRIP SURFACE — ROCCIA SURFACE — Outdoor

Sensitech
✣ 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A5MH Norde Magnesio Grip
A5MI Norde Oro Grip
A45Ø Norde Platino Grip
A5MJ Norde Piombo Grip

✣ 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
A5NA Norde Magnesio Roccia
A5NB Norde Oro Roccia
A5NC Norde Platino Roccia
A45Y Norde Piombo Roccia

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A5TV Norde Magnesio 20 mm
A5TW Norde Oro 20 mm
A451 Norde Platino 20 mm
A5TX Norde Piombo 20 mm

Sensitech
✣ 20 mm
60x90 cm - 23⁵/₈"x35⁵/₈"
A5T2 Norde Magnesio 20 mm
A5T3 Norde Oro 20 mm
A5T4 Norde Platino 20 mm
A5T5 Norde Piombo 20 mm

Sensitech
✣ 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
A5TY Norde Magnesio 20 mm
A5TZ Norde Oro 20 mm
A5TØ Norde Platino 20 mm
A5T1 Norde Piombo 20 mm

Sensitech
✣ 20 mm
80x80 cm - 31¹/₂"x31¹/₂"
A56L Norde Magnesio 20 mm
A56M Norde Oro 20 mm
A56N Norde Platino 20 mm
A56O Norde Piombo 20 mm

TRIM TILES P. 292

	Battiscopa	Gradino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *	
	7,2x60 cm 2⁷/₈"x23⁵/₈" Matte	30x60 cm 11³/₄"x23⁵/₈" Matte	33x120 cm 13"x47¹/₄" Matte	33x60 cm 13"x23⁵/₈" Matte	33x33 cm 13"x13" Matte	7,2x30 cm 2⁷/₈"x11³/₄" Matte		max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" Matte	33x120 H. 4 cm 13"x47¹/₄" H.1⁵/₈" Grip	15x60 H. 4 cm 5⁷/₈"x23⁵/₈" H.1⁵/₈" Roccia
						DX	SX			
Magnesio	A58Y	A59D	A59T	A59H	A59X	A583	A587	•	A592	A6H2
Oro	A58Z	A59E	A59U	A59I	A59Y	A584	A588	•	A593	A6H3
Platino	A581	A59F	A59V	A59J	A59Z	A585	A589	•	A594	A6H4
Piombo	A582	A59G	A59W	A59K	A591	A586	A59C	•	A595	A6H5

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - *Изготовляются на заказ*

Sensitech P. 380

MATTE / GRIP









ROCCIA









OUTDOOR 20 mm









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Norde

Porcelain Tiles


DECOR RANGE



A59P Norde Magnesio Brick
30x60 - 11³/₄"x23⅝"



A59Q Norde Oro Brick
30x60 - 11³/₄"x23⅝"



30x60 cm - 11³/₄"x23⅝"



A59R Norde Platino Brick
30x60 - 11³/₄"x23⅝"



A59S Norde Piombo Brick
30x60 - 11³/₄"x23⅝"



A59L Norde Magnesio
Mosaico
30x30 - 11³/₄"x11³/₄"



A59M Norde Oro
Mosaico
30x30 - 11³/₄"x11³/₄"



A59N Norde Platino
Mosaico
30x30 - 11³/₄"x11³/₄"



A59O Norde Piombo
Mosaico
30x30 - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A58U Norde Magnesio
Composizione Palladiana Grip Sensitech [1] [2]



A58V Norde Oro
Composizione Palladiana Grip Sensitech [1] [2]



A58W Norde Platino
Composizione Palladiana Grip Sensitech [1] [2]



A58X Norde Piombo
Composizione Palladiana Grip Sensitech [1] [2]

[1] **Minimum order: 8 m2. Variable tessera size and shape with tumbled edge. We recommend installation with a joint of no less than 10 mm.** - Ordine minimo di 8 mq. Dimensione e forma delle tessere variabile con bordo burattato. Si consiglia posa con fuga non inferiore a 10mm. - Commande minimum: 8 mètres carrés. Dimensions et forme des tesselles variables avec bord tamisé. Pose conseillée avec un joint non inférieur à 10mm. - Mindestbestellmenge 8 qm. Abmessung und Form der Steine sind unterschiedlich, aber alle weisen getrommelte Kanten auf. Für die Verlegung wird eine Fugenbreite von nicht weniger als 10 mm empfohlen. - Pedido mínimo de 8 m². Tamaño y forma variable de los mosaicos con borde bruñido. Se recomienda colocación con junta de no menos de 10 mm. - Минимальный объем заказа - 8 кв.м. Размер и форма чипа варьируются, чипы имеют вышербленные края. Рекомендуется укладка с межплиточным швом не менее 10 мм.

[2] **Example of layout measuring about 1 m².** - Esempio di posato corrispondente a circa 1 mq. - Exemple de produit posé correspondant à 1 mètre carré environ. - Verlegebeispiel für circa 1 qm. - Ejemplo de colocación correspondiente aproximadamente a 1 m². - Пример укладки, соответствующий примерно 1 кв.м.

Sensitech P. 380

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Norde

Porcelain Tiles

DECOR RANGE




A58M Norde Magnesio Path A+B 20 mm Outdoor Sensitech [1]
54x54 - 21¼"x21¼"

A58Q Norde Magnesio Path C 20 mm Outdoor Sensitech [1]
55x109 - 21⅝"x42⅞"



A58N Norde Oro Path A+B 20mm Outdoor Sensitech [1]
54x54 - 21¼"x21¼"

A58R Norde Oro Path C 20mm Outdoor Sensitech [1]
55x109 - 21⅝"x42⅞"



a 53,7 cm - 21⅛"
b 40,1 cm - 15¾"
c 45 cm - 17¾"
d 105 cm - 41⅜"
e 39,6 cm - 15⅝"
f 55,6 cm - 21⅞"



A58O Norde Platino Path A+B 20 mm Outdoor Sensitech [1]
54x54 - 21¼"x21¼"

A58S Norde Platino Path C 20 mm Outdoor Sensitech [1]
55x109 - 21⅝"x42⅞"




A58P Norde Piombo Path A+B 20mm Outdoor Sensitech [1]
54x54 - 21¼"x21¼"

A58T Norde Piombo Path C 20mm Outdoor Sensitech [1]
55x109 - 21⅝"x42⅞"


[1] **We recommend "dry" installation on gravel and/or grass.** - Si consiglia posa "a secco" su ghiaia e/o erba. - Pose « à sec » sur gravillons et/ou herbe conseillée. - Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. Se recomienda colocación «en seco» sobre grava o hierba. - Рекомендуется «сухая» укладка на гравий и/или траву.

Sensitech P. 380



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Axi



Aged wood.
Characterized by the natural effects of time and weather.

Deep details.
Golden Oak Color embellished with Knots and irregular veins.

DISCOVER
MORE

Floor | Wall



Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor | Wall

± 9 mm
22,5x90 cm - 8⅞"x35⅜"
AS3C Axi Golden Oak

HEAVY TRAFFIC — Matte ± 9 mm | **R10 B** Matte ± 9 mm | V3 Moderate Variation

TRIM TILES P. 292	Battiscopa	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x90 cm 2⅞"x35⅜" Matte	22,5x90 cm 8⅞"x35⅜" Matte	22,5x22,5 cm 8⅞"x8⅞" Matte		7,2x30 cm 2⅞"x11¾" Matte		max 315x50 H 4 cm 124"x19⅝" H.1⅝" Matte
			DX	SX	DX	SX	
Golden Oak	ANLJ	ANLP	ANLW	ANL5	ANMB	ANMJ	•

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Entice



Oak Effect.
Embrace the timeless beauty with tone-on-tone shades.


Two Selections:
Choose between Natural and Elegant, with or without knots.

Sophisticated color range.


COLLECTION CATALOG


VIDEO

Floor | Wall | Outdoor









Porcelain Tiles RECTIFIED MONOCALIBER

NATURAL

Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**
20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**
30x120 cm - 11³/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**









ELEGANT

Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte **R9 A**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Entice

Porcelain Tiles

HEAVY TRAFFIC
Matte ✣ 9 mm
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 9 mm ELEGANT
R10 B Matte Sensitech ✣ 9 mm NATURAL
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE - NATURAL

Floor Wall











Sensitech
✣ 9 mm
18,5x150 cm - 7¹/₄"x59"
A8X6 Entice Pale Oak Natural
A8X7 Entice Copper Oak Natural
A8X9 Entice Browned Oak Natural
A8YA Entice Ash Oak Natural

Sensitech
✣ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄"
A841 Entice Pale Oak Natural
A84Y Entice Copper Oak Natural
A84Z Entice Browned Oak Natural
A84Ø Entice Ash Oak Natural

GRIP SURFACE

Sensitech
✣ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄"
A842 Entice Pale Oak Natural Grip
A843 Entice Copper Oak Natural Grip
A844 Entice Browned Oak Natural Grip
A845 Entice Ash Oak Natural Grip

OUTDOOR ✣ 20 mm

Outdoor


Sensitech
✣ 20 mm
30x120 cm - 11³/₄"x47¹/₄"
A9DD Entice Pale Oak Natural 20 mm
A9DE Entice Copper Oak Natural 20 mm
A9DF Entice Browned Oak Natural 20 mm
A9DG Entice Ash Oak Natural 20 mm

Sensitech P. 380

MATTE SURFACE - ELEGANT

Floor Wall











✣ 9 mm
18,5x150 cm - 7¹/₄"x59"
A8YB Entice Pale Oak Elegant
A8YC Entice Copper Oak Elegant
A8YD Entice Browned Oak Elegant
A8YE Entice Ash Oak Elegant

TRIM TILES
P. 292

	Battiscopa 7,2x150 cm 2⁷/₈"x59" Matte	Battiscopa 6,5x120 cm 2¹/₂"x47¹/₄" Matte	Scalino * 33x150 cm 13"x59" Matte	Scalino * 33x120 cm 13"x7¹/₄" Matte	Battiscopa Sag. Scala * 7,2x30 cm 2⁷/₈"x11³/₄" Matte DX	Battiscopa Sag. Scala * 7,2x30 cm 2⁷/₈"x11³/₄" Matte SX	Davanzale / Soglia * max 315x50 H.4 cm 124"x19³/₄" H.1⁵/₈" Matte	Elemento L * 20x120 H. 4 cm 7⁷/₈"x59" H. 1⁵/₈" Grip
Pale Oak Natural	A85B	AHAB	AFIØ	AFI9	A85N	A85J	•	AFJD
Copper Oak Natural	A85C	AHAA	AFI1	AFJA	A85O	A85K	•	AFJE
Browned Oak Natural	A85D	AG95	AFI3	AFJB	A85P	A85L	•	AFJF
Ash Oak Natural	A85E	AG94	AFI4	AFJC	A85Q	A85M	•	AFJG
Pale Oak Elegant	A85F	-	AFI5	-	-	-	•	-
Copper Oak Elegant	A85G	-	AFI6	-	-	-	•	-
Browned Oak Elegant	A85H	-	AFI7	-	-	-	•	-
Ash Oak Elegant	A85I	-	AFI8	-	-	-	•	-

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Etic



Untreated wood essences.
Delicate color and fine structure.

DISCOVER
MORE

Floor | Wall | Decors



Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor | Wall


≑ 9 mm
22,5x90 cm - 8⅞"x35⅜"
AJ8D Etic Rovere

HEAVY-TRAFFIC Matte ≑ 9 mm | **R9 A** Matte ≑ 9 mm | V3 Moderate Variation Rovere

DECOR RANGE



AM8D Etic Rovere
Tatami
22,5x90 - 8⅞"x35⅜"



2,3x90 cm - ⅞"x35⅜"


TRIM TILES
P. 292

	Battiscopa	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
							
	7,2x90 cm 2⅞"x35⅜" Matte	22,5x90 cm 8⅞"x35⅜" Matte	22,5x22,5 cm 8⅞"x8⅞" Matte		7,2x30 cm 2⅞"x11¹³/₁₆" Matte		max 315x50 H.4 cm 124"x19⅝" H.1⅝" Matte
			DX	SX	DX	SX	
Rovere	AM76	AM97	ANAF	ANCW	ANCH	ANCO	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Etic Pro



Rovere Venice.
A reinterpretation of the "Briccola" of Venice lagoon.

Indoor and Outdoor versatility.







Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE — Floor — Wall

± 9 mm
25x150 cm - 9⅞"x59"
AV4I Etic Rovere Venice

± 9 mm
22,5x90 cm - 8⅞"x35⅜"
AV4M Etic Rovere Venice

OUTDOOR ± 20 mm — Outdoor

Sensitech
± 20 mm
30x120 cm - 11¾"x47¼"
AV42 Etic Rovere Venice 20mm

HEAVY TRAFFIC — Matte ± 9 mm
Outdoor Sensitech ± 20 mm

R9 A Matte ± 9 mm
R11 C Outdoor Sensitech ± 20 mm

V3 Moderate Variation

Sensitech P. 380

DISCOVER MORE

Floor | Wall | Decors | Outdoor

DECOR RANGE



2,3x90 cm
⅞"x35⅜"

AWVZ Etic Rovere Venice
Tatami
22,5x90 - 8⅞"x35⅜"




AWYI Etic Rovere Venice
Industrial 3D (1)
44x28,5 - 17⅜"x11¼"



2,4x22 cm
1"x⅜"




AWV3 Etic Rovere Venice
Herringbone
36,2x41,2 - 14¼"x16⅛"



4,9x29 cm
1⅞"x11⅜"




AWV7 Etic Rovere Venice
Chevron A+B
35x34,5 - 13¾"x13⅝"



A 17 cm - 6¾"
B 39,8 cm - 15⅝"
C 14,7 cm - 5¾"



AWYE Etic Rovere Venice
Chevron Tatami A+B
74x22,2 - 291/8"x85/8"



A 3,2 cm - 1¼"
B 73,8 cm - 29"
C 2,3 cm - ⅞"

TRIM TILES P. 292	Battiscopa	Scalino *	Scalino *	Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x90 cm 2⅞"x35⅜" Matte	22,5x90 cm 8⅞"x35⅜" Matte	33x150 cm 13"x59" Matte	22,5x22,5 cm 8⅞"x8⅞" Matte		7,2x30 cm 2⅞"x11¾" Matte		max 315x50 H.4 cm 124"x19¾" H.1⅝" Matte
				DX	SX	DX	SX	
Rovere Venice	AV68	AV7Z	AZFC	AV78	AV73	AV8G	AV8C	•

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавляются на заказ

(1) **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden
La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Exence



Italian Oak.
Ideal for cozy and welcoming spaces.

Natural Graphics.
Featuring diverse shades, knots, and grain patterns.

Highlighted Knots and Veins.
Emphasize the natural beauty of the wood.

DIGITAL VERSION

Floor | Wall | Decors | Outdoor







Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	∓ 9 mm	Matte Sensitech **R10 B**
20x120 cm - 7⁷/₈"x47¹/₄"	∓ 9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

18,5x150 cm - 7¹/₄"x59"	∓ 9 mm	Grip Sensitech **R11 C**
30x120 cm - 11³/₄"x47¹/₄"	∓ 20 mm	Outdoor Sensitech **R11 C**

TRIM TILES
P. 292

	Battiscopa		Scalino *	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
	7,2x150 cm 2⁷/₈"x59"	6,5x120 cm 2¹/₂"x47¹/₄"	33x150 cm 13"x59"	7,2x30 cm 2⁷/₈"x11³/₄"		max 315x50 H.4 cm 124"x19⁷/₈" H.1³/₈"	18,5x150 H. 4 cm 7¹/₄"x59" H. 1³/₈"
	Matte	Matte	Matte	Matte		Matte	Grip
				DX	SX		
Vanilla	AOUX	AHAF	AOUY	AOU1	AOU2	•	AOZI
Almond	AMA2	AHAC	AMA6	AMBE	AMBG	•	AOZJ
Amber	AMA5	AHAD	AMA7	AMBF	AMBH	•	AOZK

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Exence

Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R10 B Matte Sensitech ✣ 9 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

MATTE SURFACE — Floor — Wall









Sensitech
✣ 9 mm
18,5x150 cm - 7 1/4"x59"
AOUH Exence Vanilla
AL87 Exence Almond
AL88 Exence Amber

Sensitech
✣ 9 mm
20x120 cm - 7 7/8"x47 1/4"
AO47 Exence Vanilla
AO48 Exence Almond
AO49 Exence Amber

GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
18,5x150 cm - 7 1/4"x59"
AOUK Exence Vanilla Grip
AOUI Exence Almond Grip
AOUJ Exence Amber Grip

Sensitech
✣ 20 mm
30x120 cm - 11 3/4"x47 1/4"
A2RY Exence Almond 20 mm
A2RZ Exence Amber 20 mm

Sensitech P. 380

DECOR RANGE



AOUU Exence
Vanilla Square
56,1x56,1 - 22"x22"



AOUV Exence
Almond Square
56,1x56,1 - 22"x22"



AOUW Exence
Amber Square
56,1x56,1 - 22"x22"



AOUR Exence
Vanilla Tatami
18,5x75 - 7 1/4"x29 1/2"



AOUS Exence
Almond Tatami
18,5x75 - 7 1/4"x29 1/2"



AOUT Exence
Amber Tatami
18,5x75 - 7 1/4"x29 1/2"



AOUG Exence
Vanilla Chevron
32,5x45 - 12 3/4"x17 3/4"




AMBJ Exence
Almond Chevron
32,5x45 - 12 3/4"x17 3/4"



AMBL Exence
Amber Chevron
32,5x45 - 12 3/4"x17 3/4"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Heartwood



Exquisite aged parquet.
Evoke the charm of historic villas and palaces.

Rich surface.
Smoothed, planed, and polished oak.

Harmonic Shades.
From deep brown to blonde, honey to amber.

COLLECTION
CATALOG

Floor | Wall | Decors







Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**
20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Heartwood

Porcelain Tiles


HEAVY TRAFFIC — Matte Sensitech ✠ 9 mm | **R10 B** Matte Sensitech ✠ 9 mm | V3 Moderate Variation

MATTE SURFACE

Floor — Wall









Sensitech
✠ 9 mm
18,5x150 cm - 7¹/₄"x59"
AL68 Heartwood Malt
AL84 Heartwood Brandy
AL69 Heartwood Moka

Sensitech
✠ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄"
AL7E Heartwood Malt
AL85 Heartwood Brandy
AL7F Heartwood Moka

Sensitech P. 380

DECOR RANGE



AOYG Heartwood Malt
Mansion Weave
34,6x40 - 13⁵/₈"x15³/₄"



AOYH Heartwood Brandy
Mansion Weave
34,6x40 - 13⁵/₈"x15³/₄"



AOYJ Heartwood Moka
Mansion Weave
34,6x40 - 13⁵/₈"x15³/₄"



AO3K Heartwood Malt
Marble Chevron
29,4x28,7 - 11⁵/₈"x11⁵/₈"
Malt + Marvel Black Atlantis



AO3L Heartwood Brandy
Marble Chevron
29,4x28,7 - 11⁵/₈"x11⁵/₈"
Brandy + Marvel Black Atlantis



AOYI Heartwood Moka
Marble Chevron
29,4x28,7 - 11⁵/₈"x11⁵/₈"
Moka + Marvel Black Atlantis



AOYD Heartwood Malt Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOYE Heartwood Brandy Tatami
18,5x75 - 7¹/₄"x29¹/₂"



AOYF Heartwood Moka Tatami
18,5x75 - 7¹/₄"x29¹/₂"


TRIM TILES
P. 292

	Battiscopa		Scalino *	Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x150 cm 2⁷/₈"x59"	6,5x120 cm 2¹/₂"x47¹/₄"	33x150 cm 13"x59"	7,2x30 cm 2⁷/₈"x11¹/₄"		max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈"
	Matte	Matte	Matte	Matte		Matte
				DX	SX	
Malt	AMAH	AHAI	AMAK	AMAW	AMAZ	•
Brandy	AMAI	AHAH	AMAL	AMAX	AMAØ	•
Moka	AMAJ	AHAJ	AMAM	AMAY	AMA1	•

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Log



atlas concorde | ITLAS

MEETING TOGETHER

New oak effect.
Enhanced by the wood expertise of ITLAS.

Two Selections:
choose between Natural and Forest.

Atlas Concorde ID Skin.
The next level of texture details.

A complete range as never before.
Indoor & Outdoor, wall-tiles, large slabs.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor











Porcelain Tiles RECTIFIED MONOCALIBER

NATURAL SELECTION

Sizes	Thickness	Surface finish
120x278 cm - 47¹/₄"x109¹/₂" - **ID Skin**	6 mm	Matte **R9 A**
20x180 cm - 7¹/₈"x70⁷/₈" - **ID Skin**	9,5 mm	Matte Sensitech **R10 B**
20x120 cm - 7¹/₈"x47¹/₄" - **ID Skin**	9 mm	Matte Sensitech **R10 B**
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**

LARGE SIZES P. 296

OUTDOOR AND WET AREAS

60x120 cm - 23⁵/₈"x47¹/₄" **Deck** ♦	20 mm	Outdoor Sensitech **R11 C**

FOREST SELECTION

Sizes	Thickness	Surface finish
20x180 cm - 7¹/₈"x70⁷/₈" - **ID Skin**	9,5 mm	Matte Sensitech **R10 B**
20x120 cm - 7¹/₈"x47¹/₄" - **ID Skin**	9 mm	Matte Sensitech **R10 B**
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

20x120 cm - 7¹/₈"x47¹/₄" - **ID Skin**	9 mm	Grip Sensitech **R11 C**
30x120 cm - 11³/₄"x47¹/₄"	20 mm	Outdoor Sensitech **R11 C**





Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
3D WALL TILES		
50x120 cm - 19⁵/₈"x47¹/₄"	8,5 mm	Matte

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Log

Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 - 9,5 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

R9 A Matte ✣ 6 mm
R10 B Matte Sensitech ✣ 9 - 9,5 mm
R11 C Grip Sensitech ✣ 9 mm
R11 C Outdoor Sensitech ✣ 20 mm

V2 Slight Variation
Natural Selection
all colors

V3 Moderate Variation
Forest Selection
all colors

MATTE SURFACE - NATURAL SELECTION — Floor — Wall














Sensitech
✣ 9,5 mm
20x180 cm - 7⅞"x70⅞" - **ID Skin**
AX5T Log Icon Oak
AX5V Log Bright Oak
AX5X Log Amber Oak
AX5Z Log Deep Oak
AX51 Log Moon Oak

Sensitech
✣ 9 mm
20x120 cm - 7⅞"x47¼" - **ID Skin**
AX3A Log Icon Oak
AX3C Log Bright Oak
AX3E Log Amber Oak
AX3G Log Deep Oak
AX3I Log Moon Oak


Sensitech
✣ 9 mm
18,5x150 cm - 7¼"x59"
AX3K Log Icon Oak
AX3M Log Bright Oak
AX3O Log Amber Oak
AX3Q Log Deep Oak
AX3S Log Moon Oak


Sensitech P. 380


MATTE SURFACE - FOREST SELECTION — Floor — Wall














Sensitech
✣ 9,5 mm
20x180 cm - 7⅞"x70⅞" - **ID Skin**
AX5U Log Icon Oak Forest
AX5W Log Bright Oak Forest
AX5Y Log Amber Oak Forest
AX5Ø Log Deep Oak Forest
AX52 Log Moon Oak Forest

Sensitech
✣ 9 mm
20x120 cm - 7⅞"x47¼" - **ID Skin**
AX3B Log Icon Oak Forest
AX3D Log Bright Oak Forest
AX3F Log Amber Oak Forest
AX3H Log Deep Oak Forest
AX3J Log Moon Oak Forest

Sensitech
✣ 9 mm
18,5x150 cm - 7¼"x59"
AX3L Log Icon Oak Forest
AX3N Log Bright Oak Forest
AX3P Log Amber Oak Forest
AX3R Log Deep Oak Forest
AX3T Log Moon Oak Forest

Sensitech P. 380

GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
20x120 cm - 7⅞"x47¼" - **ID Skin**
AX4H Log Icon Oak Forest Grip
AX4I Log Bright Oak Forest Grip
AX4J Log Amber Oak Forest Grip
AX4K Log Deep Oak Forest Grip
AX4L Log Moon Oak Forest Grip

OUTDOOR ✣ 20 mm

Sensitech
✣ 20 mm
30x120 cm - 11¾"x47¼"
AX4A Log Icon Oak Forest 20mm
AX4B Log Bright Oak Forest 20mm
AX4C Log Amber Oak Forest 20mm
AX4D Log Deep Oak Forest 20mm
AX4E Log Moon Oak Forest 20mm

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Log

Porcelain Tiles

OUTDOOR ⧳ 20 mm - NATURAL SELECTION

Outdoor





Sensitech

⧳ 20 mm

60x120 cm - 23⁵/₈"x47¹/₄"

AXØT Log Icon Oak Deck 20mm ♦

AXØU Log Bright Oak Deck 20mm ♦

TRIM TILES
P. 292

	Battiscopa		Scalino *		Elemento L
	7,2x150 cm 2⁷/₈"x59" Matte Sensitech	7,2x120 cm 2⁷/₈"x47¹/₄" Matte Sensitech	33x150 cm 13"x59" Matte Sensitech	33x120 cm 13"x47¹/₄" Matte Sensitech	20x120 H.4 cm 7⁷/₈"x47¹/₄" H.1⁵/₈" Grip Sensitech
Icon Oak	AX3Z	AX3U	AX2U	AX2M	AX34
Bright Oak	AX3Ø	AX3V	AX2V	AX2N	AX35
Amber Oak	AX31	AX3W	AX2W	AX2O	AX36
Deep Oak	AX32	AX3X	AX2X	AX2P	AX37
Moon Oak	AX33	AX3Y	AX2Y	AX2Q	AX38

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

Sensitech P. 380

DECOR RANGE



AX4M Log Icon Oak
Classic Frame ♦ Matte Sensitech
120x120 cm - 47¹/₄"x47¹/₄"



AX4N Log Icon Oak
Modern Frame 1 ♦ Matte Sensitech
120x120 cm - 47¹/₄"x47¹/₄"



AX4O Log Icon Oak
Modern Frame 2 ♦ Matte Sensitech
60x60 cm - 23⁵/₈"x23⁵/₈"



AYCQ Log Bright Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCP Log Icon Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCR Log Amber Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCS Log Deep Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCT Log Moon Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"

■ **Multi-thickness mosaic, close joint installation without grouting.**
Mosaico multispessore, posa senza stuccatura a giunto unito.
Mosaique multi-épaisseur, pose sans mastic avec joint nul.
Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel.
Mosaico multiespesor, colocación sin mástique y sin juntas.
Мозаика разной толщины, укладка встык без затирки швов.



18,5x120 cm
7¹/₄"x47¹/₄"

CHEVRON



AX4Q Log Bright Oak Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



AX4P Log Icon Oak Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"




AX4R Log Amber Oak Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



AX4S Log Deep Oak Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



AX4T Log Moon Oak Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



C 7,5 cm - 3"
D 45 cm - 17³/₄"

● **At least 12 pairs A + B are guaranteed in each box.** - All'interno di ciascuna scatola è garantita la presenza di almeno 12 coppie A+B. - À l'intérieur de chaque boîte, la présence d'au moins 12 couples A+B est garantie. - Es wird garantiert, dass in jeder Schachtel mindestens 12 Paare A+B enthalten sind. - Se garantiza la presencia de al menos 12 parejas A+B dentro de cada caja. - Внутри каждой коробки гарантируется наличие не менее 12 пар A+B

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Log
Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

R9 A Matte ✣ 6 mm

V2 Slight Variation
Natural Selection all colors

BIG SLABS



AX28 Log Bright Oak
Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX29 Log Bright Oak
Line ♦ Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX26 Log Icon Oak
Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX27 Log Icon Oak
Line ♦ Matte
120x278 cm - 47¹/₄"x109¹/₂"



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

Log
Wall Tiles

V2 Slight Variation

MATTE SURFACE —— Wall

✣ 8,5 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
AX16 Log 3D Pleat Icon Oak
AX17 Log 3D Pleat Bright Oak
AX18 Log 3D Pleat Amber Oak
AX19 Log 3D Pleat Deep Oak
AX2A Log 3D Pleat Moon Oak











TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
AX2B Log 3D Pleat Icon Oak Corner 50 *
AX2C Log 3D Pleat Bright Oak Corner 50 *
AX2D Log 3D Pleat Amber Oak Corner 50 *
AX2E Log 3D Pleat Deep Oak Corner 50 *
AX2F Log 3D Pleat Moon Oak Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
AX2G Log 3D Pleat Icon Oak Corner A.E. *
AX2H Log 3D Pleat Bright Oak Corner A.E. *
AX2I Log 3D Pleat Amber Oak Corner A.E. *
AX2J Log 3D Pleat Deep Oak Corner A.E. *
AX2K Log 3D Pleat Moon Oak Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Log Cansei



atlas concorde | ITLAS

MEETING TOGETHER

New beech effect.
Enhanced by the wood expertise of ITLAS.

The uniqueness of Cansiglio Beech tree.
Never seen before.

Extremely natural.
Incredibly detailed.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor











Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Matte Sensitech **R10 B**
18,5x150 cm - 7¹/₄"x59"	9 mm	Matte Sensitech **R10 B**

OUTDOOR AND WET AREAS

20x120 cm - 7⁷/₈"x47¹/₄"	9 mm	Grip Sensitech **R11 C**

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Log Cansei

Porcelain Tiles

HEAVY TRAFFIC — Matte Sensitech ǂ 9 - 9,5 mm
Grip Sensitech ǂ 9 mm

R10 B Matte Sensitech ǂ 9 mm
R11 C Grip Sensitech ǂ 9 mm

V3 Moderate Variation

MATTE SURFACE

Floor — Wall













Sensitech
ǂ 9 mm
20x120 cm - 7⅞"x47¼"
AX68 Log Cansei Sospiro
AX69 Log Cansei Rialto
AX7A Log Cansei Fenice
AX7B Log Cansei Murano
AX7C Log Cansei Darsena

Sensitech
ǂ 9 mm
18,5x150 cm - 7¼"x59"
AX7D Log Cansei Sospiro
AX7E Log Cansei Rialto
AX7F Log Cansei Fenice
AX7G Log Cansei Murano
AX7H Log Cansei Darsena

Sensitech P. 380

GRIP SURFACE

Outdoor

Sensitech
ǂ 9 mm
20x120 cm - 7⅞"x47¼"
AX7J Log Cansei Sospiro Grip
AX7K Log Cansei Rialto Grip
AX7L Log Cansei Fenice Grip
AX7M Log Cansei Murano Grip
AX7N Log Cansei Darsena Grip

DECOR RANGE

18,5x150 cm
7¼"x59"



AX9S Log Cansei Sospiro
Riga ♦ Matte Sensitech
18,5x150 cm - 7¼"x59"



AX9T Log Cansei Rialto
Riga ♦ Matte Sensitech
18,5x150 cm - 7¼"x59"



AX9U Log Cansei Murano
Riga ♦ Matte Sensitech
18,5x150 cm - 7¼"x59"

TRIM TILES
P. 292

	Battiscopa		Scalino *		Elemento L
	7,2x150 cm 2⅞"x59" Matte Sensitech	7,2x120 cm 2⅞"x47¼" Matte Sensitech	33x150 cm 13"x59" Matte Sensitech	33x120 cm 13"x47¼" Matte Sensitech	20x120 H.4 cm 7⅞"x47¼" H.1⅝" Grip Sensitech
Sospiro	AX73	AX7Y	AX6Z	AX7O	AX7T
Rialto	AX74	AX7Z	AX6Ø	AX7P	AX7U
Fenice	AX75	AX7Ø	AX61	AX7Q	AX7V
Murano	AX76	AX71	AX62	AX7R	AX7W
Darsena	AX77	AX72	AX63	AX7S	AX7X


*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - Несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Trim tiles


TRIM TILES ∓ 9 mm - ∓ 9,5 mm



OUTDOOR TRIM TILES ∓ 9 mm




OUTDOOR TRIM TILES ∓ 20 mm



(1)**Right/left angular elements are available** - Sono disponibili gli elementi angolari dx/sx

TRIM TILES TECHNICAL DRAWS



t = thickness

STEPS



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Trim tiles, 20 mm

	Lineare	Round					Round Angolare Dx/Sx										Round 60	Round 60 Angolare	Gradino Round	Gradino Round Angolare Dx/Sx	
	30x60 cm 11¹/₁₆"x23⅝"	30x60 cm 11¹/₁₆"x23⅝"	33x120 cm 13"x47¹/₄"	30x120 cm 11¹/₁₆"x23⅝"	60x90 cm 23⅝"x35⅜"	40x80 cm 15¹/₁₆"x31¹/₂"	30x60 cm 11¹/₁₆"x23⅝"		33x120 cm 13"x47¹/₄"		30x120 cm 11¹/₁₆"x23⅝"		60x90 cm 23⅝"x35⅜"		40x80 cm 15¹/₁₆"x31¹/₂"		60x60 cm 23⅝"x23⅝"		30x60 cm 11¹/₁₆"x23⅝"		
							DX	SX	DX	SX	DX	SX	DX	SX	DX	SX				DX	SX
BOOST	•	•	•			•	•	•	•	•					•	•	•	•	•	•	•
BOOST BALANCE		•	•				•	•	•	•									•	•	•
BOOST EXPRESSION		•	•				•	•	•	•									•	•	•
BOOST ICOR		•	•			•	•	•	•	•					•	•			•	•	•
BOOST NATURAL	•	•	•				•	•	•	•							•	•	•	•	•
BOOST NATURAL PRO		•	•				•	•	•	•									•	•	•
BOOST MINERAL		•	•		•		•	•	•	•			•	•					•	•	•
BOOST MIX	•	•	•				•	•	•	•							•	•	•	•	•
BOOST PRO	•	•	•			•	•	•	•	•					•	•	•	•	•	•	•
BOOST STONE	•	•	•				•	•	•	•							•	•	•	•	•
BRAVE		•	•				•	•	•	•							•	•	•	•	•
ENTICE				•							•	•									
ETIC PRO				•							•	•									
EXENCE				•							•	•									
LIMS	•	•	•				•	•	•	•							•	•	•	•	•
LOG				•							•	•									
MARVEL MERAVIGLIA			•						•	•											
MARVEL TRAVERTINE			•						•	•											
MARVEL X			•						•	•											
NORDE	•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
PRISM			•			•			•	•					•	•					

	Elemento L				Elemento L Angolare			Alzata				Top		Costa Design	Bordo Piscina	Bordo Piscina Angolare Dx/Sx		Griglia		Griglia Angolare Dx/Sx				Curve	Smussato
	20x60 cm 7¹/₁₆"x23⅝"	30x120 cm 11¹/₁₆"x23⅝"	33x120 cm 13"x47¹/₄"	33x90 cm 13"x35⅜"	33x80 cm 13"x31¹/₂"	20x20 cm 7¹/₁₆"x7¹/₁₆"	33x33 cm 13"x13"	20x120 cm 7¹/₁₆"x47¹/₄"	30x120 cm 11¹/₁₆"x23⅝"	20x90 cm 7¹/₁₆"x35⅜"	20x80 cm 7¹/₁₆"x31¹/₂"	30x60 cm 11¹/₁₆"x23⅝"	30x120 cm 11¹/₁₆"x23⅝"	33x120 cm 13"x47¹/₄"	30x60 cm 11¹/₁₆"x23⅝"	30x60 cm 11¹/₁₆"x23⅝"		15x60 cm 5¹/₁₆"x23⅝"	20x60 cm 7¹/₁₆"x23⅝"	15x60 cm 5¹/₁₆"x23⅝"	20x60 cm 7¹/₁₆"x23⅝"			60x60 cm 23⅝"x23⅝"	30x60 cm 11¹/₁₆"x23⅝"
																DX	SX			DX	SX	DX	SX		
BOOST	•		•		•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST BALANCE			•				•	•								•	•	•	•	•	•	•	•	•	•
BOOST EXPRESSION			•		•		•	•			•					•	•	•	•	•	•	•	•	•	•
BOOST ICOR			•		•		•	•			•					•	•	•	•	•	•	•	•	•	•
BOOST NATURAL	•		•			•	•	•					•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST NATURAL PRO			•				•	•								•	•	•	•	•	•	•	•	•	•
BOOST MINERAL			•	•			•	•		•						•	•	•	•	•	•	•	•	•	•
BOOST MIX	•		•			•	•	•					•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST PRO	•		•		•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BOOST STONE	•		•			•	•	•					•	•	•	•	•	•	•	•	•	•	•	•	•
BRAVE	•		•			•	•	•					•	•	•	•	•	•	•	•	•	•	•	•	•
ENTICE		•							•																
ETIC PRO									•					•											
EXENCE									•					•											
LIMS	•		•			•	•	•					•	•	•	•	•	•	•	•	•	•	•	•	•
LOG		•						•																	
MARVEL MERAVIGLIA			•				•	•						•	•										
MARVEL TRAVERTINE			•					•						•	•										
MARVEL X			•					•						•	•										
NORDE	•		•	•	•	•	•	•		•			•	•	•	•	•	•	•	•	•	•	•	•	•
PRISM			•		•		•	•						•	•										

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES


FACADES

TECHNICAL SPECIFICATIONS

Large Sizes

atlas concorde

Floor Wall Furniture Facades



- MARBLE LOOK
- CONCRETE LOOK
- WOOD LOOK
- STONE LOOK
- COLOR & DECOR LOOK

- NOTES

atlasPLAN

Floor Wall Slabs for furniture



- MARBLE LOOK
- CONCRETE LOOK
- WOOD LOOK
- STONE LOOK
- SOLID LOOK

Slabs for countertops and furniture



- SLABS FOR COUNTERTOPS & FURNITURE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look

MARVEL STONE - CARRARA PURE
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AZTU Carrara Pure Polished
A2Ø7 Carrara Pure Matte Sensitech



BOOKMATCH [3][5]
A B



ENDLESS [2][3]



MARVEL - CALACATTA EXTRA
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AY2R Calacatta Extra Polished
A2ØY Calacatta Extra Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AY2N Calacatta Extra Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AØBM Calacatta Extra Polished
AØBT Calacatta Extra Matte
AOTJ Calacatta Extra Bookmatch A Polished
AOTK Calacatta Extra Bookmatch B Polished
A6DU Calacatta Extra Kit Endless Polished
AOUB Calacatta Extra Endless Polished *
160x160 cm - 63"x63" ✣ 6 mm
AO51 Calacatta Extra RT Polished
AO54 Calacatta Extra RT Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKS Calacatta Extra Polished
AJKY Calacatta Extra Silk
AJKT Calacatta Extra Bookmatch Polished
AJKZ Calacatta Extra Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

* Calacatta Extra Endless is composed of four graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
(SEE PAGE 365)

MARVEL SHINE - CALACATTA DELICATO
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
A4Q8 Calacatta Delicato Polished
A4Q4 Calacatta Delicato Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
A4RH Calacatta Delicato Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
A4OY Calacatta Delicato Polished

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

ENDLESS [2][3]

MARVEL X - CALACATTA APUANO
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AFU7 Calacatta Apuano Polished
AFVJ Calacatta Apuano Silk
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFU2 Calacatta Apuano Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFUS Calacatta Apuano Polished
AFUX Calacatta Apuano Silk

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJRR Calacatta Apuano Endless Polished
AKFN Calacatta Apuano Kit Endless Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 337)

MARVEL STONE - BIANCO DOLOMITE
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AZTT Bianco Dolomite Polished
A2Ø4 Bianco Dolomite Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AZTV Bianco Dolomite Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AØBP Bianco Dolomite Polished
A2RS Bianco Dolomite Matte

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

BOOKMATCH [3][5]
A B

MARVEL GALA - CRYSTAL WHITE
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AFXN Crystal White Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFXW Crystal White Polished

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKU Crystal White Polished
AJKV Crystal White Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

BOOKMATCH [3][5]
A B

ENDLESS [2][3]

MARVEL MERAVIGLIA - CALACATTA MERAVIGLIA
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AJIC Calacatta Meraviglia Polished
AJII Calacatta Meraviglia Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AJH7 Calacatta Meraviglia Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AJH2 Calacatta Meraviglia Polished
AKF8 Calacatta Meraviglia Kit Endless Polished

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJJ9 Calacatta Meraviglia Polished
AJKA Calacatta Meraviglia Bookmatch Polished
AJSZ Calacatta Meraviglia Matte Endless
AKFJ Calacatta Meraviglia Kit Endless Matte
AJG9 Calacatta Meraviglia Endless Polished
AKFI Calacatta Meraviglia Kit Endless Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

Sensitech P. 380

Velvetech P. 378

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



BOOKMATCH [3][5]

A B

ENDLESS [2][3]

MARVEL MERAVIGLIA - CALACATTA BERNINI
120x120 cm - 47¹/₄"x47¹/₄" ⧳ 9 mm
AJID Calacatta Bernini Polished
AJJ Calacatta Bernini Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ⧳ 9 mm
AJH8 Calacatta Bernini Polished
120x278 cm - 47¹/₄"x109¹/₂" ⧳ 6 mm
AJH3 Calacatta Bernini Polished
AKF9 Calacatta Bernini Kit Endless Polished

atlasPLAN
160x320 cm - 63"x126" ⧳ 6 mm
AJRT Calacatta Bernini Polished
AJRU Calacatta Bernini Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



BOOKMATCH [3][5]

A B

ENDLESS [2][3]

MARVEL SHINE - CALACATTA IMPERIALE
120x120 cm - 47¹/₄"x47¹/₄" ⧳ 9 mm
A4RB Calacatta Imperiale Polished
A4Q7 Calacatta Imperiale Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ⧳ 9 mm
A4RK Calacatta Imperiale Polished
120x278 cm - 47¹/₄"x109¹/₂" ⧳ 6 mm
A4O1 Calacatta Imperiale Polished
A6EQ Calacatta Imperiale Kit Endless Polished

atlasPLAN
160x320 cm - 63"x126" ⧳ 6 mm
AJKØ Calacatta Imperiale Silk
AJK1 Calacatta Imperiale Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE




BOOKMATCH [3][5]

A B

ENDLESS [2][3]

MARVEL SHINE - CALACATTA PRESTIGIO
120x120 cm - 47¹/₄"x47¹/₄" ⧳ 9 mm
A4Q9 Calacatta Prestigio Polished
A4Q5 Calacatta Prestigio Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ⧳ 9 mm
A4RI Calacatta Prestigio Polished
120x278 cm - 47¹/₄"x109¹/₂" ⧳ 6 mm
A4OZ Calacatta Prestigio Polished
A4O6 Calacatta Prestigio Silk
A4O2 Calacatta Prestigio Bookmatch A Polished
A4O3 Calacatta Prestigio Bookmatch B Polished
A6EO Calacatta Prestigio Kit Endless Polished
A6ER Calacatta Prestigio Kit Endless Silk
160x160 cm - 63"x63" ⧳ 6 mm
A4RP Calacatta Prestigio Polished


atlasPLAN
160x320 cm - 63"x126" ⧳ 6 mm
A4RR Calacatta Prestigio Endless Polished
AKFL Calacatta Prestigio Kit Endless Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



BOOKMATCH [3][5]

A B

CALACATTA GOLD
atlasPLAN
160x320 cm - 63"x126" ⧳ 6 mm
AKE6 Calacatta Gold Polished
AKE7 Calacatta Gold Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



KIT ENDLESS [2][3]

MARVEL X - CALACATTA SUBLIME
120x120 cm - 47¹/₄"x47¹/₄" ⧳ 9 mm
A8YT Calacatta Sublime Polished
AFVK Calacatta Sublime Silk
120x240 cm - 47¹/₄"x94¹/₂" ⧳ 9 mm
AFU3 Calacatta Sublime Polished
120x278 cm - 47¹/₄"x109¹/₂" ⧳ 6 mm
AFUT Calacatta Sublime Polished
AFUY Calacatta Sublime Silk
AFWN Calacatta Sublime Kit Endless Polished
AFWO Calacatta Sublime Kit Endless Silk

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look




ENDLESS [2][3]




MARVEL DIVA - ICE CRYSTAL
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AU8X Ice Crystal Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AXJU Marvel Ice Crystal Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AX8K Ice Crystal Polished
AX81 Ice Crystal Silk
AYV3 Ice Crystal Kit Endless Polished
AYWC Ice Crystal Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AXXG Ice Crystal Endless Polished
AXXH Ice Crystal Endless Silk
AXYJ Ice Crystal Kit Endless Polished
AXYK Ice Crystal Kit Endless Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



BOOKMATCH [3][5]
A B



ENDLESS [2][3]



MARVEL SHINE - STATUARIO SUPREMO
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
A4RA Statuario Supremo Polished
A4Q6 Statuario Supremo Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
A4RJ Statuario Supremo Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
A4OØ Statuario Supremo Polished
A4O7 Statuario Supremo Silk
A4O4 Statuario Supremo Bookmatch A Polished
A4O5 Statuario Supremo Bookmatch B Polished
A6EP Statuario Supremo Kit Endless Polished
A6ES Statuario Supremo Kit Endless Silk
160x160 cm - 63"x63" ✣ 6 mm
A4RQ Statuario Supremo Polished

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

BOOKMATCH [3][5]
A B

MARVEL ONYX - WHITE
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AJBK Onyx White Polished
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AJBG Onyx White Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AJAH Onyx White Polished

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJHA Onyx White Polished
AJKB Onyx White Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

MARVEL X - CALACATTA PERLA
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AFU8 Calacatta Perla Polished
AFVL Calacatta Perla Silk
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFU4 Calacatta Perla Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFUU Calacatta Perla Polished
AFUZ Calacatta Perla Silk



MARVEL DREAM - BIANCO FANTASTICO
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AL7N Bianco Fantastico Polished
A2Ø3 Bianco Fantastico Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AO3P Bianco Fantastico Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AOSE Bianco Fantastico Polished
A2RR Bianco Fantastico Matte

MARVEL ONYX - PEARL
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AJBM Pearl Polished
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AJBI Pearl Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AJAJ Pearl Polished

MARVEL TRAVERTINE - WHITE VEIN CUT
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFT7 White Vein Cut Matte Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFS1 White Vein Cut Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
ALYW Travertino White Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

MARVEL TRAVERTINE - WHITE CROSS CUT
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
A8WU Marvel White Cross Matte Sensitech

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look

MARVEL TRAVERTINE - SAND VEIN CUT
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFT8 Sand Vein Cut Matte Sensitech

120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFS2 Sand Vein Cut Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKQ Travertino Sand Hammered

162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

MARVEL ONYX - ALABASTER
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AJBL Alabaster Polished

120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AJBH Alabaster Polished

120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AJAI Alabaster Polished

MARVEL TRAVERTINE - SAND CROSS CUT
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
A8WV Marvel Sand Cross Matte Sensitech



MARVEL DIVA - PRECIOUS BROWN
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AX8Y Precious Brown Silk
AYV9 Precious Brown Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AKGB Precious Brown Silk
AKGC Precious Brown Bookmatch Silk

162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL DIVA - TAJ MAHAL
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AX8Q Taj Mahal Velvet Velvetech

120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AXJV Taj Mahal Polished

120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AX8L Taj Mahal Polished
AX82 Taj Mahal Silk
AYV4 Taj Mahal Kit Endless Polished
AYWD Taj Mahal Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AXXO Taj Mahal Endless Polished
AXXP Taj Mahal Endless Silk
AXYL Taj Mahal Kit Endless Polished
AXYM Taj Mahal Kit Endless Silk

162x324 cm - 63³/₄"x127¹/₂" P. 338
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL TRAVERTINE - PEARL VEIN CUT
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFT9 Pearl Vein Cut Matte Sensitech

120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFS3 Pearl Vein Cut Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
ALYV Travertino Pearl Hammered

162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

MARVEL TRAVERTINE - PEARL CROSS CUT
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
A8WW Pearl Cross Matte Sensitech



MARVEL DIVA - WHITE EVEREST
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AX8R White Everest Velvet Velvetech

120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AXJW White Everest Polished

120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AX8M White Everest Polished
AX83 White Everest Silk
AYV5 White Everest Kit Endless Polished
AYWE White Everest Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
ARTK Appennino Silk
ARTM Appennino Bookmatch Silk

162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL X - GREY CLOUD
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AFU9 Grey Cloud Polished
AFVM Grey Cloud Silk

120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFU5 Grey Cloud Polished

120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFUV Grey Cloud Polished
AFUØ Grey Cloud Silk

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


Large Sizes[1]

Porcelain Tiles

Marble Look




MARVEL MERAVIGLIA - SILVER MAJESTIC
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AJIE Silver Majestic Polished
AJIK Silver Majestic Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AJH9 Silver Majestic Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AJH4 Silver Majestic Polished
AKQU Silver Majestic Kit Endless Polished



SILVER ROOT
atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
ARTN Silver Root Silk
ARTO Silver Root Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL MERAVIGLIA - GRIGIO ELEGANTE
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AJIF Grigio Elegante Polished
AJIL Grigio Elegante Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AJIA Grigio Elegante Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AJH5 Grigio Elegante Polished
AKQV Grigio Elegante Kit Endless Polished



MARVEL X - FIOR DI BOSCO
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AFVA Fior di Bosco Polished
AFVN Fior di Bosco Silk
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AFU6 Fior di Bosco Polished
120x278 cm - 47¹/₄"x109¹/₂" ✣ 6 mm
AFUW Fior di Bosco Polished
AFU1 Fior di Bosco Silk

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJRV Fior di Bosco Polished
AJRW Fior di Bosco Bookmatch Polished
AYB4 Fior di Bosco Silk
AYB5 Fior di Bosco Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



LIGHT GREY STONE
atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
ABGZ Light Grey Stone Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL - GREY STONE
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AY2O Grey Stone Polished
120x278 cm - 47¹/₄"x109³/₄" ✣ 6 mm
A2RP Grey Stone Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKX Grey Stone Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL GALA - CALACATTA BLACK
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AFXO Calacatta Black Polished
120x278 cm - 47¹/₄"x109³/₄" ✣ 6 mm
AFXY Calacatta Black Polished



MARVEL STONE - NERO MARQUINA
atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKW Nero Marquina Polished
AJK2 Nero Marquina Silk
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL DREAM - BLACK ATLANTIS
120x120 cm - 47¹/₄"x47¹/₄" ✣ 9 mm
AL7P Black Atlantis Polished
A2ØZ Black Atlantis Matte Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ✣ 9 mm
AO3R Black Atlantis Polished
120x278 cm - 47¹/₄"x109³/₄" ✣ 6 mm
AOSG Black Atlantis Polished
A2RQ Black Atlantis Matte

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

Large Sizes[1]

Porcelain Tiles

Marble Look



ENDLESS [2][3]


MARVEL MERAVIGLIA - BLACK ORIGIN
120x120 cm - 47¹/₄"x47¹/₄" ✠ 9 mm
AJIG Black Origin Polished
AJIM Black Origin Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ✠ 9 mm
AJIB Black Origin Polished
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AJH6 Black Origin Polished
AKQW Black Origin Kit Endless Polished



MARVEL ONYX - NOIR
120x120 cm - 47¹/₄"x47¹/₄" ✠ 9 mm
AJBN Noir Polished
120x240 cm - 47¹/₄"x94¹/₂" ✠ 9 mm
AJBJ Noir Polished
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAK Noir Polished



ENDLESS [2][3]



MARVEL DIVA - BLACK TEMPEST
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8Ø Black Tempest Silk
AYWB Black Tempest Kit Endless Silk

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



BOOKMATCH [3][5]

A




B



MARVEL GALA - DESERT SOUL
120x120 cm - 47¹/₄"x47¹/₄" ✠ 9 mm
AFXM Desert Soul Polished
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AFXV Desert Soul Polished

atlasPLAN
160x320 cm - 63"x126" ✠ 6 mm
AJKG Desert Soul Polished
AJKH Desert Soul Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



ENDLESS [2][3]


MARVEL DIVA - AMETHYST
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8P Amethyst Polished
AYV8 Amethyst Kit Endless Polished



MARVEL ONYX - QUARTZ
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAM Quartz Polished



MARVEL ONYX - SKY
120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAL Sky Polished



BOOKMATCH [3][5]

A



B



EXOTIC WAVE

atlasPLAN
160x320 cm - 63"x126" ✠ 6 mm
AJRN Exotic Wave Polished
AJRO Exotic Wave Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



MARVEL GALA - AMAZZONITE
120x120 cm - 47¹/₄"x47¹/₄"
ABKB Amazzonite Polished
120x278 cm - 47¹/₄"x109¹/₂"
AFXX Amazzonite Polished

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.


(translations: page 337)

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Marble Look



BOOKMATCH [3][5]

A B

MARVEL GALA - EXOTIC GREEN
120x120 cm - 47¼"x47¼" ✠ 9 mm
ABKA Exotic Green Polished

120x278 cm - 47¼"x109½" ✠ 6 mm
AFXU Exotic Green Polished

atlasPLAN

160x320 cm - 63"x126" ✠ 6 mm
AJRP Exotic Green Polished
AJRQ Exotic Green Bookmatch Polished

162x324 cm - 63¾"x127½" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



ENDLESS [2][3]

MARVEL DIVA - AQUA
120x278 cm - 47¼"x109½" ✠ 6 mm
AX8N Aqua Polished
AYV6 Aqua Kit Endless Polished



ENDLESS [2][3]

MARVEL DIVA - GALAXY
120x278 cm - 47¼"x109½" ✠ 6 mm
AX8O Galaxy Polished
AYV7 Galaxy Kit Endless Polished



ENDLESS [2][3]

MARVEL DIVA - SKY STONE
120x278 cm - 47¼"x109½" ✠ 6 mm
AX8Z Sky Stone Silk
AYWA Sky Stone Kit Endless Silk

atlasPLAN

162x324 cm - 63¾"x127½" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE



ENDLESS [2][3]

MARVEL DIVA - BAOBAB
120x278 cm - 47¼"x109½" ✠ 6 mm
ARR3 Baobab Polished
AYV2 Baobab Kit Endless Polished

atlasPLAN

160x320 cm - 63"x126" ✠ 6 mm
AXXV Baobab Endless Polished
AXYN Baobab Kit Endless Polished

162x324 cm - 63¾"x127½" P. 338
SINGLE SLAB NON-RECTIFIED FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 337)

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Concrete Look

BOOST BALANCE - PURE
120x120 cm - 47¼"x47¼" ✣ 9 mm
AJMS Pure Matte Sensitech
AJM2 Pure Velvet Velvetech
AJNC Pure Grip Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AJMI Pure Matte

BOOST BALANCE - IVORY
120x120 cm - 47¼"x47¼" ✣ 9 mm
AJMU Ivory Matte Sensitech
AJM4 Ivory Velvet Velvetech
AJNE Ivory Grip Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AJMK Ivory Matte

BOOST PRO - IVORY
120x120 cm - 47¼"x47¼" ✣ 6 - 9 mm
AØCQ Ivory 6 mm Matte
AØAF Ivory 9 mm Matte Sensitech
AØAO Ivory 9 mm Grip Sensitech
120x240 cm - 47¼"x94½" ✣ 9 mm
AØCF Ivory Matte Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AØCK Ivory Matte

BOOST NATURAL - KAOLIN
120x120 cm - 47¼"x47¼" ✣ 9 mm
A65N Kaolin Matte Sensitech
A653 Kaolin Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A7Q7 Kaolin 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A67B Kaolin Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
ALRØ Kaolin Hammered

PRISM - CORD
120x120 cm - 47¼"x47¼" ✣ 9 mm
A4ON Cord Silk
A4OH Cord Matte Sensitech
A5OJ Cord Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A5ON Cord 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A4UQ Cord Matte



BOOST BALANCE - CREAM
120x120 cm - 47¼"x47¼" ✣ 9 mm
AJMV Cream Matte Sensitech
AJM5 Cream Velvet Velvetech
AJNF Cream Grip Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AJML Cream Matte



BOOST PRO - CREAM
120x120 cm - 47¼"x47¼" ✣ 6 - 9 mm
AØCR Cream 6 mm Matte
AØAH Cream 9 mm Matte Sensitech
AØAQ Cream 9 mm Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A3DD Cream 20 mm Outdoor Sensitech
120x240 cm - 47¼"x94½" ✣ 9 mm
AØCG Cream Matte Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AØCM Cream Matte



BOOST NATURAL - ASH
120x120 cm - 47¼"x47¼" ✣ 9 mm
A6WT Ash Matte Sensitech
A654 Ash Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A7Q8 Ash 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A67C Ash Matte



BOOST BALANCE - ASH
120x120 cm - 47¼"x47¼" ✣ 9 mm
AJMW Ash Matte Sensitech
AJM6 Ash Velvet Velvetech
AJNG Ash Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
AJPF Ash 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AJMM Ash Matte

atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJG4 Ash Matte
162x324 cm - 63¾"x127½" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST PRO - CLAY
120x120 cm - 47¼"x47¼" ✣ 6 - 9 mm
AØCS Clay 6 mm Matte
AØAJ Clay 9 mm Matte Sensitech
AØBV Clay 9 mm Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A3DE Clay 20 mm Outdoor Sensitech
120x240 cm - 47¼"x94½" ✣ 9 mm
AØCJ Clay Matte Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AØCN Clay Matte
160x160 cm - 63"x63" ✣ 6 mm
AØQG Clay Matte



BOOST NATURAL - ECRU
120x120 cm - 47¼"x47¼" ✣ 9 mm
A6WU Ecru Matte Sensitech
A655 Ecru Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A7Q9 Ecru 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A67D Ecru Matte

atlasPLAN
162x324 cm - 63¾"x127½" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST NATURAL - CORAL
120x120 cm - 47¼"x47¼" ✣ 9 mm
A65R Coral Matte Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A67H Coral Matte



PRISM - SUEDE
120x120 cm - 47¼"x47¼" ✣ 9 mm
A4OM Suede Silk
A4OG Suede Matte Sensitech
A5OI Suede Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A5OM Suede 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A4UP Suede Matte



BOOST PRO - TAUPE
120x120 cm - 47¼"x47¼" ✣ 6 - 9 mm
AØCT Taupe 6 mm Matte
AØAL Taupe 9 mm Matte Sensitech
AØBW Taupe 9 mm Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A3DF Taupe 20 mm Outdoor Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AØCO Taupe Matte
160x160 cm - 63"x63" ✣ 6 mm
AØQH Taupe Matte



BOOST NATURAL - UMBER
120x120 cm - 47¼"x47¼" ✣ 9 mm
A65O Umber Matte Sensitech
A656 Umber Grip Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
A67E Umber Matte



BOOST PRO - TOBACCO
120x120 cm - 47¼"x47¼" ✣ 6 - 9 mm
AØCU Tobacco 6 mm Matte
AØAN Tobacco 9 mm Matte Sensitech
AØBX Tobacco 9 mm Grip Sensitech
120x120 cm - 47¼"x47¼" ✣ 20 mm
A3DH Tobacco 20 mm Outdoor Sensitech
120x240 cm - 47¼"x94½" ✣ 9 mm
AØCI Tobacco Matte Sensitech
120x278 cm - 47¼"x109½" ✣ 6 mm
AØCP Tobacco Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

Large Sizes[1]

Porcelain Tiles

Concrete Look

BOOST EXPRESSION - GLOW
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYT7 Glow Matte Sensitech
AYUQ Glow Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSG Glow Matte

BOOST NATURAL PRO - SALT
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AQ8U Salt Matte Sensitech
AQ8K Salt Velvet Velvetech
AQ9J Salt Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AQ9E Salt Matte

PRISM - COTTON
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A4OO Cotton Silk
A4OI Cotton Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4UR Cotton Matte

BOOST EXPRESSION - SHELL
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYT8 Shell Matte Sensitech
AYUP Shell Grip Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYRU Shell 20mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSH Shell Matte

BOOST EXPRESSION - CAMEL
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYT9 Camel Matte Sensitech
AYUR Camel Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSI Camel Matte

BOOST NATURAL PRO - OAT
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AQ8V Oat Matte Sensitech
AQ8L Oat Velvet Velvetech
AQ9K Oat Grip Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
ARB2 Oat 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AQ9F Oat Matte



BOOST NATURAL PRO - SAND
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AQ8W Sand Matte Sensitech
AQ8M Sand Velvet Velvetech
AQ9L Sand Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AQ9G Sand Matte

atlasPLAN
162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST EXPRESSION - TAN
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYUA Tan Matte Sensitech
AYUS Tan Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSJ Tan Matte

BOOST BALANCE - WHITE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AJMT White Matte Sensitech
AJM3 White Velvet Velvetech
AJND White Grip Sensitech
120x120 cm - 47 1/4"x47 1/4"
AJPE White 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AJMJ White Matte

BOOST BALANCE - MOON
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AJMX Moon Matte Sensitech
AJM7 Moon Velvet Velvetech
AJNH Moon Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AJMN Moon Matte

BOOST - WHITE
120x120 cm - 47 1/4"x47 1/4" ± 6 - 9mm
A2TK White 6 mm Matte
AMGI White 9 mm Matte Sensitech
AMGN White 9 mm Grip Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AMG3 White 20 mm Outdoor Sensitech
120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AMGD White Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AØBD White Matte
160x160 cm - 63"x63" ± 6 mm
AØDE White RT Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AO5Z White Hammered
162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

BOOST EXPRESSION - ICE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYT2 Ice Matte Sensitech
AYUN Ice Grip Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYRS Ice 20mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSE Ice Matte



BOOST EXPRESSION - HAZE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYT4 Haze Matte Sensitech
AYUO Haze Grip Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYRT Haze 20mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSF Haze Matte



BOOST NATURAL PRO - CINDER
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AQ8X Cinder Matte Sensitech
AQ8N Cinder Velvet Velvetech
AQ9M Cinder Grip Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
ARB4 Cinder 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AQ9H Cinder Matte



BOOST NATURAL PRO - DOVE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AQ8Y Dove Matte Sensitech
AQ8O Dove Velvet Velvetech
AQ9N Dove Grip Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AQ9I Dove Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

Large Sizes[1]

Porcelain Tiles

Concrete Look



BOOST BALANCE - PEARL
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
AJMY Pearl Matte Sensitech
AJM8 Pearl Velvet Velvetech
AJNI Pearl Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
AJMH Pearl 20 mm Outdoor Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AJMO Pearl Matte



PRISM - CLOUD
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
A4OP Cloud Silk
A4OJ Cloud Matte Sensitech
A5OK Cloud Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
A5OO Cloud 20 mm Outdoor Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
A4US Cloud Matte



BOOST - PEARL
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 6 - 9 mm
A2TM Pearl 6 mm Matte
AMGJ Pearl 9 mm Matte Sensitech
AMGO Pearl 9 mm Grip Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ⧗ 9 mm
AMGE Pearl Matte Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AØBE Pearl Matte



BOOST BALANCE - GREY
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
AJMZ Grey Matte Sensitech
AJM9 Grey Velvet Velvetech
AJNJ Grey Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
AJPG Grey 20 mm Outdoor Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AJMP Grey Matte



BOOST - GREY
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 6 - 9 mm
A2TN Grey 6 mm Matte
AMGK Grey 9 mm Matte Sensitech
AMGP Grey 9 mm Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
AMG5 Grey 20 mm Outdoor Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ⧗ 9 mm
AMGF Grey Matte Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AØBF Grey Matte
160x160 cm - 63"x63" ⧗ 6 mm
A68K Grey RT Matte

atlasPLAN
160x320 cm - 63"x126" ⧗ 6 mm
A68I Grey Hammered
162x324 cm - 63¹/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



PRISM - FOG
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
A4OQ Fog Silk
A4OK Fog Matte Sensitech
A5OL Fog Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
A5OP Fog 20 mm Outdoor Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
A4UT Fog Matte



BOOST BALANCE - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
AJMØ Smoke Matte Sensitech
AJNA Smoke Velvet Velvetech
AJNK Smoke Grip Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AJMQ Smoke Matte



BOOST - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 6 - 9 mm
A2TO Smoke 6 mm Matte
AMGL Smoke 9 mm Matte Sensitech
AMGQ Smoke Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
AMG6 Smoke 20 mm Outdoor Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ⧗ 9 mm
AMGG Smoke Matte Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AØBG Smoke Matte
160x160 cm - 63"x63" ⧗ 6 mm
AØDF Smoke RT Matte

atlasPLAN
160x320 cm - 63"x126" ⧗ 6 mm
AO5Ø Smoke Hammered
162x324 cm - 63¹/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST NATURAL - COAL
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
A65P Coal Matte Sensitech
A657 Coal Grip Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
A67F Coal Matte



BOOST BALANCE - TARMAC
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
AJM1 Tarmac Matte Sensitech
AJNB Tarmac Velvet Velvetech
AJNL Tarmac Grip Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AJMR Tarmac Matte



BOOST - TARMAC
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 6 - 9 mm
A2TP Tarmac 6 mm Matte
AMGM Tarmac 9 mm Matte Sensitech
AMGR Tarmac 9 mm Grip Sensitech
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 20 mm
AMG7 Tarmac 20 mm Outdoor Sensitech
120x240 cm - 47¹/₄"x94¹/₂" ⧗ 9 mm
AMGH Tarmac Matte Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
AOQB Tarmac Matte
160x160 cm - 63"x63" ⧗ 6 mm
A68L Tarmac RT Matte

atlasPLAN
160x320 cm - 63"x126" ⧗ 6 mm
A68J Tarmac Hammered
162x324 cm - 63¹/₄"x127¹/₂" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST EXPRESSION - CARBON
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
AYT5 Carbon Matte Sensitech



PRISM - GRAPHITE
120x120 cm - 47¹/₄"x47¹/₄" ⧗ 9 mm
A4OR Graphite Silk
A4OL Graphite Matte Sensitech
120x278 cm - 47¹/₄"x109¹/₂" ⧗ 6 mm
A4UU Graphite Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)

Sensitech P. 380 Velvetech P. 378

Large Sizes[1]

Porcelain Tiles

Wood Look



LOG - BRIGHT OAK
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AX28 Bright Oak Matte



LOG - BRIGHT OAK LINE
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AX29 Bright Oak Line ♦ Matte



LOG - ICON OAK
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AX26 Log Icon Oak Matte



LOG - ICON OAK LINE
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AX27 Log Icon Oak Line ♦ Matte



NOCE CANALETTO
atlasPLAN
160x320 cm - 63"x126"
AKFD Noce Canaletto Matte
162x324 cm - 63 3/4"x127 1/2"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

Stone Look

BOOST ICOR - BONE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYAY Bone Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYCG Bone 20mm Outdoor Sensitech
120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AX53 Bone Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYAN Bone Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AX6K Bone Hammered
162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

BOOST MINERAL - WHITE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AHT6 White Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AH35 White 20 mm Outdoor Sensitech
120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AHW1 White Elegant Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AHWW White Elegant Matte



BOOST MIX - IVORY
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A8XD Ivory Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A84U Ivory 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A8Y7 Ivory Matte

LIMS - IVORY
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A3DI Ivory Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A3EI Ivory Matte

BOOST STONE - IVORY
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QT Ivory Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6R8 Ivory Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJRX Ivory Hammered
162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

BOOST STONE - WHITE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QS White Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A67M White 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6R7 White Matte



BOOST ICOR - DUST
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYAZ Dust Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYCH Dust 20mm Outdoor Sensitech
120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AX54 Dust Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYAO Dust Matte



BOOST STONE - CREAM
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QU Cream Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A67N Cream 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6R9 Cream Matte

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)

Sensitech P. 380

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Large Sizes[1]

Porcelain Tiles

Stone Look



BOOST ICOR - DUNE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYAØ Dune Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYCI Dune 20mm Outdoor Sensitech

120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AX1Y Dune Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYAP Dune Matte

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AX6M Dune Hammered

162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



LIMS - BEIGE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A3DJ Beige Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A3EJ Beige Matte



BOOST ICOR - CRETE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYA3 Crete Matte Sensitech



BOOST STONE - CLAY
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QV Clay Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A67O Clay 20 mm Outdoor Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6SA Clay Matte



BOOST MIX - PEARL
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A8XE Pearl Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A84V Pearl 20 mm Outdoor Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A8Y8 Pearl Matte



BOOST STONE - PEARL
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QX Pearl Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6SC Pearl Matte



BOOST MINERAL - PEARL
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AHT7 Pearl Matte Sensitech

120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AHW2 Pearl Elegant Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AHWX Pearl Elegant Matte



BOOST STONE - GREY
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QY Grey Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A67P Grey 20 mm Outdoor Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6SD Grey Matte



BOOST ICOR - OYSTER
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYA2 Oyster Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AYCJ Oyster 20mm Outdoor Sensitech

120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AX55 Oyster Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYAQ Oyster Matte



BOOST ICOR - SIDERAL
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AYA4 Sideral Matte Sensitech



BOOST STONE - TAUPE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QW Taupe Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6SB Taupe Matte



BOOST STONE - TOBACCO
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6QZ Tobacco Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6SF Tobacco Matte



KONE - MIX
atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJKP Kone Mix Hammerd

162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST MINERAL - GREY
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AHT8 Grey Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AH36 Grey 20 mm Outdoor Sensitech

120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AHW3 Grey Elegant Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AHWY Grey Elegant

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AKGA Grey Hammered

162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST MINERAL - SMOKE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
AHT9 Smoke Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
AH37 Smoke 20 mm Outdoor Sensitech

120x240 cm - 47 1/4"x94 1/2" ± 9 mm
AHW4 Smoke Elegant Matte Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AHWZ Smoke Elegant Matte



BOOST STONE - SMOKE
120x120 cm - 47 1/4"x47 1/4" ± 9 mm
A6L8 Smoke Matte Sensitech

120x120 cm - 47 1/4"x47 1/4" ± 20 mm
A7II Smoke 20 mm Outdoor Sensitech

120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A6SE Smoke Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)

Sensitech P. 380

Large Sizes[1]

Porcelain Tiles

Stone Look



BOOST MIX - SMOKE
120x120 cm - 47 1/4"x47 1/4" ✣ 9 mm
A8XF Smoke Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ✣ 20 mm
A84W Smoke 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
A8Y9 Smoke Matte



BOOST MINERAL - TARMAC
120x120 cm - 47 1/4"x47 1/4" ✣ 9 mm
AHUA Tarmac Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ✣ 20 mm
AH38 Tarmac 20 mm Outdoor Sensitech
120x240 cm - 47 1/4"x94 1/2" ✣ 9 mm
AHW5 Tarmac Elegant Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
AHWØ Tarmac Elegant Matte



BOOST STONE - TARMAC
120x120 cm - 47 1/4"x47 1/4" ✣ 9 mm
A6QØ Tarmac Matte Sensitech
120x120 cm - 47 1/4"x47 1/4" ✣ 20 mm
A67Q Tarmac 20 mm Outdoor Sensitech
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
A6SG Tarmac Matte



MARVEL STONE - BASALTINA VOLCANO
atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKO Basaltina Volcano Hammered
162x324 cm - 63 3/4"x127 1/2" P. 338
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

Solid Look

ABSOLUTE WHITE
atlasPLAN
160x320 cm - 63"x126" ✣ 6 mm
AJKR Absolute White Matte
162x324 cm - 63 3/4"x127 1/2" P. 338
159x324 cm - 62 5/8"x127 1/2"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

Color & Decor

BOOST COLOR - FROG PURE
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
AP3R Pure Frog Matte

BOOST COLOR - SALIX
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
AKNI Salix Matte



BOOST COLOR - MAUVE
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
AKNE Mauve Matte



BOOST COLOR - JADE
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
AKNK Jade Matte



BOOST COLOR - TEAL
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
AKNL Teal Matte



BOOST NATURAL - COBALT
120x120 cm - 47 1/4"x47 1/4" ✣ 9 mm
A65Q Cobalt Matte Sensitech
120x278 cm - 47 1/4"x109 1/2" ✣ 6 mm
A67G Cobalt Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)

Sensitech P. 380

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large Sizes[1]

Glazed Porcelain Tiles

Color & Decor



PRISM - BLOOM
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VH Bloom [4] Matte



PRISM - CARAMEL
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VI Caramel [4] Matte



PRISM - GRAPE
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VJ Grape [4] Matte



PRISM - DUSK
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VK Dusk [4] Matte



BOOST PRO - LEAVES
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A3HE Leaves A [4] [5] Matte
A3M2 Leaves B [4] [5] Matte

PATTERNS



A B



PRISM - BRUSH
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VP Brush XL [1] [4] Matte

PATTERNS





PRISM - GRADIENT
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VO Gradient XL [1] [4] Matte

PATTERNS





PRISM - MIDNIGHT
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VL Midnight [4] Matte



PRISM - MOSS
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VM Moss [4] Matte



PRISM - EMERALD
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
A4VN Emerald [4] Matte

BOOST EXPRESSION - DUO CAMEL♦
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSN Boost Expression Duo Camel [6]



BOOST EXPRESSION - DUO HAZE♦
120x278 cm - 47 1/4"x109 1/2" ± 6 mm
AYSM Boost Expression Duo Haze [7]

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
The decoration can only be laid on the wall

(translations: page 337)

[5] Codes A and B are sold separately.
[6] It can be combined with: Camel and Glow. - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.
[7] It can be combined with: Haze and Ice. - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.
♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

(translations: page 337)

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

MARBLE LOOK



Marvel Stone Carrara Pure | Marvel Calacatta Extra | Marvel Stone Bianco Dolomite | Marvel Gala Crystal White | Marvel Shine Calacatta Delicato | Marvel X Calacatta Apuano | Marvel Meraviglia Calacatta Meraviglia | Marvel Meraviglia Calacatta Bernini | Marvel Shine Calacatta Prestigio | Marvel Shine Calacatta Imperiale | Calacatta Gold | Marvel X Calacatta Sublime | Marvel Diva Ice Crystal | Marvel Shine Statuario Supremo | Marvel Onyx White | Marvel X Calacatta Perla | Marvel Dream Bianco Fantastico | Marvel Onyx Pearl | Marvel Travertine White Vein | Marvel Travertine White Cross | Marvel Travertine Sand Vein | Marvel Travertine Sand Cross | Marvel Onyx Alabaster | Marvel Diva Taj Mahal | Marvel Travertine Pearl Vein | Marvel Travertine Pearl Cross | Cream Prestige | Calacatta Antique

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm		Polished■●(8) Matte■(8)		Polished■		Polished	Polished■● Matte●	Polished■	Polished●	Silk■	Polished■		Polished● Silk●		Polished■				Hammered		Hammered			Polished● Silk●	Hammered			
160x160 cm 63"x63"	6 mm		Polished Matte							Polished					Polished														
120x278 cm 47"/₄"x109"/₂"	6 mm		Polished■●(8) Matte	Polished Matte	Polished(8)	Polished(8)	Polished(8) Silk(8)	Polished●(8)	Polished●(8)	Polished■●(8) Silk●(8)	Polished●(8)		Polished●(8) Silk●(8)	Polished●(8) Silk●(8)	Polished■●(8) Silk●(8)	Polished(8)	Polished(8) Silk(8)	Polished Matte	Polished(8)	Matte		Matte		Polished	Polished●(8) Silk●(8)	Matte			
120x240 cm 47"/₄"x94"/₂"	9 mm		Polished	Polished		Polished	Polished	Polished	Polished	Polished	Polished		Polished	Polished	Polished	Polished	Polished	Polished	Polished	Matte Sensitech		Matte Sensitech		Polished	Polished	Matte Sensitech			
120x120 cm 47"/₄"x47"/₄"	9 mm	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished	Polished Matte Sensitech	Polished Silk	Polished Velvet Velvetech	Polished Velvet Velvetech	Polished Matte Sensitech	Polished Matte Sensitech		Polished Silk	Velvet Velvetech	Polished Matte Sensitech	Polished	Polished Silk	Polished Matte Sensitech	Polished		Matte Sensitech		Matte Sensitech	Polished	Velvet Velvetech		Matte Sensitech		

Slabs for countertops and furniture

162x324 cm 63"/₄"x127"/₂" Non-rectified / non rettificato	12 mm		Polished■ Silk■	Polished	Polished■ Silk■	Silk	Polished■ Silk■	Polished■ Silk■	Polished■ Silk■	Silk■	Polished■ Silk■	Polished■ Silk■		Polished■ Silk■	Polished■ Silk■	Polished■ Silk■				Hammered		Hammered			Polished■ Silk■	Hammered		Silk	Polished■
	20 mm																											
159x324 cm 62"/₈"x127"/₂" Non-rectified / non rettificato	20 mm		Polished■□ Matte■□	Polished	Polished■				Polished□ Matte□		Polished□ Matte□	Polished□			Polished□ Matte□										Polished				

Sensitech P. 380 Velvetech P. 378

■Also available in bookmatch(3) ●Also available in kit endless(2)(3) □ NATURA-VEIN™ TECH

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK


SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

MARBLE LOOK



Marvel Diva White Everest | Marvel X Grey Cloud | White Cloud | Marvel Meraviglia Silver Majestic | Silver Root | Marvel Meraviglia Grigio Elegante | Marvel X Fior di Bosco | Light Grey Stone | Marvel Grey Stone | Marvel Diva Precious Brown | Marvel Gala Calacatta Black | Marvel Stone Nero Marquina | Marvel Dream Black Atlantis | Marvel Meraviglia Black Origin | Marvel Onyx Noir | Marvel Diva Black Tempest | Marvel Gala Desert Soul | Marvel Diva Amethyst | Marvel Onyx Quartz | Marvel Onyx Sky | Exotic Wave | Marvel Amazzonite | Marvel Exotic Green | Marvel Diva Aqua | Marvel Diva Galaxy | Marvel Diva Sky Stone | Marvel Diva Baobab

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm	Silk■				Silk■		Polished■ Silk■	Silk	Silk	Silk■		Silk Polished					Polished■				Polished■		Polished				Polished●
160x160 cm 63"x63"	6 mm																											
120x278 cm 47 1/4"x109 1/2"	6 mm	Polished●(8) Silk●(8)	Polished(8) Silk(8)		Polished●(8)		Polished●(8)	Polished(2) Silk(8)		Matte	Silk●(8)	Polished(8)		Polished Matte	Polished●(8)	Polished(8)	Silk●(8)	Polished(8)	Polished●(8)	Polished(8)	Polished(8)		Polished(8)	Polished(8)	Polished●(8)	Polished●(8)	Silk●(8)	Polished●(8)
120x240 cm 47 1/4"x94 1/2"	9 mm	Polished	Polished		Polished		Polished	Polished(8)		Polished				Polished	Polished	Polished												
120x120 cm 47 1/4"x47 1/4"	9 mm	Velvet Velvetech	Polished Silk		Polished Velvet Velvetech		Polished Velvet Velvetech	Polished Silk				Polished		Polished Matte Sensitech	Polished Velvet Velvetech	Polished		Polished					Polished	Polished				

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm	Silk■		Silk		Silk■		Polished■ Silk■	Silk	Silk	Silk■		Polished■ Silk■	Polished■ Silk■			Silk■	Polished■ Silk■				Polished■		Polished■			Silk	Polished■
Non-rectified / non rettificato	20 mm									Matte			Matte					Polished■										
159x324 cm 62 5/8"x127 1/2" Non-rectified / non rettificato	20 mm																											

Sensitech P. 380 **Velvetech** P. 378

■Also available in bookmatch(3) ●Also available in kit endless(2)(3)

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

CONCRETE & RESIN LOOK



Boost Expression Glow	Boost Balance Pure	Boost Natural Pro Salt	Boost Balance Ivory	Boost Pro Ivory	Boost Natural Kaolin	Boost Expression Shell	Boost Expression Camel	Boost Natural Pro Oat	Prism Cord	Boost Balance Cream	Boost Natural Pro Sand	Boost Expression Tan	Boost Pro Cream	Boost Natural Ash	Boost Balance Ash	Boost Pro Clay	Boost Natural Ecru	Boost Natural Coral	Prism Suede	Boost Pro Taupe	Boost Natural Umber	Boost Pro Tobacco

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm						Hammered										Matte							
160x160 cm 63"x63"	6 mm																	Matte				Matte		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x240 cm 47 1/4"x94 1/2"	9 mm						Matte Sensitech								Matte Sensitech			Matte Sensitech						Matte Sensitech
120x120 cm 47 1/4"x47 1/4"	6 mm						Matte								Matte			Matte				Matte		Matte
	9 mm	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Silk	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech	Matte Sensitech

Outdoor

120x120 cm 47 1/4"x47 1/4"	9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x120 cm 47 1/4"x47 1/4"	20 mm						Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech				Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	12 mm											Hammered				Matte		Hammered					
	20 mm																						

Sensitech P. 380 Velvetech P. 378

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

CONCRETE & RESIN LOOK



Prism Cotton	Boost Balance Moon	Boost Balance White	Boost White	Boost Expression Ice	Boost Natural Pro Cinder	Boost Balance Pearl	Boost Expression Haze	Prism Cloud	Boost Pearl	Boost Natural Pro Dove	Boost Grey	Boost Balance Grey	Prism Fog	Boost Balance Smoke	Boost Smoke	Boost Natural Coal	Boost Balance Tarmac	Boost Tarmac	Boost Expression Carbon	Prism Graphite

Floor | Wall | Slabs for furniture

		Prism Cotton	Boost Balance Moon	Boost Balance White	Boost White	Boost Expression Ice	Boost Natural Pro Cinder	Boost Balance Pearl	Boost Expression Haze	Prism Cloud	Boost Pearl	Boost Natural Pro Dove	Boost Grey	Boost Balance Grey	Prism Fog	Boost Balance Smoke	Boost Smoke	Boost Natural Coal	Boost Balance Tarmac	Boost Tarmac	Boost Expression Carbon	Prism Graphite
160x320 cm 63"x126"	6 mm				Hammered								Hammered				Hammered			Hammered		
160x160 cm 63"x63"	6 mm				Matte								Matte				Matte			Matte		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte
120x240 cm 47 1/4"x94 1/2"	9 mm				Matte Sensitech						Matte Sensitech		Matte Sensitech				Matte Sensitech			Matte Sensitech		
120x120 cm 47 1/4"x47 1/4"	6 mm				Matte						Matte		Matte				Matte			Matte		
	9 mm	Matte Sensitech Silk	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Silk	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech Silk

Outdoor

		Prism Cotton	Boost Balance Moon	Boost Balance White	Boost White	Boost Expression Ice	Boost Natural Pro Cinder	Boost Balance Pearl	Boost Expression Haze	Prism Cloud	Boost Pearl	Boost Natural Pro Dove	Boost Grey	Boost Balance Grey	Prism Fog	Boost Balance Smoke	Boost Smoke	Boost Natural Coal	Boost Balance Tarmac	Boost Tarmac	Boost Expression Carbon	Prism Graphite
120x120 cm 47 1/4"x47 1/4"	9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		
120x120 cm 47 1/4"x47 1/4"	20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech			Outdoor Sensitech		

Slabs for countertops and furniture

		Prism Cotton	Boost Balance Moon	Boost Balance White	Boost White	Boost Expression Ice	Boost Natural Pro Cinder	Boost Balance Pearl	Boost Expression Haze	Prism Cloud	Boost Pearl	Boost Natural Pro Dove	Boost Grey	Boost Balance Grey	Prism Fog	Boost Balance Smoke	Boost Smoke	Boost Natural Coal	Boost Balance Tarmac	Boost Tarmac	Boost Expression Carbon	Prism Graphite
162x324 cm 63 3/4"x127 1/2"	12 mm				Hammered								Hammered				Hammered			Hammered		
Non-rectified / non rettificato	20 mm																					

Sensitech P. 380 Velvetech P. 378

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

STONE LOOK



Boost Icor Bone	Boost Mineral White	Boost Mix Ivory	Lims Ivory	Boost Stone Ivory	Boost Stone White	Boost Icor Dust	Boost Stone Cream	Boost Icor Dune	Lims Beige	Boost Icor Crete	Boost Stone Clay	Boost Icor Oyster	Boost Icor Sideral	Boost Stone Taupe	Boost Stone Tobacco	Boost Mix Pearl	Boost Stone Pearl	Boost Mineral Pearl	Boost Stone Grey	Boost Mineral Grey	Kone Mix	Boost Mineral Smoke	Boost Stone Smoke	Boost Mix Smoke	Boost Mineral Tarmac	Boost Stone Tarmac	Marvel Stone Balsatina Volcano	Soapstone Dark	Negresco

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm	Hammered				Hammered				Hammered												Hammered	Hammered						Hammered		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte ✖	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Matte		Matte	Matte	Matte	Matte	Matte ✖	Matte	Matte ✖		Matte ✖	Matte	Matte	Matte ✖	Matte			
120x240 cm 47 1/4"x94 1/2"	9 mm	Matte Sensitech	Matte ✖ Sensitech					Matte Sensitech		Matte Sensitech				Matte Sensitech						Matte Sensitech ✖		Matte Sensitech ✖		Matte Sensitech ✖			Matte Sensitech ✖				
120x120 cm 47 1/4"x47 1/4"	9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			

Outdoor

120x120 cm 47 1/4"x47 1/4"	20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech				Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	12 mm	Hammered				Hammered				Hammered												Hammered	Hammered						Hammered	Hammered	Silk
	20 mm																												Hammered	Hammered	

Sensitech P. 380

✖ Elegant surface

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

WOOD LOOK



Log Bright Oak | Log Bright Oak Line ♦ | Log Icon Oak | Log Icon Oak Line ♦ | Noce Canaletto

SOLID LOOK



Absolute White | Absolute Black | Black Lava

METAL LOOK



Blaze Iron

Floor | Wall | Slabs for furniture


160x320 cm 63"x126"	6 mm					Matte	Matte					
120x278 cm 47¹/₄"x109¹/₂"	6 mm	Matte	Matte	Matte	Matte							

Slabs for countertops and furniture

162x324 cm 63³/₄"x127¹/₂" Non-rectified / non rettificato	12 mm					Matte	Polished Matte	Matte	Leathered			Matte
	20 mm								Leathered			
159x324 cm 62⁵/₈"x127¹/₂" Non-rectified / non rettificato	20 mm						Matte					

Sensitech P. 380

COLOR LOOK



Boost Color Frog Pure | Boost Color Salix | Boost Color Mauve | Boost Color Jade | Boost Color Teal | Boost Natural Cobalt | Prism Bloom | Prism Caramel | Prism Grape | Prism Dusk | Prism Midnight | Prism Moss | Prism Emerald

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm													
120x278 cm 47¹/₄"x109¹/₂"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x120 cm 47¹/₄"x47¹/₄"	9 mm						Matte Sensitech							

(1) **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

(2) **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.** - Il Kit Endless contiene tutte le grafiche del prodotto con continuità di vena; garantisce in un'unica cassa tutte le facce numerate che creano la composizione. Il numero della grafica, indicato come G1, G2, G3, ecc. viene stampato sulla costa del lato 278 e indicato con un adesivo posto sulla lastra. Per ricostruire la superficie con continuità di vena è sufficiente posare le lastre in progressione numerica: G1, G2, G3, ecc. - Le Kit Endless contient tous les graphismes du produit avec la continuité des veinures; il garantit, dans une seule caisse, toutes les faces numérotées qui créent la composition. Le numéro du graphisme, indiqué comme G1, G2, G3, etc. est imprimé sur le bord du côté 278 et indiqué avec un adhésif apposé sur la dalle. Pour reconstruire la surface avec les veinures en continuité, il suffit de poser les dalles en progression numérique: G1, G2, G3, etc. - Kit Endless umfasst alle Grafiken des Produkts mit durchlaufender Äderung und damit alle nummerierten Oberflächen, aus denen sich die Komposition zusammensetzt, garantiert in einer einzigen Kiste. Die Nummer der Grafik, d.h. G1, G2, G3 etc., ist auf der Kante der 278 cm langen Seite aufgedruckt und auch mit einem Klebeetikett auf der Platte angegeben. Um das Gesamtbild mit durchlaufender Äderung zusammenzusetzen, werden die Platten einfach in numerischer Reihenfolge verlegt: G1, G2, G3 usw. - El Kit Endless contiene todas las caras del producto con continuidad de vetas, garantiza contar en una sola caja con todas las caras numeradas que forman la composición. El número del gráfico, indicado como G1, G2, G3, etc., está impreso en el borde del lado 278 y se indica mediante un adhesivo en la losa. Para reconstruir la superficie con continuidad de vetas, basta con colocar las losas en progresión numérica: G1, G2, G3, etc. - Kit Endless – это комплект, который содержит все плиты, необходимые для составления композиции с непрерывным рисунком прожилок. Все плиты пронумерованы и находятся в одном ящике. Номер плиты, обозначенный как G1, G2, G3 и т.д., напечатан на торце грани 278 и указан также на наклейке в углу плиты. Чтобы при облицовке создать рисунок с непрерывающимися прожилками, необходимо просто уложить плиты в последовательности: G1, G2, G3 и т.д.

(3) **Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Äderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

(4) **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Екомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

(5) **Codes A and B are sold separately.** - I codici A e B sono venduti singolarmente. - Les codes A et B sont vendus individuellement - Die Codes A und B sind einzeln erhältlich. - Los códigos A y B se venden individualmente. - Коды A и B продаются по отдельности.

(6) **It can be combined with: Camel and Glow.** - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

(7) **It can be combined with: Haze and Ice.** - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

(8) **The product is composed of graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - Il prodotto è composto da grafiche con continuità di vena, ma all'interno delle casse queste sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - Le produit consiste en des graphismes avec une continuité de la veine, mais dans les boîtes, ceux-ci sont distribués de manière aléatoire, sans choix de motifs. Die verschiedenen Grafiken des Produkts sind durchlaufend gedäert, jedoch nach dem Zufallsprinzip in den Kisten enthalten. Daher ist es nicht möglich, zwischen den einzelnen Mustern zu wählen. - El producto consiste en gráficos con continuidad de vetas, pero dentro de las cajas está distribuido de forma aleatoria y no se pueden elegir los patrones.- Это изделие состоит из рисунков с непрерывными прожилками, но они распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
CONCRETE LOOK
WOOD LOOK
STONE LOOK
SOLID LOOK
COLOR & DECOR LOOK

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Slabs for countertops & furniture

atlasPLAN



162x324 12-20 mm
SINGLE SLAB NON-RECTIFIED



159x324 20 mm
SINGLE SLAB NON-RECTIFIED

- MARBLE LOOK
- CONCRETE LOOK
- STONE LOOK
- SOLID LOOK
- WOOD LOOK
- METAL LOOK

- NOTES

atlasconcorde.com >
ATLAS PLAN


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63 3/4"x127 1/2" Non-Rectified ⧗ 12-20 mm
159x324 cm - 62 5/8"x127 1/2" Non-Rectified ⧗ 20 mm

atlasPLAN

Marble Look



CALACATTA EXTRA Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AAVD Calacatta Extra Polished
AA2X Calacatta Extra Bookmatch Polished
AA2T Calacatta Extra Silk
AMJV Calacatta Extra Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AIRN Calacatta Extra Polished
AIRP Calacatta Extra Bookmatch Polished
AIRQ Calacatta Extra Matte
AIRR Calacatta Extra Bookmatch Matte
AIRM Calacatta Extra Polished (1)
AILQ Calacatta Extra Matte (1)
(1) NATURA-VEIN™ TECH

BIANCO DOLOMITE
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AAVG Bianco Dolomite Polished

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AILN Bianco Dolomite Polished



CRYSTAL WHITE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
A9C2 Crystal White Polished
AF2W Crystal White Bookmatch Polished
A9C4 Crystal White Silk
AF2X Crystal White Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AIRJ Crystal White Polished
AIRH Crystal White Bookmatch Polished

CALACATTA DELICATO
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
A4T3 Calacatta Delicato Silk

CALACATTA APUANO Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AGRP Calacatta Apuano Polished
AGRQ Calacatta Apuano Bookmatch Polished
AGRJ Calacatta Apuano Silk
AGRL Calacatta Apuano Bookmatch Silk

CALACATTA MERAVIGLIA Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AJHB Calacatta Meraviglia Silk
AJHC Calacatta Meraviglia Bookmatch Silk
AJHH Calacatta Meraviglia Polished
AJHI Calacatta Meraviglia Bookmatch Polished



CALACATTA BERNINI Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AF5E Calacatta Bernini Polished
AF5K Calacatta Bernini Bookmatch Polished
AF5B Calacatta Bernini Silk
AF5C Calacatta Bernini Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AIRL Calacatta Bernini Matte (1)
AIRK Calacatta Bernini Polished (1)
(1) NATURA-VEIN™ TECH

◆ With fiberglass mesh

Marble Look



CALACATTA PRESTIGIO Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
A4TØ Calacatta Prestigio Silk
A4T1 Calacatta Prestigio Bookmatch Silk



CALACATTA IMPERIALE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AØXI Calacatta Imperiale Polished
AØXT Calacatta Imperiale Bookmatch Polished
AØXV Calacatta Imperiale Silk
AØXX Calacatta Imperiale Bookmatch Silk

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AIRS Calacatta Imperiale Polished (1)
AILP Calacatta Imperiale Matte (1)
(1) NATURA-VEIN™ TECH




CALACATTA GOLD Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AKE8 Calacatta Gold Silk
AKE9 Calacatta Gold Bookmatch Silk
AKFA Calacatta Gold Polished
AKFB Calacatta Gold Bookmatch Polished

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AKFC Calacatta Gold Polished (1)
(1) NATURA-VEIN™ TECH



ICE CRYSTAL Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AXXI Ice Crystal Silk
AXXJ Ice Crystal Bookmatch Silk
AXXK Ice Crystal Polished
AXXL Ice Crystal Bookmatch Polished



STATUARIO SUPREMO Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
A4TX Statuario Supremo Silk
A4TY Statuario Supremo Bookmatch Silk
AF6A Statuario Supremo Polished
AF6B Statuario Supremo Bookmatch Polished

159x324 cm - 62 5/8"x127 1/2"
⧗ **20 mm**
AILO Statuario Supremo Polished (1)
AIRT Statuario Supremo Matte (1)
(1) NATURA-VEIN™ TECH

ONYX WHITE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ **12 mm** ST ◆
AJHD Onyx White Silk
AJHE Onyx White Bookmatch Silk
AJHJ Onyx White Polished
AJHK Onyx White Bookmatch Polished

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ✠ 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ✠ 20 mm

atlasPLAN

Marble Look

TRAVERTINO WHITE
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
ALYX T. White Hammered



TRAVERTINO SAND
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
A647 T. Sand Hammered



TRAVERTINO PEARL
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AF4Z T. Pearl Hammered



CREAM PRESTIGE
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AAV6 Cream Prestige Silk



TAJ MAHAL Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AXXQ Taj Mahal Silk
AXXR Taj Mahal Bookmatch Silk
AXXS Taj Mahal Polished
AXXT Taj Mahal Bookmatch Polished
159x324 cm - 62⁵/₈"x127¹/₂"
✠ 20 mm
AXXU Taj Mahal Polished



PRECIOUS BROWN Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AJHF Precious Brown Silk
AJHG Precious Brown Bookmatch Silk



APPENNINO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AXØN Appennino Silk
AXØO Appennino Bookmatch Silk



WHITE CLOUD
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
A4UO White Cloud Silk



LIGHT GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AMJ9 Light Grey Stone Silk

Marble Look




GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AAWA Grey Stone Silk
✠ 20 mm
AHH2 Grey Stone Matte



FIOR DI BOSCO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AIBE Fior Di Bosco Silk
AIBF Fior Di Bosco Bookmatch Silk
AIRZ Fior Di Bosco Polished
AIR3 Fior Di Bosco Bookmatch Polished




SILVER ROOT Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AXØR Silver Root Silk
AXØS Silver Root Bookmatch Silk



NERO MARQUINA Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
ANWA Nero Marquina Polished
A6T5 Nero Marquina Bookmatch Polished
ANVK Nero Marquina Silk
A6T4 Nero Marquina Bookmatch Silk
✠ 20 mm
AHH5 Nero Marquina Matte



BLACK ATLANTIS Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
A9CK Black Atlantis Polished
A9CL Black Atlantis Bookmatch Polished
A8XV Black Atlantis Silk
A8XW Black Atlantis Bookmatch Silk



BLACK TEMPEST Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm ST ◆
AXXX Black Tempest Silk
AXXY Black Tempest Bookmatch Silk

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63 3/4"x127 1/2" Non-Rectified ⧗ 12-20 mm
159x324 cm - 62 5/8"x127 1/2" Non-Rectified ⧗ 20 mm


Marble Look



CALACATTA ANTIQUE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AØXZ Calacatta Antique Polished
A8T7 Calacatta Antique Bookmatch Polished



DESERT SOUL Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CW Desert Soul Polished
A9CX Desert Soul Bookmatch Polished
A9CZ Desert Soul Silk
A9CØ Desert Soul Bookmatch Silk
⧗ 20 mm
A9C7 Desert Soul Polished
A9C8 Desert Soul Bookmatch Polished




EXOTIC WAVE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CT Exotic Wave Polished
A9CU Exotic Wave Bookmatch Polished



EXOTIC GREEN Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CN Exotic Green Polished
A9CO Exotic Green Bookmatch Polished



SKY STONE Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXM Sky Stone Silk
AXXN Sky Stone Bookmatch Silk



BAOBAB Bookmatch
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXW Baobab Polished
AXX1 Baobab Bookmatch Polished

Concrete Look

BOOST WHITE
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
ANVX Boost White Hammered



BOOST BALANCE ASH
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AJKC Boost Balance Ash Matte



BOOST NATURAL PRO SAND
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
ARCQ Boost N. Pro Sand Hammered



BOOST NATURAL ECRU
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A649 Boost Natural Ecru Hammered



BOOST GREY
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A65C Boost Grey Hammered



BOOST SMOKE
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
ANVØ Boost Smoke Hammered



BOOST TARMAC
162x324 cm - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A65D Boost Tarmac Hammered

◆ With fiberglass mesh

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

162x324 cm - 63 3/4"x127 1/2" Non-Rectified ✠ 12-20 mm
159x324 cm - 62 5/8"x127 1/2" Non-Rectified ✠ 20 mm

Stone Look

BOOST ICOR BONE
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AX6L Boost Icor Bone Hammered

BOOST STONE IVORY
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
A648 Boost Stone Ivory Hammered



BOOST ICOR DUNE
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AX6N Boost Icor Dune Hammered



BOOST MINERAL GREY
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AHV6 B. M. Grey Hammered (2)
(2) NATURA-BODY™ TECH



KONE MIX
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AMSX Kone Mix Hammered (2)
(2) NATURA-BODY™ TECH



BALSATINA VOLCANO
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
ANVI Basaltina Volcano Hammered
✠ 20 mm
A2XS Basaltina Volcano Hammered (2)
(2) NATURA-BODY™ TECH



SOAPSTONE DARK
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
A4UN Soapstone Dark Hammered
✠ 20 mm
A5I3 Soapstone Dark Hammered (2)
(2) NATURA-BODY™ TECH



NEGRESCO
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
ARCR Negresco Silk

Solid Look

ABSOLUTE WHITE
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AG1N Absolute White Matte
A4T4 Absolute White Polished
159x324 cm - 62 5/8"x127 1/2"
✠ 20 mm
AIRU Absolute White Matte



ABSOLUTE BLACK
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AG1G Absolute Black Matte



BLACK LAVA
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
AF5A Black Lava Leathered
✠ 20 mm
AF5M Black Lava Leathered

Wood Look



NOCE CANALETTO
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ×
AKFE Noce Canaletto Matte (2)
(2) NATURA-BODY™ TECH

Metal Look



BLAZE IRON
162x324 cm - 63 3/4"x127 1/2"
✠ 12 mm ST ◆
A3ND Blaze Iron Matte

◆ With fiberglass mesh

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS



NATURA-VEIN™ TECH

Natura-Vein™ Tech is the technology from the Concorde Group that makes it possible to recreate the typical veining of a natural material such as marble in porcelain stoneware slabs at an industrial level.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm.

Natura-Vein™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre nello spessore delle lastre in gres porcellanato la venatura tipica di un materiale naturale come il marmo. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm.



NATURA-BODY™ TECH

Natura-Body™ Tech is the is the technology from the Concorde Group that allows the aesthetics of natural stone to be reproduced across both the surface and body of the slab.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm and 12 mm.

Natura-Body™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre l'estetica della pietra naturale sia in superficie che nel corpo della lastra. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm e 12 mm.

Notes

CAUTION

Atlas Plan is in no way liable for "improper" use of the material, which is why it recommends to:

- Prevent shocks at the most exposed points such as corners and edges, both with and without ledge;
- Avoid the use of metal or abrasive straws;
- Refrain from using knives with ceramic blades as the hardness of the two materials is very similar;
- Provide protection systems, such as wooden and/or plastic cutting boards, when cutting foodstuffs on surfaces having a dark colour and/or a Polished or Satin finish;
- Precautiously protect the surface from direct contact with hot objects (e.g. frying pans, pots, coffee pots,etc. ...) using trivets.

Note: for the repair of shallow surface scratches in the various finishes, please refer to your Atlas Plan contact person directly.
Atlas Plan slabs must be cut in accordance with the instructions in the technical manual; any breakage due to a cut made other than specified will not be the responsibility of Atlas Plan.
The Technical Manual illustrates how to properly clean any type of stain that can be detected on an Atlas Plan surface; use the indicated products in case extraordinary cleaning is required.
It is understood that Atlas Plan cannot be held liable for events, damage or defects due to careless cleaning and maintenance.

EXCLUSIONS FROM THE 25-YEAR LIMITED WARRANTY FOR SLABS USED TO MANUFACTURE THE PRODUCT PURCHASED (KITCHEN TOPS AND BACKSPLASHES; WASHBASINS AND VANITY TOPS; TABLES) FOR DOMESTIC OR RESIDENTIAL USE

1. Damage caused by abuse or misuse of the products purchased, including but not limited to damage caused by improper use or accidents, following exposure of the product to abnormal physical conditions (such as strong impacts), aggressive chemicals, staining substances (such as ink and markers), corrosion, structural movements or natural disasters. Remember that contact with hydrofluoric acid results in immediate and irreversible damage.
2. Any type of damage directly or indirectly caused by actions, operations or works carried out by third parties. By way of non-limiting example: problems caused by incorrect processing of the product, improper installation or handling methods of the original product, cracks on the surface of the product purchased after its installation, etc...
3. Products that have been moved from their original place of installation.
4. The reactions and appearance of joints or seams, adhesives, sealants and all other accessories.
5. Damage caused by appliances installed, used or subject to improper maintenance.
6. Imperfections caused by natural wear and tear due to everyday use, such as stains, scratches, water marks and burns.
7. When choosing a colour or finish, consider that the samples only give a approximate indication of the design, pattern, aspect, colour and finish. There is no guarantee that the samples are an exact reproduction of the Atlas Plan slab. They may differ slightly from the actual installed product.
8. Opinions based on the customer's personal preferences, leading them to change their mind about the colour or general appearance, or other aesthetic opinions following manufacture or installation of the product.
9. Use of 162x324 cm slabs for commercial applications including, but not limited to, installation in shops, offices and other commercial establishments.
10. Purchased products in which the factory-applied surface finish has been altered in some way.
11. Defects already visible at the time of processing or installation of products made from 162x324 cm Atlas Plan slabs.
12. Transport, processing, assembly and/or disassembly costs for the repair or re-installation of the product purchased.
13. Additional repairs or modifications required for the new installation (plumbing, electricity, renovation work, etc.).
14. Repairs carried out without prior verification by Atlas Plan.
15. Stains caused by direct contact with aggressive chemical solutions or scratches caused by the use of rough or steel wire sponges to clean the product purchased, or resulting from any other improper use of abrasive products in violation of the Precautions for Use and the cleaning and maintenance instructions indicated in the Atlas Plan Technical Manual (available at www.atlasplan.com/en/).
16. Anything not expressly mentioned in this guarantee.

The 25-year Limited Warranty will not be transferable and will be applied only to the slabs used in the manufacture of the product purchased, for domestic or residential use, such as kitchen tops and backsplashes, washbasins, wall units and tables. This warranty will not be valid if the full payment of the product purchased has not been made.
The processing workshop and the installer are responsible for testing Atlas Plan slabs prior to the production and installation of the products made from the slabs.
No other express or implicit warranty included merchantability or suitability for a particular purpose is issued. Except as set out herein, Atlas Plan disclaims all contractual and non-contractual liability for any direct, incidental or consequential loss or damage resulting from the use or inability to use the product purchased made from Atlas Plan slabs.
No one except Atlas Plan shall have the right or authorisation to make any promises, representations or warranties of any kind in relation to their products.

ATTENZIONE

Atlas Plan non si ritiene in alcun modo responsabile per utilizzo "improprio" del materiale, ragione per la quale raccomanda di:

- Prevenire dagli urti nei punti più esposti tipo angoli e bordi, sia con che senza veletta;
- Evitare l'utilizzo di pagliette metalliche o abrasive;
- Non utilizzare dei coltelli con lama in ceramica in quanto la durezza dei due materiali è molto simile;
- Predisporre sistemi di protezione, tipo taglieri in legno e/o plastica, quando si tagliano alimenti su piani caratterizzati da un colore scuro e/o da una finitura Polished o Satin;
- Proteggere precauzionalmente la superficie dal contatto diretto con oggetti caldi (tipo padelle, pentole, caffettiere, ...) predisponendo l'utilizzo di sottopentole.

Nota: per la riparazione di graffi superficiali non profondi nelle varie finiture, rivolgersi direttamente al funzionario Atlas Plan.
Le lastre Atlas Plan vanno tagliate seguendo le istruzioni del manuale tecnico, qualunque rottura dovuta a un taglio eseguito in modo non indicato non sarà ritenuta di responsabilità di Atlas Plan.
Il Manuale tecnico illustra come pulire correttamente qualunque tipo di macchia che si può rilevare su una superficie Atlas Plan, utilizzare i prodotti indicati in caso sia necessario un intervento di pulizia straordinaria.
Resta inteso che Atlas Plan non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti a negligente pulizia e manutenzione.

ESCLUSIONI DELLA GARANZIA LIMITATA DI 25 ANNI PER LE LASTRE UTILIZZATE PER LA FABBRICAZIONE DEL PRODOTTO ACQUISTATO (TOP CUCINA E BACKSPLASH; LAVABI E VANITIES; TAVOLI) PER USO DOMESTICO O RESIDENZIALE

1. Danni causati da abuso o uso improprio dei prodotti acquistati, inclusi ma non limitati a danni causati da uso improprio o incidenti, a seguito dell'esposizione del prodotto a condizioni fisiche anomale (come forti urti), sostanze chimiche aggressive, sostanze macchianti (come inchiostro e pennarelli), corrosione, movimenti strutturali o disastri naturali. Si ricorda che il contatto con l'acido fluoridrico provoca danni immediati e irreversibili.
2. Qualsiasi tipo di danno causato direttamente o indirettamente da azioni, operazioni o lavori eseguiti da terzi. A titolo esemplificativo e non esaustivo: problemi causati da errata lavorazione del prodotto, metodi di installazione o manipolazione impropri del prodotto originale, crepe sulla superficie del prodotto acquistato dopo la sua installazione, ecc.
3. Prodotti che sono stati spostati dal luogo di installazione originale.
4. Le reazioni e l'aspetto di giunti o cuciture, adesivi, sigillanti e tutti gli altri accessori.
5. Danni causati da apparecchi installati, utilizzati o soggetti a cattiva manutenzione.
6. Imperfezioni causate dall'usura naturale dovuta all'uso quotidiano, come macchie, graffi, segni d'acqua e ustioni.
7. Nella scelta di un colore o di una finitura, va tenuto presente che i campioni forniscono solo un'indicazione generale del design, del motivo, dell'estetica, del colore e della finitura. Non vi è alcuna garanzia che i campioni siano una replica esatta della lastra Atlas Plan. Potrebbero differire leggermente dal prodotto effettivamente installato.
8. Opinioni basate sulle preferenze personali del cliente, che lo portano a cambiare idea sul colore o sull'aspetto generale, o altre opinioni estetiche successive alla fabbricazione o all'installazione del prodotto.
9. Utilizzo di lastre 162x324 cm per applicazioni commerciali inclusa, a titolo esemplificativo ma non esaustivo, installazione in negozi, uffici e altri esercizi commerciali.
10. Prodotti acquistati in cui la finitura superficiale applicata in fabbrica è stata in qualche modo alterata.
11. Difetti già visibili al momento della lavorazione o posa in opera di prodotti realizzati con lastre 162x324 cm. Piano Atlante.
12. Costi di trasporto, lavorazione, montaggio e/o smontaggio per la riparazione o reinstallazione del prodotto acquistato.
13. Ulteriori riparazioni o modifiche necessarie per la nuova installazione (idraulica, elettrica, lavori di ristrutturazione, ecc.).
14. Riparazioni eseguite senza previa verifica da parte di Atlas Plan.
15. Macchie causate dal contatto diretto con soluzioni chimiche aggressive o graffi causati dall'uso di spugne ruvide o di filo d'acciaio per pulire il prodotto acquistato, o derivanti da qualsiasi altro uso improprio di prodotti abrasivi in violazione delle Precauzioni d'uso e della pulizia e istruzioni di manutenzione indicate nel Manuale Tecnico Atlas Plan (disponibile su www.atlasplan.com).
16. Quanto non espressamente menzionato nella presente garanzia.

La Garanzia Limitata di 25 anni non sarà trasferibile e si applicherà solo alle lastre utilizzate nella fabbricazione del prodotto acquistato, per uso domestico o residenziale, come piani cucina e alzatine, lavabi, mobili e tavoli. Tale garanzia non sarà valida se non sarà stato effettuato il pagamento integrale del prodotto acquistato.
Il laboratorio di lavorazione e l'installatore sono responsabili del collaudo delle lastre Atlas Plan prima della realizzazione e posa in opera dei manufatti realizzati con le lastre.
Non viene rilasciata alcuna altra garanzia esplicita o implicita, inclusa la commerciabilità o l'idoneità per uno scopo particolare. Ad eccezione di quanto stabilito nel presente documento, Atlas Plan declina ogni responsabilità contrattuale ed extracontrattuale per qualsiasi perdita o danno diretto, incidentale o consequenziale derivante dall'uso o dall'impossibilità di utilizzare il prodotto acquistato realizzato con lastre Atlas Plan.
Nessuno, ad eccezione di Atlas Plan, avrà il diritto o l'autorizzazione a fare promesse, dichiarazioni o garanzie di qualsiasi tipo in relazione ai propri prodotti.

FR-DE-ES-RU

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
CONCRETE LOOK
STONE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Furniture

atlas concorde habitat

BATHROOM FURNITURE

- **ESSENZA**
  - MONO - Single Sink
  - DUO - Twin Sink
  - UP - Sit-on basin
  - BLOCK - Free-Standing
  - LEVEL - Top
  - THIN - Shelf
- **EVOLUZIONE** - Design Collection by Studio Ferriani
  - MONO - Single Sink
  - DUO - Twin Sink
  - BLOCK - Free-Standing
- **DIALOGO** - Design Collection by Mario Ferrarini
  - DESIGNER SINK
- **BASIN FEATURES**
- **ARMONIA**

TABLES

- DINING TABLES
- COFFEE TABLES
- HOSPITALITY TABLES
- SIDE TABLES

atlasconcorde.com >
ATLAS CONCORDE HABITAT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Bathroom Furniture

Custom Elements



◇ **Choose your product** / Scegli il tuo prodotto

CE EN 14688

Sinks / Lavabi
Single, Twin, Sit-On Basin, Free-standing / Singolo, Doppio, Catino da appoggio, Free-Standing

Top / Top
For Single Or Double basin (basin not included) / Per catino singolo o doppio (catino non incluso)

Shelf / Mensola

Drawer Unit / Cassettiera
To be combined with Essenza, Evoluzione e Dialogo / Da abbinare alle gamme Essenza, Evoluzione e Dialogo

◇ **Customize your product** / Personalizza il tuo prodotto

lenght / lunghezza
basin dimension and position / dimensione e posizione della vasca
with or without faucet hole / con o senza foro miscelatore

◇ Choose Look, Color and Finish


Stone Look	Concrete Look	Metal Look	Marble Look	Solid Look	Wood Look

Essenza


atlas concorde habitat

MONO
Single Sink / Lavabo Singolo


Enveloped Bottom Basin
Vasca 4 Falde



Flat Basin
Vasca Piatta



Sloped Basin
Vasca Inclinata



	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA			
Single Wall-mounted Sink Lavabo da parete singolo	12 mm	30 mm	150 mm	S	M	L	XL
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•		
Sloped Basin Vasca Inclinata	•	•	•		•		

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 $^{5}/_{8}$") / Profondità 50 cm (19 $^{5}/_{8}$")
Height 1,2 cm ($^{1}/_{2}$"), **3 cm** (1 $^{1}/_{8}$"), **15 cm** (5 $^{7}/_{8}$") / Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 $^{7}/_{8}$")
Staffe: incluse solo su lavabo con altezza 15 cm (5 $^{7}/_{8}$")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin Dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
Flat basin and Sloped basin Dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$") / Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 $^{1}/_{4}$" (drain not included) / Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm ($^{1}/_{4}$") **or 9 mm** ($^{3}/_{8}$") **or 12 mm** (4 $^{3}/_{4}$")
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Essenza


atlas concorde habitat

DUO
Twin Sink / Lavabo Doppio


Enveloped Bottom Basin
Vasca 4 Falde



Flat Basin
Vasca Piatta



Sloped Basin
Vasca Inclinata



	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA			
Twin Wall-mounted Sink Lavabo da parete doppio	**12 mm**	**30 mm**	**150 mm**	**S**	**M**	**L**	**XL**
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•		
Sloped Basin Vasca Inclinata	•	•	•		•		

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 3/8") / Profondità 50 cm (19 3/8")
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 7/8")
Staffe: incluse solo su lavabo con altezza 15 cm (5 7/8")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore


BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 3/4" x 13 3/8" x 3 7/8")
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin dimensions / Dimensione vasca Inclinata e vasca Piatta
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)


STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

UP
Sit-on basin / Catino da appoggio


Enveloped Bottom Basin
Vasca 4 Falde



Flat Basin
Vasca Piatta



Sloped Basin
Vasca Inclinata



	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA				DEPTH PROFONDITÀ	
Sit-on basin Catino da appoggio	**12 mm**	**30 mm**	**150 mm**	**S**	**M**	**L**	**XL**	**450 mm**	**500 mm**
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•			•	•
Sloped Basin Vasca Inclinata	•	•	•		•			•	•

DIMENSIONS / Dimensioni
Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde
Length 55 cm (21 3/4") / Lunghezza 55 cm (21 3/4")
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")
Length 85 cm (33 1/2") / Lunghezza 85 cm (33 1/2")
Length 105 cm (41 3/8") / Lunghezza 105 cm (41 3/8")
Flat basin sink and Sloped basin sink available lenght / Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")

Depth 45 cm (17 3/4") without Faucet hole / Profondità 45 cm (17 3/4") senza foro miscelatore
Depth 50 cm (19 3/8") with Faucet hole / Profondità 50 cm (19 3/8") con foro miscelatore
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 3/4" x 13 3/8" x 3 7/8")
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Essenza


BLOCK
Free-Standing

Enveloped Bottom Basin
Vasca 4 Falde

without Faucet hole
senza foro miscelatore




with Faucet hole
con foro miscelatore




Flat Basin
Vasca Piatta

without Faucet hole
senza foro miscelatore




with Faucet hole
con foro miscelatore




Sloped Basin
Vasca Inclinata

without Faucet hole
senza foro miscelatore



with Faucet hole
con foro miscelatore



	HEIGHT ALTEZZA	BASIN DIMENSION TAGLIA DELLA VASCA			DEPTH PROFONDITÀ	
Free-Standing Free-Standing	**85 cm**	**M**	**L**	**XL**	**450 mm**	**500 mm**
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•			•	•
Sloped Basin Vasca Inclinata	•	•			•	•

DIMENSIONS / Dimensioni
Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")
Length 85 cm (33 1/2") / Lunghezza 85 cm (33 1/2")
Length 105 cm (41 3/8") / Lunghezza 105 cm (41 3/8")
Flat basin sink and Sloped basin sink available lenght
Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")

Depth 45 cm (17 3/4") **without Faucet hole** / Profondità 45 cm (17 3/4") senza foro miscelatore
Depth 50 cm (19 5/8") **with Faucet hole** / Profondità 50 cm (19 5/8") con foro miscelatore
Height 85 cm (33 1/2") / Altezza 85 cm (33 1/2")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore
Enclosed sink back accessible through a hatch with a magnetic door
Retro lavabo chiuso ed accessibile tramite botola con sportello magnetico


BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")


FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)


STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") **or 9 mm** (3/8") **or 12 mm** (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

LEVEL
Top


For Single Basin (Non Included)
Per Catino Singolo (Non Incluso)









For Double Basin (Not Included)
Per Catino Doppio (Non Incluso)







DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 5/8") / Profondità 50 cm (19 5/8")
Height 1.2 cm (1/2"), **3 cm** (1 1/8"), **15 cm** (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 7/8")
Staffe: incluse solo su lavabo con altezza 15 cm (5 7/8")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore


BASIN HOLE / Foro catino
Customisable sit-on basin hole dimension and position / Dimensioni e posizioni del foro catino personalizzabili

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") **or 9 mm** (3/8") **or 12 mm** (4 3/4") / Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Tops with height 12 mm are made only with 12 mm slabs
Top con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	HEIGHT ALTEZZA		
Top Top	**12 mm**	**30 mm**	**150 mm**
Single Hole Foro Singolo	•	•	•
Double Hole Foro Doppio	•	•	•

THIN
Shelf / Mensola



DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 35 cm (13 3/4") / Profondità 35 cm (13 3/4")
Height 5 cm (2") / Altezza 5 cm (2")

STRUCTURE / Struttura
Reinforcement: continuous panel
Rinforzo: pannello continuo
Brackets: included / Staffe: incluse
Bottom tiling is not provided
Non è previsto il rivestimento inferiore

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") **or 9 mm** (3/8") **or 12 mm** (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

	HEIGHT ALTEZZA
	50 mm
Shelf Mensola	•

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Evoluzione

Design Collection by **Studio Ferriani**

COLORS AND FINISHES

Rectangular Basin
Vasca Rettangolare

Biscuit Basin
Vasca Biscotto

Circular Basin
Vasca Circolare





White





Toupe





Grey

COLORS





atlas concorde habitat


MONO

Single Sink / Lavabo Singolo


Rectangular Basin
Vasca Rettangolare


Biscuit Basin
Vasca Biscotto

Circular Basin
Vasca Circolare























	BASIN FINISHING COLORE VASCA		
Single Sink Lavabo Singolo	**Matte White** Bianco opaco	**Taupe** Tortora	**Grey** Grigio
Rectangular Rettangolare	•	•	•
Biscuit Biscotto	•	•	•
Circular Circolare	•	•	•

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 45 cm (17 3/4") / Profondità 45 cm (17 3/4")
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 12 cm (4 3/4")
Staffe: incluse solo su lavabo con altezza 12 cm (4 3/4")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Solid 100% acrylic-based surface / Solid surface a base acrilica pura

BASIN MODELS
Rectangular basin Dimensions / Dimensioni vasca Rettangolare
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
Biscuit basin Dimensions / Dimensione vasca Biscotto
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
Circular basin Dimensions / Dimensione vasca Circolare
Ø35 cm (13 3/4")

BASIN COLORS
All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Overflow system included / kit troppopieno incluso
Drain hole diameter: 1 1/4" (drain on demand) / Diametro piletta: 1 1/4" (piletta su richiesta)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS


Evoluzione


Design Collection by **Studio Ferriani**

DUO
Twin Sink / Lavabo Doppio


Rectangular Basin
Vasca Rettangolare










Biscuit Basin
Vasca Biscotto









Circular Basin
Vasca Circolare







BASIN FINISHING
COLORE VASCA

Twin Sink Lavabo Doppio	**Matte White** Bianco opaco	**Taupe** Tortora	**Grey** Grigio
Rectangular Rettangolare	•	•	•
Biscuit Biscotto	•	•	•
Circular Circolare	•	•	•

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 45 cm (17 3/4") / Profondità 45 cm (17 3/4")
Height 1.2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")/ Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 12 cm (4 3/4")
Staffe: incluse solo su lavabo con altezza 12 cm (4 3/4")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Solid 100% acrylic-based surface / Solid surface a base acrilica pura

BASIN MODELS
Rectangular basin Dimensions / Dimensioni vasca Rettangolare
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
Biscuit basin Dimensions / Dimensione vasca Biscotto
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
Circular basin Dimensions / Dimensione vasca Circolare
Ø35 cm (13 3/4")


BASIN COLORS
All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Overflow system included / kit troppopieno incluso
Drain hole diameter: 1 1/4" (drain on demand) / Diametro piletta: 1 1/4" (piletta su richiesta)


STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

BLOCK
Free-standing


Rectangular Basin
Vasca Rettangolare



Biscuit Basin
Vasca Biscotto



Circular Basin
Vasca Circolare



BASIN FINISHING
COLORE VASCA

Free-Standing	**Matte White** Bianco opaco	**Taupe** Tortora	**Grey** Grigio
Rectangular Rettangolare	•	•	•
Biscuit Biscotto	•	•	•
Circular Circolare	•	•	•

DIMENSIONS / Dimensioni
Length 65 cm (25 5/8") / Lunghezza 65 cm (25 5/8")
Depth 45 cm (17 3/4") with Faucet hole / Profondità 45 cm (17 3/4") con foro miscelatore
Height 85 cm (33 1/2") / Altezza 85 cm (33 1/2")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore
Enclosed sink back accessible through a hatch with a magnetic door
Retro lavabo chiuso ed accessibile tramite botola con sportello magnetico

BASIN / Vasca
Solid 100% acrylic-based surfaces / Solid surface a base acrilica pura

BASIN MODELS
Rectangular basin Dimensions / Dimensioni vasca Rettangolare
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
Biscuit basin Dimensions / Dimensione vasca Biscotto
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
Circular basin Dimensions / Dimensione vasca Circolare
Ø35 cm (13 3/4")

BASIN COLORS
All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Overflow system included / kit troppopieno incluso
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS


Dialogo

Design Collection by **Mario Ferrarini**

reddot winner 2022

Designer Sinks
Single

WITH OR WITHOUT FAUCET HOLE
Con e senza foro rubinetteria




Top / Piano h 125 mm | 4 7/8"
Edge / Bordo h 175 mm | 6 7/8"

Available in monocolor and bicolor version
Disponibile in versione monocolore e bicolore

Designer Sinks
Twin

WITH OR WITHOUT FAUCET HOLE
Con e senza foro rubinetteria



Top / Piano h 125 mm | 4 7/8"
Edge / Bordo h 175 mm | 6 7/8"

INFORMATIONS FOR ALL DIALOGO SINKS
INFORMAZIONI PER TUTTI I LAVABI DIALOGO

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 45 cm (17 3/4") / Profondità 45 cm (17 3/4")
Height Top 12,5 cm (4 7/8") / Altezza Top 12,5 cm (4 7/8")
Height Edge 17,5 cm (6 7/8") / Altezza Binario 17,5 cm (6 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included / Staffe: incluse
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Dimensions 55x34x10 cm (21 3/4"x13 3/8"x3 7/8") / Dimensioni 55x34x10 cm (21 3/4"x13 3/8"x3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter Ø 35 mm (1 3/8") / Diametro del foro rubinetto Ø 35 mm (1 3/8")
Drain hole diameter: 1 1/4" / Diametro piletta: 1 1/4"

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

Basin Features

atlas concorde habitat



Essenza - Sloped Basin



Essenza - Flat Basin



Essenza - Enveloped Bottom Basin



Dialogo

Drain access



Easy access to the drain to remove dirt.

Facile accesso allo scarico per rimuovere lo sporco.

Perfectly insulated hydraulic system



The one-piece stainless steel basin prevents water infiltration.

La vasca monoblocco in acciaio evita le infiltrazioni di acqua.

High impact resistance



High impact resistance thanks to the advanced composite structure.

Alta resistenza agli urti grazie all'avanzata struttura composita.


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Armonia


Drawer unit



DRAWER CUSTOMIZATION



Option to cover the drawer with ceramic fronts: more than 400 colors and finishing.
Possibilità di rivestire i cassetti frontali della cassettiera con gres: più di 400 colori e finiture.




Drawers can be paired with washbasins from the Essenza, Evoluzione, and Dialogo collections.
Le cassettiere nascono per essere abbinate a tutti i lavabi delle gamme Essenza, Evoluzione e Dialogo.


Armonia

atlas concorde habitat


Single drawer




L 300 mm
H 320 mm
D 450 mm - 500 mm



L 600 mm
H 320 mm
D 450 mm - 500 mm




L 900 mm
H 320 mm
D 450 mm - 500 mm




L 1200 mm
H 320 mm
D 450 mm - 500 mm


Twin drawer




L 300 mm
H 500 mm
D 450 mm - 500 mm



L 600 mm
H 500 mm
D 450 mm - 500 mm



L 900 mm
H 500 mm
D 450 mm - 500 mm



L 1200 mm
H 500 mm
D 450 mm - 500 mm

AVAILABLE LAMINATE COLORS











INFORMATIONS DRAWER UNIT
INFORMAZIONI CASSETTIERA

DIMENSIONS / Dimensioni
Lenght* / Lunghezza*
30 cm (11 3/4") | 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8")

Depth / Profondità
45 cm (17 3/4") | 50 (19 5/8")

Heigh / Altezza
32 cm (12 5/8") | 50 (19 5/8")

***All the lenght are modular. The modules with lenght 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8") are available with a siphon cut-out, always centered along the module's length.**
Tutti I moduli sono componibili. I moduli da 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 1/4") sono disponibili con scasso per sifone, sempre centrato sulla lunghezza del modulo.

STRUCTURE / Struttura
Structure of the chest of drawers in melamine material. Drawer opening with a push-pull mechanism. Bloom Hinges. Available laminate colors White matte, Taupe Matte, Grey Matte, White Textured, Brown Matte & Light Grey Matte.
Struttura della cassettiera in materiale laminato. Apertura dei cassetti con meccanismo push-pull. Cerniere Bloom. Colori di laminato disponibili: White matte, Taupe Matte, Grey Matte, White Textured, Brown Matte & Light Grey Matte.

STARTING SLABS FOR DRAWER COVERING
Fondi di partenza per il rivestimento dei cassetti
Thickness 6 mm (1/4"). The chest of drawers can only be covered with a 6 mm slabs.
Spessore 6 mm (1/4"). La cassettiera può essere rivestita solo con lastra di parteza da 6 mm.


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Tables


Brooklyn 75
Dining Tables



BASES available in textured black and textured anthracite




TOPS 12 mm




Brooklyn 25
CoffeeTables



BASES available in textured black and textured anthracite




TOPS 12 mm




Manhattan
Hospitality Tables



BASES available in textured black and customed




TOPS 12 mm




Contatto
Side Table



BASES available in textured black and chromed




TOPS 12 mm




Incontro 75
Dining Tables



BASES available in textured black and textured anthracite




TOPS 12 mm




Incontro 25
CoffeeTables



BASES available in textured black and textured anthracite




TOPS 12 mm



Cosmopolitan
Hospitality Tables



BASES available in textured black and customed



TOPS 12 mm




TABLES BROCHURE


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Top Colors

Porcelain tile colors and finishes



Bases Colors



Dining, Coffee & Hospitality, Side Tables

Dining & Coffee Tables

Hospitality Tables

Side Tables

Sinks cleaning and maintenance

SANITIZING
Porcelain tiles surfaces are extremely easy to sanitize, owing to the physical and mechanical features of this material. Indeed, since they are produced at extremely high temperatures, they prove entirely poreless, which prevents mold, mildew and bacteria from spreading. This means sanitizing products or products with a specific concentration of chemicals capable of eradicating germs and bacteria from surfaces can easily be used, for optimum efficiency and without worrying about damaging the material itself.

ROUTINE CLEANING
For routine cleaning, simply use a damp sponge or a microfiber cloth with hot water and ordinary neutral detergent* then wipe dry with a soft cloth. To remove dirt built up in the corners, we recommend you rub with a nonabrasive soft bristle brush.
Avoid using:
1. Products with waxing, restoring, polishing, brightening properties;
2. Products containing hydrofluoric acid and its derivatives;
3. Metal wire pads (iron and steel pads) or excessively abrasive pads.
CAUTION: Porcelain tiles do not require the application of waxes or detergents with polishing additives, even when the surface is glossy/lapped.

*such as Clean Universal made by Faber Chimica or Fila Clean&Shine for the Italian market - Fila Cleanall for the US market - Fila Brio for all other markets.

EXTRAORDINARY CLEANING
In the event of tough stains, which cannot be removed during routine cleaning operations, we suggest the use of alkaline detergents* for coffee, fruit juice, wine, ink stains and the like, acidic detergents**
in the event of limescale residue (or rust), use specific detergents to remove silicone sealant residue***

*such as Clean Degreaser - Deep Degreaser made by Faber Chimica or Fila Powerclean for the Italian market - Fila Hobby for other markets.
**such as Clean Limescale - Tile Cleaner made by Faber Chimica or Fila Deepclean for the Italian market - Fila Via Bagno for other markets.
***such as Epoxy Cleaner made by Faber Chimica or Fila Zerosil.

STEEL SURFACES
Stainless steel is an extremely strong material and is not subject to the corrosive action of oxidation. However, specific products should be used for cleaning it.
In addition, to avoid damaging the surface, do not use:
1. sponges or scourers that could cause irreversible scratches and abrasions;
2. aggressive chemicals;
3. cleaning products based on ammonia, bleach or chlorine.

LACQUERED SURFACES
Daily cleaning and maintenance of the lacquered surfaces of the drawer unit.
To maintain lacquered surfaces for as long as possible and in the best possible condition, proceed as follows:
1. Treat the stain promptly, allowing it to remain in contact with the surface for as little time as possible.
2. Only use a moistened microfibre cloth, white if possible. Do not use sponges or rags that could scratch the surface.
3. Use a NON-abrasive, neutral liquid soap solution. Marseille soap is particularly suitable. Simply dilute a few flakes in a bowl with lukewarm water, lightly dampen the cloth and wipe the surface.
4. After wiping, it is best to rinse and dry quickly, taking care to use a dry cloth different from the one used for cleaning. Air drying is not recommended because halos or traces of water may remain.
5. Do not use organic solvents such as acetone and alcohol, do not use detergents containing strong acids, kitchen detergents and substances containing ammonia, trichloroethylene and bleach.

IGIENIZZAZIONE
Le superfici in gres porcellanato sono estremamente facili da igienizzare, grazie alle caratteristiche fisico-meccaniche di questo materiale. Infatti, essendo prodotta ad altissime temperature, risulta totalmente priva di pori, fatto che impedisce a muffe e batteri di proliferare. È possibile utilizzare pertanto senza problemi prodotti igienizzanti ossia con una determinata concentrazione di sostanze in grado di eliminare germi e batteri dalle superfici, con la massima efficacia e senza temere di rovinare il materiale stesso.

PULIZIA ORDINARIA
Per la pulizia quotidiana è sufficiente utilizzare una spugna inumidita o un panno in microfibra con acqua calda e un comune detergente neutro* asciugando con un panno morbido. Per la rimozione di sporco accumulatosi negli angoli si suggerisce di strofinare con uno spazzolino con setole morbide non abrasive.
Evitare l'utilizzo di:
1. Prodotti con caratteristiche ceranti, ravvivanti, lucidanti, brillantanti;
2. Prodotti che contengono acido fluoridrico e suoi derivati;
3. Pagliette di metallo (spugnette di ferro e acciaio) o eccessivamente abrasive.
ATTENZIONE: Il gres porcellanato non richiede l'applicazione di cere o di detergenti con additivi lucidanti anche quando ha una superficie lucida/lappata.

*tipo Clean Universal della Faber Chimica oppure Fila Clean&Shine per mercato IT - Fila Cleanall per mercato USA - Fila Brio per tutti gli altri mercati.

PULIZIA STRAORDINARIA
Nel caso di macchie ostinate, non rimovibili con la pulizia ordinaria, si suggerisce di utilizzare detergenti a base alcalina* per caffè, succhi di frutta, vino, inchiostro, ed etc..
detergenti a base acida** nel caso di residui di calcare (o ruggine) utilizzare detergenti specifici per la rimozione di residui di sigillanti siliconici***

*tipo Clean Degreaser - Deep Degreaser della Faber Chimica oppure Fila Powerclean per mercato IT - Fila Hobby per gli altri mercati.
**tipo Clean Limescale - Tile Cleaner della Faber Chimica oppure Fila Deepclean per il mercato IT - Fila Via Bagno per gli altri mercati.
***tipo Epoxy Cleaner della Faber Chimica oppure Fila Zerosil.

SUPERFICI IN ACCIAIO
L'acciaio inox è un materiale estremamente resistente e non è soggetto all'azione corrosiva dell'ossidazione. Tuttavia per la pulizia è opportuno adoperare prodotti specifici.
Inoltre per evitare il danneggiamento della superficie non utilizzare:
1. spugne o pagliette metalliche che potrebbero generare graffi ed abrasioni irreversibili;
2. sostanze chimiche aggressive;
3. prodotti per la pulizia a base di ammoniaca, candeggina o cloro.

SUPERFICI LACCATE
Pulizia e manutenzione quotidiana delle superfici laccate della cassettiera.
Per conservare le superfici laccate per il maggior tempo e nella migliore condizione possibile, è necessario rispettare e seguire i seguenti punti:
1. Agire tempestivamente sulla macchia, lasciando che questa rimanga il minor tempo possibile a contatto con la superficie;
2. Utilizzare esclusivamente un panno in microfibra inumidito, possibilmente bianco. Non utilizzare spugne o stracci che potrebbero graffiare la superficie;
3. Utilizzare una soluzione di sapone liquido neutro NON abrasivo.
Particolarmente indicato è il Sapone di Marsiglia, sarà sufficiente diluire alcune scaglie in una bacinella d'acqua tiepida, bagnare leggermente il panno e passarlo sulla superficie;
4. Dopo aver passato il panno, è bene procedere con le operazioni di risciacquo e asciugatura in maniera rapida, avendo cura di usare un panno asciutto diverso da quello utilizzato per la pulizia. L'asciugatura all'aria è sconsigliata perché potrebbero rimanere aloni o tracce di acqua;
5. Non usare solventi organici come acetone ed alcool, non usare detergenti contenenti acidi forti, detergenti per cucina e sostanze contenenti ammoniaca, trielina e candeggina.

Notes

CAUTION
Avoid accidental shocks that could result in chipping or irreversible damage. In the event of breakage, check that the structural parts are not damaged and, if necessary, discard the item.
Avoid any improper use of the items and their components. Some removable parts could be used as blunt objects.
Be careful: sharp edges and possible razor-sharp surfaces.

ATTENZIONE
Evitare urti accidentali che potrebbero provocare sbeccature o lesioni non ripristinabili. In presenza di rotture verificare che le parti strutturali non siano compromesse e nel caso mettere fuori utilizzo l'oggetto.
Evitare qualsiasi uso improprio degli articoli e dei loro componenti. Alcune parti removibili potrebbero essere utilizzate come oggetti contundenti.
Prestare attenzione: spigoli acuminati e possibile presenza di superfici taglienti.

FR-DE-ES-RU

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
FACADES
TECHNICAL SPECIFICATIONS

Facades

- BONDED FACADES
- VENTILATED FACADES

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS




Bonded facades

On plaster



Suitable thicknesses
± 6 mm
± 9 mm
± 12 mm

1. Stoneware cladding
2. Safety hook
3. Highly deformable adhesive
4. Masonry



BONDED FACADES ON PLASTER

Porcelain panels are bonded directly to the outer plaster layer of the wall face using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. It is advisable to place metal hooks as an additional safety restraint, which will remain hidden behind the slab.
These hooks are then mechanically attached to the wall.

FACCIATE INCOLLATE SU INTONACO


I pannelli in gres vengono incollati direttamente allo strato di intonaco esterno del paramento murario, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello. È consigliabile disporre ganci metallici, come ulteriore ritegno di sicurezza, che rimarranno nascosti dietro la lastra preventivamente lavorata.
Tali ganci sono poi fissati meccanicamente alla parete.

On thermal coat



Suitable thicknesses
± 6 mm [1]

1. Stoneware cladding
2. Highly deformable adhesive
3. Structural plaster
4. Fiber glass mesh
5. Structural render
6. Insulating panel
7. Adhesive
8. Masonry



BONDED FACADES ON THERMAL COAT

External vertical cladding system made by bonding the ceramic slabs to the insulating layer using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. Light colors with a solar reflectance index (SR) greater than 20% are recommended.

FACCIATE INCOLLATE SU CAPPOTTO TERMICO

Sistema di rivestimento verticale esterno realizzato incollando le lastre ceramiche allo strato di isolante, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello.
Sono da privilegiare colori chiari con indice di riflettanza solare (SR) maggiore del 20%.

[1] **However, we do not exclude the possibility of using thicker, larger slabs on insulating layers after further evaluation at the design stage or on-site surveys in the case of work on existing surfaces.** - Non si esclude comunque la possibilità di incollare su isolante in facciata lastre di spessore e formato maggiori previa ulteriori valutazioni in fase di progetto o rilievi in sito in caso di interventi su esistente.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS


Ventilated facades*

With visible mechanical hooks



Suitable thicknesses
- ± 6 mm
- ± 9 mm
- ± 12 mm

1. Stoneware cladding
2. Clip hook
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry



VENTILATED FACADES WITH VISIBLE MECHANICAL HOOKS

The attachment of the slabs is visible and done with steel clips, possibly painted in a color similar to the facing. The metal structure of the system consists of vertical mullions and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustment during installation.

FACCIATE VENTILATE CON AGGANCI A VISTA MECCANICI


L'aggancio delle lastre è visibile e realizzato con clips di acciaio, eventualmente verniciate con un colore simile al paramento.
La struttura metallica del sistema è composta da montanti verticali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

With invisible mechanical hooks



Suitable thicknesses
- ± 9 mm
- ± 12 mm
- ± 20 mm

1. Stoneware cladding
2. Fasteners
3. Horizontal profile
4. Insulating panel
5. Mullion
6. Brackets
7. Masonry



VENTILATED FACADES WITH INVISIBLE MECHANICAL HOOKS

The attachment is concealed on the back of the slab by means of special steel inserts that fit into previously-made holes.
The metal structure of the system consists of vertical mullions, horizontal beams, and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustments during installation.

FACCIATE VENTILATE CON AGGANCI A SCOMPARSA MECCANICI


L'aggancio è occulto sul retro della lastra mediante speciali inserti di acciaio che si inseriscono in fori sottosquadro, precedentemente realizzati meccanicamente. La struttura metallica del sistema è composta da montanti verticali, correnti orizzontali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

With invisible chemical-mechanical hooks



Suitable thicknesses
- ± 6 mm
- ± 9 mm
- ± 12 mm

1. Stoneware cladding
2. Horizontal profile
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry



VENTILATED FACADES WITH INVISIBLE CHEMICAL-MECHANICAL HOOKS

For slabs less than 9 mm thick, the attachment system is not only mechanical but also chemical. Depending on the case, the bonding can be continuous and applied to a backing layer or directly to the metal profiles of the structure. The hybrid nature of the attachment thus provides greater safety than single-attachment techniques.

FACCIATE VENTILATE CON AGGANCI A SCOMPARSA CHIMICO-MECCANICI

Per lastre di spessore inferiore a 9 mm, il sistema di aggancio non sarà esclusivamente meccanico ma anche chimico. A seconda dei casi l'incollaggio può essere continuo e applicato ad uno strato di supporto oppure direttamente ai profili metallici della struttura. La natura ibrida dell'aggancio garantisce così maggior sicurezza rispetto ad agganci con tecnica di fissaggio singola.


FR-DE-ES-RU

With invisible hooks for slabs with incisions (kerf)



Suitable thicknesses
- ± 20 mm

1. Stoneware cladding
2. Clip hook
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry



VENTILATED FACADES WITH INVISIBLE HOOKS FOR SLABS WITH INCISIONS (KERF)

For 20-mm-thick slabs, the concealed attachment system consists of clips inserted into an incision on the edge of the slabs, previously cut into the thickness along the parallel horizontal sides with respect to the orientation of the installation. The structure can be the same as the systems with visible fasteners.

FACCIATE VENTILATE CON AGGANCI A SCOMPARSA PER LASTRE INTAGLIATE (KERF)

Per lastre di spessore 20 mm il sistema di aggancio occulto è costituito da clips inserite in una incisione sulla costa delle lastre, preventivamente incise nello spessore lungo i lati paralleli orizzontali rispetto all'orientamento dell'installazione.
La struttura può essere la stessa dei sistemi con aggancio a vista.

TBW0300824
THOMAS BELL-WRIGHT

Refer to www.tbwcert.com for validity and full documentation
Consultare www.tbwcert.com per la validità e la documentazione completa

Certified under ASTM D1929 and EN 13501-1 classification

* **Technological exterior cladding systems consisting of a series of layers anchored to the building walls by a metal structure. A layer of thermal and acoustic insulation is usually applied directly on the wall, and then porcelain tile cladding is added externally. A hollow space is created between the two layers to ensure the breathability of the facade through continuous ventilation.** - Sistemi tecnologici di rivestimento esterno costituiti da una serie di strati ancorati alle pareti dell'edificio mediante una struttura metallica. A contatto con la parete in genere è applicato uno strato di isolante termico ed acustico e più esternamente il rivestimento in gres porcellanato. Tra i due strati si crea un'intercapedine vuota che garantisce traspirazione della facciata mediante ventilazione continua.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS

Technical Specifications

- VELVETECH
- SENSITECH
- CERTIFICATIONS
- TECHNICAL SPECIFICATION
- DESTINATIONS OF USE
- COLOR-SHADING
- LAYING SUGGESTIONS, CLEANING AND MAINTENANCE
- PACKING
- GENERAL SALES CONDITIONS

Velvetech

The advanced technology with patent filed in Europe, inspired by the art of polishing surfaces for an impeccable smooth touch





USER GUIDE

DISCOVER MORE

PRECAUTIONS VELVETECH

SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines

CARATTERISTICHE DELLA SUPERFICIE

- Velvet è una superficie delicata che merita attenzione.
- Velvet è una superficie che presenta irregolarità, screziature e alonature superficiali, visibili soprattutto alla luce radente.
- La finitura Velvet può mostrare segni particolarmente evidenti sulla superficie, causati soprattutto dal contatto con oggetti metallici (es. piedini in metallo di sedie e mobili) e altri materiali abrasivi. Per preservarla al meglio, è fondamentale seguire le indicazioni di pulizia e manutenzione.

DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

PULIZIA E CURA QUOTIDIANA

- Non utilizzare detergenti con proprietà ceranti, brillantanti e lucidanti.
- Non utilizzare pagliette in metallo o eccessivamente abrasive.
- Pulire con panno umido e detergente neutro in soluzione diluita o lavasciuga con spazzole in nylon morbide per grandi superfici, seguendo le istruzioni del produttore.
- È consigliato effettuare periodicamente una pulizia con spazzola melaminica con detergente alacalino diluito, seguendo le istruzioni del produttore.
- In ambienti umidi o con residui organici (esempio: calcare o agenti macchianti) utilizzare un detergente a base acida, seguendo le istruzioni del produttore, ed eseguire un abbondante risciacquo.
- In ambienti a contatto con l'esterno, utilizzare tappeti o dispositivi assorbi-sporco per trattenere umidità e polvere.
- Applicare protezioni agli elementi mobili a contatto con la superficie (Esempio: piedini di arredi di mobili, sedie etc.).
- Utilizzare distanziatori livellanti con pedane anti-graffio durante la posa.

INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

INDICAZIONI D'USO

- Consigliata per pavimenti a basso traffico, preferibilmente ad utilizzo residenziale (Esempio: Camere da letto, soggiorni, studi, cucine private, bagni privati, etc.).
- Non consigliata per pavimenti dove è richiesta resistenza antiscivolo.
- Consigliata per pavimenti con grado di coefficiente di attrito di DCOF (ANSI A326.3) >0,42Wet.
- Si rammenta che l'indicazione d'uso è da ritenersi puramente indicativa e che è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo e alle norme locali in funzione delle variabili che si possono verificare nell'ambiente di destinazione.

CLEANING & MAINTENANCE AFTER LAYING


- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.

PULIZIA E MANUTENZIONE DI FINE CANTIERE


- Eseguire sempre una prova di pulizia preliminare, qualsiasi sia lo stucco utilizzato (stucco cementizio classe CG-EN 13888 a contrasto o stucco epossidico classe RG-EN 13888).
- In caso di stucchi cementizi, utilizzare un detergente acido tamponato poi risciacquare abbondantemente, seguendo le istruzioni del produttore.
- In caso di stucchi epossidici, rimuovere i residui prima che si induriscano e utilizzare pulitori specifici, seguendo le istruzioni del produttore.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

Certifications

Ratings and memberships

Sedex Member

Company certifications

ISO 9001 · ISO 14001 · ISO 45001

Product certifications

ISO 17889-1 · CAM Criteri ambientali minimi · GREENGUARD GOLD

Product declarations

EPD · PEF · FDES VÉRIFIÉE · HPD Health Product Declaration · Declare.

Certifications for export to international markets*

CE · CCC · SQM SAUDI ARABIA · SGS INDONESIA

Certification for buildings

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

QB UPEC (1) (2) (3)

QB UPEC PORCELAIN TILES

AXI
BOOST
BOOST BALANCE
BOOST MINERAL
BOOST NATURAL
BOOST MIX
BOOST PRO
BOOST STONE
BRAVE
ETIC
ETIC PRO
EXENCE
HEARTWOOD
LIMS
MARVEL
MARVEL DREAM
MARVEL GEMS
MARVEL MERAVIGLIA
MARVEL SHINE
MARVEL STONE
MARVEL TRAVERTINE
MARVEL X
PRISM

QB UPEC F+ OUTDOOR ≥ 20 MM

BOOST
BOOST BALANCE
BOOST MINERAL
BOOST NATURAL
BOOST PRO
BOOST STONE
BRAVE
NORDE

CLASSIFICATION UPEC/UPEC F+ EN COURS DE CERTIFICATION

BOOST EXPRESSION
BOOST ICOR
BOOST NATURAL PRO
LOG
LOG CANSEI
MARVEL DIVA

atlasconcorde.com · cstb.fr

*** Valid certification for porcelain tile and wall tiles.** - Certificazione valida per prodotti in gres porcellanato e rivestimenti.

*** Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

(1) Classificazione UPEC aggiornata al – Classement UPEC mis à jour au: 2025
(2) Si consiglia la consultazione della pagina – On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a – Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain Tiles Technical Specification

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**

Technical feature symbols

Regularity characteristics Caratteristiche di regolarità Caractéristiques de régularité Regelmäßigkeit Características de regularidad Свойства правильности	ISO 10545-2		**Length and width** / Lunghezza e larghezza / Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон	(*)
			Thickness / Spessore / Epaisseur / Stärke / Grosor / Толщина	(**)
			Straightness of sides / Rettilineità degli spigoli Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон	(***)
			Rectangularity / Ortogonalità / Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность **(Measurement only on short edges when L/l ≥ 3)** (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) (Ne mesurez que les côtés courts lorsque L/l ≥ 3) (Messung nur an den kurzen Seiten, wenn L/l ≥ 3) (Medir solo en los lados cortos cuando L/l ≥ 3) (Измерение проводится только на короткой грани, когда L/l ≥ 3)	(****)
			Surface flatness / Planarità Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности	c.c. e.c. ws.
Structural characteristics Caratteristiche strutturali Caractéristiques structurales Strukturelle Eigenschaften Características estructurales Конструктивные свойства	ISO 10545-3		**Water absorption (in % by mass)** / Massa d'acqua assorbita (come % della massa) Masse d'eau absorbée (en % de la masse) / Aufgenommene Wassermasse (in % der Masse) / Peso de agua absorbida (como % de la masa) / Водопоглощение (% от массы)	
	ASTM C373-18			
Bulk mechanical characteristics Caratt. meccaniche massive Caractéristiques mécaniques massiques Mechanische Eigenschaften des Scherben Características mecánicas Механические свойства массы	ISO 10545-4		**Breaking strength** / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом	
			Modulus of rupture / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу	
	EN 1339 Annex F		**Bending strength and breaking load** / Resistenza a flessione e al carico di rottura Résistance à la flexion et à la charge de rupture / Biege- und Bruchfestigkeit Extraordinaria resistencia a la flexión y a la carga de rotura / Предел прочности при изгибе и разрушающая нагрузка	(4)(5)
	ISO 10545-5		**Impact resistance, as coefficient of restitution** / Resistenza all'impatto, espresso come coefficiente di restituzione Résistance au choc, par mesurage du coefficient de restitution / Schlagzähigkeit, ausgedrückt als Restitutionskoeffizient Resistencia al impacto, expresada como coeficiente de restitución / Ударопрочность, выраженная коэффициентом восстановления	
Surface mechanical characteristics Caratt. meccaniche superficiali Caractéristiques mécaniques superficielles Mechanische Eigenschaften der Oberfläche Características mecánicas superficiales Поверхностные механические свойства	ISO 10545-6		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) Résistance à l'abrasion profonde des carreaux non émaillés (volume du matériau retiré) Widerstand gegen Tiefenverschleiß von unglasierten Fliesen (Materialabtrag bzw. Volumenverlust) Resistencia a la abrasión profunda de las baldosas no esmaltadas (volumen material extraído) Стойкость к глубокому истиранию неглазурованных плиток (объем удаленного материала)	
Thermal and hygrometric characteristics Caratt. termo-igrometriche C. thermiques et hygrométriques Thermo-hygrometrische Eigenschaften Características termohigrométricas Тепловые и гигрометрические свойства	ISO 10545-8		**Coefficient of thermal linear expansion** / Coefficiente di dilatazione termica lineare Coefficient de dilatation thermique linéique / Lineare thermische Dehnung Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения	
	ISO 10545-9		**Thermal shock resistance** / Resistenza agli sbalzi termici Résistance aux écarts de température / Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura / Устойчивость к перепаду температур	
	ISO 10545-10		**Moisture expansion (in mm/m)** / Dilatazione all'umidità (in mm/m) Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m) Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м)	
	ISO 10545-12		**Frost resistance** / Resistenza al gelo Résistance aux gel / Frostbeständigkeit / Resistencia a las heladas / Морозоустойчивость	
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	EN 12004-2		**Bond strength/adhesion for improved cementitious adhesives** / Adesione a trazione con adesivi cementizi migliorati Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern Adherencia a tracción con adhesivos cementosos mejorados Прочность на растяжение при приклеивании улучшенными цементными клеями	
	-		**Reaction to fire** / Reazione al fuoco Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость	
Chemical characteristics Caratteristiche chimiche Caractéristiques chimiques Chemische Eigenschaften Características químicas Химические свойства	ISO 10545-13		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze Resistencia a los productos químicos de uso doméstico / Стойкость к химикатам, используемым в быту и для бассейнов	
			Resistance to low concentrations of acids and alkalis / Resistenza a basse concentrazioni di ACIDI e ALCALI Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации	
			Resistance to high concentrations of acids and alkalis / Resistenza ad alte concentrazioni di ACIDI e ALCALI Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации	
	ISO 10545-14		**Resistance to staining, for unglazed tiles** / Resistenza alle macchie per piastrelle non smaltate Résistance aux taches pour carreaux non émaillés / Widerstand gegen Fleckenbildung für unglasierte Fliesen / Resistencia a las manchas para azulejos no esmaltados / Устойчивость к загрязнению, для неглазурованных плиток	
Safety characteristics Caratteristiche di sicurezza Caractéristiques de sécurité Sicherheitsmerkmale Características de seguridad Характеристики безопасности	DIN EN 16165 ANNEX B (EX DIN 51130)		**Shod Ramp Test** / Metodo della rampa "calzato"/ Test de la rampe « chaussé » / Rampenmethode mit Schuhen Método de la rampa "calzado" / Метод наклонной плоскости (в обуви)	
	DIN EN 16165 ANNEX A (EX DIN 51097)		**Barefoot Ramp Test** Metodo della rampa a piedi nudi / Test de la rampe à pieds nus / Rampenmethode barfuß Método de la rampa a pies descalzos / Метод наклонной плоскости (босыми ногами)	(1)(2)
	BS EN 16165 ANNEX C (EX BS 7976)		**Pendulum Friction Test** / Metodo del Pendolo Méthode du Pendule / Pendelmethode / Método del péndulo / Метод маятника	(1)(2)
	AS 4586			
	UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)		**Coefficient of friction (COF)** / Coefficiente di attrito Coefficient de frottement / Reibungskoeffizient / Coeficiente de roce / Коэффициент трения	(1)(2)
	B.C.R.A. Rep. CEC/81			
	ANSI A 326,3		**Dynamic coefficient of friction (DCOF)** Coefficiente di attrito dinamico Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de roce dinámico Динамический коэффициент трения	(1)(2)(3)

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			AXI	BOOST				
				7 cm ≤ N < 15 cm	N ≥ 15 cm							
				(mm)	(%)	(mm)	Matte ✣ 9 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	-	≥ T11 120x120 60x60 / ≥ U11 80x80 / ≥U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R10	R9	R10	R10	R11	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			B	A	B	B	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			Class P3	(●●)	Class P3	Class P3	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			Class C2	(●●●)	Class C2	Class C2	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

BOOST BALANCE							BOOST COLOR	BOOST EXPRESSION				BOOST ICOR					
Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Matte Sensitech ✣ 9 mm	Velvet Velvetech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm		Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm		Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme		**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %		≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %		≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %		≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %		≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N		S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N		S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²		R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²		R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	
-	-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120		-	-	-	≥ T11 120x120 80x80 60x60 / ≥ U4 60x120		-	-	-	≥ T11 120x120 80x80 60x60 / ≥ U4 60x120 / ≥ U7 30x60	
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55		≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55		≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³		≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³		≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹		≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹		≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste		**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste		**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)		≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)		≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste		**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste		**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)		≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)		≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$		A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$		A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
A	A	A	A	A	A		A	A	A	A		A	A	A	A	
LA	LA	LA	LA	LA	LA		LA	LA	LA	LA		LA	LA	LA	LA	
HA	HA	HA	HA	HA	HA		HA	HA	HA	HA		HA	HA	HA	HA	
5	5	5	≥ 3	5	5		5	5	5	5		5	5	5	5	
R9	R10	R10	N.C.	R11	R11		R9	R9	R10	R11		R9	R10	R11	R11	
A	B	B	0	C	C		A	A	B	C		A	B	C	C	
(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet		(●)	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
(●●)	Class P3	Class P3	-	Class P4	Class P4		(●●)	(●●)	Class P3	Class P4	Class P4	(●●)	Class P3	Class P4	Class P4	
(●●●)	Class C2	Class C2	-	Class C3	Class C3		(●●●)	(●●●)	Class C2	Class C3	Class C3	(●●●)	Class C2	Class C3	Class C3	
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato		> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato		> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55		dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55		wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST MINERAL				
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ✣ 6 mm	Matte Sensitech ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
				(mm)	(%)	(mm)					
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to "strong" structures** Non applicabile a strutturati forti		
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.					
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120 60x90
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9	R10	R10	R11	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A	B	B	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(●●)	Class P3	Class P3	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(●●●)	Class C2	Class C2	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

BOOST MIX				BOOST NATURAL				BOOST NATURAL PRO					BOOST PRO					
Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm (1)	Matte Sensitech ✣ 9 mm (1)	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Velvet Velvetech ✣ 9 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm	Matte ✣ 6 mm	Matte Sensitech ✣ 9 mm	Matte Sensitech ✣ 6 mm	Grip Sensitech ✣ 9 mm	Outdoor Sensitech ✣ 20 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S. ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120	-	-	-	≥ T11 120x120 60x60	-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120	-	-	-	-	≥ T11 120x120 60x60 / ≥ U11 80x80 / ≥ U4 60x120
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³ (2)	≤ 150 mm³ (2)	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	-	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	≥ 3	5	5	5	5	5	5	5
R9	R10	R11	R11	R9	R10	R11	R11	R9	R10	N.C.	R11	R11	R9	R10	R10	R11	R11
A	B	C	C	A	B	C	C	A	B	0	C	C	A	B	B	C	C
(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
(●●)	Class P3	Class P4	Class P4	(●●)	Class P3	Class P4	Class P4	(●●)	Class P3	-	Class P4	Class P4	(●●)	Class P3	Class P3	Class P4	Class P4
(●●●)	Class C2	Class C3	Class C3	(●●●)	Class C2	Class C3	Class C3	(●●●)	Class C2	-	Class C3	Class C3	(●●●)	Class C2	Class C2	Class C3	Class C3
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

[1] Boost Natural Cobalt "Glazed Porcelain Tiles"
[2] PEI 3 (ISO 10545-7) Boost Natural Cobalt

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST STONE				
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
				(mm)	(%)	(mm)					
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilinietà degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	≥ T11 120x120 60x60 / ≥ U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9	R10	R10	R11	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A	B	B	C	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(●●)	Class P3	Class P3	Class P4	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(●●●)	Class C2	Class C2	Class C3	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

BRAVE			ENTICE				ETIC	ETIC PRO		EXENCE			HEARTWOOD
Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte (Natural) Sensitech ± 9 mm	Matte (Elegant) ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 9 mm	Matte ± 9 mm	Outdoor Sensitech ± 20 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte Sensitech ± 9 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Not applicable to 'strong' structures Non applicabile a strutturati forti			**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/ mm²	R ≥ 40 N/ mm²	R ≥ 40 N/ mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²
-	-	≥ T11 60x60 / ≥ U4 60x120	-	-	-	≥ U3 30x120	-	-	≥ U3 30x120	-	-	≥ U3 30x120	-
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5
R10	R11	R11	R10	R9	R11	R11	R9	R9	R11	R10	R11	R11	R10
B	C	C	B	A	C	C	A	A	C	B	C	C	B
≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
Class P3	Class P4	Class P4	Class P3	(●●)	Class P4	Class P4	(●●)	(●●)	Class P4	Class P3	Class P4	Class P4	Class P3
Class C2	Class C3	Class C3	Class C2	(●●●)	Class C3	Class C3	(●●●)	(●●●)	Class C3	Class C2	Class C3	Class C3	Class C2
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

			Requirements for nominal size N Requisiti per dimensione nominale N			LIMS			LOG	
			7 cm ≤ N < 15 cm	N ≥ 15 cm						
			(mm)	(%)	(mm)	Matte ± 6mm	Matte Sensitech ± 9 mm	Outdoor Sensitech ± 20mm	Matte ± 6mm	Matte Sensitech ± 9-9.5 mm
Regularity characteristics		**Length and width** Lunghezza e larghezza	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore	± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli	± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Not applicable to 'strong' structures** Non applicabile a strutturati forti	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%		≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**		≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)		S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²		R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-		-	-	≥ T11 60x60 / ≥ U4 60x120	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato		≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³		≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato		≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato		≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato		≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$		A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B		A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata		5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato		R9	R10	R11	R9	R10
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato		A	B	C	A	B
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**		(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**		(●●)	Class P3	Class P4	(●●)	Class P3
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato		(●●●)	Class C2	Class C3	(●●●)	Class C2
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata		> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-		wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50

LOG		LOG CANSEI		MARVEL					MARVEL DIVA					MARVEL DREAM				MARVEL GALA	
Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Polished ± 6 mm	Polished ± 9 mm	Silk ± 6 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Silk ± 6 mm	Polished ± 6 mm	Polished ± 9 mm	Velvet Velvetech ± 9 mm	Matte Sensitech ± 9 mm	Polished ± 6 mm	Polished ± 9 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Polished ± 6 mm	Polished ± 9 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1000 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N
R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
-	≥ U3 30x120 / ≥ U4 60x120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	-	-	HA	HA	HA	HA	-	-	-	HA	-	-	HA	HA	-	-
5	5	5	5	5	5	5	5	5	5	5	5	≥ 3	5	5	5	5	5	5	5
R11	R11	R10	R11	N.C.	N.C.	N.C.	R9	R10	N.C.	N.C.	N.C.	N.C.	R10	N.C.	N.C.	R9	R10	N.C.	N.C.
C	C	B	C	0	0	0	A	B	0	0	0	0	B	0	0	A	B	0	0
≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet
Class P4	Class P4	Class P3	Class P4	-	-	-	(●●)	Class P3	-	-	-	-	Class P3	-	-	(●●)	Class P3	-	-
Class C3	Class C3	Class C2	Class C3	-	-	-	(●●●)	Class C2	-	-	-	-	Class C2	-	-	(●●●)	Class C2	-	-
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			MARVEL GEMS	MARVEL MERAVIGLIA			
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte Sensitech ± 9 mm	Polished ± 6 mm	Polished Velvet Velvetech ± 9 mm	Matte Sensitech ± 9 mm	Outdoor Sensitech ± 20mm
				(mm)	(%)	(mm)					
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilinietà degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
				w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.					
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	≥ U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{FL}$** Classe A1 oppure $A1_{FL}$			A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	-	-	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5 Polished ≥ 3 Velvet	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R10	N.C.	N.C.	R10	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			B	0	0	B	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			Class P3	-	-	Class P3	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			Class C2	-	-	Class C2	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55

MARVEL ONYX		MARVEL SHINE					MARVEL STONE					MARVEL TRAVERTINE				
Polished ± 6 mm	Polished ± 9 mm	Silk ± 6 mm	Silk ± 9 mm	Polished ± 6 mm	Polished ± 9 mm	Matte Sensitech ± 9 mm	Polished ± 6 mm	Polished ± 9 mm	Silk ± 6 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Matte ± 6 mm	Matte Sensitech ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	≥ U4 60x120
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$	A1 - $A1_{FL}$
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
-	-	HA	HA	-	-	HA	-	-	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
N.C.	N.C.	N.C.	N.C.	N.C.	N.C.	R10	N.C.	N.C.	N.C.	R9	R10	R9	R10	R10	R11	R11
0	0	0	0	0	0	B	0	0	0	A	B	A	B	B	C	C
≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	(●)	≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
-	-	-	-	-	-	Class P3	-	-	-	(●●)	Class P3	(●●)	Class P3	Class P3	Class P4	Class P4
-	-	-	-	-	-	Class C2	-	-	-	(●●●)	Class C2	(●●●)	Class C2	Class C2	Class C3	Class C3
> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Porcelain tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			MARVEL X					
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Silk ≑ 6 mm	Silk ≑ 9 mm	Polished ≑ 6 mm	Polished ≑ 9 mm	Matte Sensitech ≑ 9 mm	Outdoor Sensitech ≑ 20 mm
				(mm)	(%)	(mm)						
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilinietà degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Structural characteristics		**Water absorption (in % by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥10000 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	-	≥ U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	-	-	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5	5
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			N.C.	N.C.	N.C.	N.C.	R10	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			0	0	0	0	B	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			-	-	-	-	Class P3	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			-	-	-	-	Class C2	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55

NORDE						PRISM				
Matte Sensitech ≑ 9 mm	Grip Sensitech ≑ 9 mm	Roccia ≑ 9 mm	Outdoor Sensitech ≑ 20 mm			Matte ≑ 6 mm	Matte Sensitech ≑ 9 mm	Silk ≑ 9 mm	Grip Sensitech ≑ 9 mm	Outdoor Sensitech ≑ 20 mm
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme			**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme			**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme			**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme			**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Not applicable to "strong" structures Non applicabile a strutturati forti **Not applicable to "strong" structures** Non applicabile a strutturati forti						**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
-	-	-	≥ T11 60x60	≥ U4 60x120 60x90	≥ U11 80x80	-	-	-	-	≥ T11 120x120	≥ U11 80x80
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	
≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)			≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/ mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$			A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	
A	A	A	A			A	A	A	A	A	
LA	LA	LA	LA			LA	LA	LA	LA	LA	
HA	HA	HA	HA			HA	HA	HA	HA	HA	
5	5	5	5			5	5	5	5	5	
R10	R11	R12	R11			R9	R10	N.C.	R11	R11	
B	C	C	C			A	B	0	C	C	
≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
Class P3	Class P4	Class P4	Class P4			(●●)	Class P3	-	Class P4	Class P4	
Class C2	Class C3	Class C3	Class C3			(●●●)	Class C2	-	Class C3	Class C3	
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	

Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

(●). PTV ≥ 36 Wet on demand - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Wall Tiles
Technical Specification

Complies with	EN 14411 (ISO 13006)	Appendix	L	Group	BIII
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	L	Gruppo	BIII
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	L	Groupe	BIII
Entsprechend	EN 14411 (ISO 13006)	Anhang	L	Gruppe	BIII
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	L	Grupo	BIII
Соответствует норме	EN 14411 (ISO 13006)	Приложение	L	Группа	BIII

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Technical feature symbols

Dimensions Dimensioni Dimensions Maße Tamaño Размер	ISO 10545-2		**Length and width** / Lunghezza e larghezza Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон (*) **Thickness** / Spessore Epaisseur / Stärke / Grosor / Толщина (**) **Straightness of sides** / Rettilineità degli spigoli Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон (***) **Rectangularity** / Ortogonalità Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность (****)
			SURFACE FLATNESS / PLANARITÀ Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности c.c. e.c. ws.
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	ISO 10545-3		**Water absorption** / Massa d'acqua assorbita Masse d'eau absorbée / Aufgenommene Wassermasse / Peso de agua absorbida / Водопоглощение
	ISO 10545-4		**BREAKING STRENGTH** / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом **Modulus of rupture** / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу
	ISO 10545-8		**Coefficient of thermal linear expansion** / Coefficiente di dilatazione termica lineare Coefficient de dilatation thermique linéique / Lineare thermische Dehnung Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения
	ISO 10545-9		**Thermal shock resistance** / Resistenza agli sbalzi termici Résistance aux écarts de température / Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura / Устойчивость к перепаду температур
	ISO 10545-10		**Moisture expansion (in mm/m)** / Dilatazione all'umidità (in mm/m) Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m) Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м)
	ISO 10545-11		**Crazing resistance** / Resistenza al cavillo Résistance aux craquelurès / Haarriss-Beständigkeit / Resistencia a grietas / Устойчивость эмали к кракелюру (старению)
	EN 1348		**Bond strength/adhesion for improved cementitious adhesives** / Adesione a trazione con adesivi cementizi migliorati Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern Adherencia a tracción con adhesivos cementosos mejorados Прочность на растяжение при приклеивании улучшенными цементными клеями
	-		**Reaction to fire** / Reazione al fuoco Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость
Chemical properties Proprietà chimiche Proprietes chimiques Chemische eigenschaften Propiedades químicas Химические характеристики	ISO 10545-13		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze Resistencia a los productos químicos de uso doméstico Стойкость к химикатам, используемым в быту и для бассейнов **Resistance to low concentrations of acids and alkalis** / Resistenza a basse concentrazioni di acidi e alcali Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации **Resistance to high concentrations of acids and alkalis** / Resistenza ad alte concentrazioni di acidi e alcali Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации
	ISO 10545-14		**Resistance to STAINING** / Resistenza alle macchie Résistance aux taches / Widerstand gegen Fleckenbildung / Resistencia a las manchas / Устойчивость эмали к загрязнению
	ISO 10545-15		**Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²)** Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²) Emission de substances dangereuses: Cadmium (mg/dm²) et Plomb (mg/dm²) Emission von gefährlichen Stoffen: Cadmium (mg/dm²) und Blei (mg/dm²) Emisión de sustancias peligrosas: Cadmio (mg/dm²) y Plomo (mg/dm²) Выделение вредных веществ: кадмия (в мг/дм²) и свинца (в мг/дм²)

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Wall tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			3D WALL CARVE	3D WALL DESIGN – SOLID	3D WALL PLASTER	APLOMB
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte	Matte Shiny	Matte	Matte
				(mm)	(%)	(mm)				
Dimensions Dimensioni Dimensions Maße Tamaño Размер		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
		Surface flatness Planarità		c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
				e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.				
				w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики		**Water absorption (in% by mass)** Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%** Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20%
		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
		Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm²			R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/ mm2
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
		Crazing resistance Resistenza al cavillo	ISO 10545-11	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)
		Reaction to fire Reazione al fuoco	-	**Class A1** Classe A1			A1	A1	A1	A1
Chemical properties Proprietà chimiche Proprietes chimiques Chemische eigenschaften Propiedades químicas Химические характеристики		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	HA	HA	HA
		Resistance to staining Resistenza alle macchie	ISO 10545-14	**Minimum Class 3** Classe 3 minima			5	5	5	5
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb

BOOST	BOOST COLOR	BOOST EXPRESSION	BOOST ICOR	BOOST NATURAL	BOOST NATURAL PRO	BOOST PRO	BRAVE	LIMS	LOG	MARVEL	MARVEL 3D	MARVEL DIVA	MARVEL SHINE	PRISM
Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Shiny	Matte	Matte	Silk-Shiny	Matte
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
Suitable for Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**3D WALL Not applicable** Non applicable	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme	**Suitable for** Conforme
3D WALL Not applicable Non applicable	**3D WALL Not applicable** Non applicable	**Suitable for** Conforme	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable			**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable	**3D WALL Not applicable** Non applicable
10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %	10% < E_v ≤ 20 %
S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²	R ≥ 15 N/mm²
≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}	≤ 7 MK^{-1}
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)	≥ 1,0 N/mm² (Class C2 – EN 12004)
A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).


e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).


Technical feature - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS


atlasPLAN
Technical Specification



162x324 cm - 63³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



159x324 cm - 62³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



160x320 cm - 63"x126"
RECTIFIED MONOCALIBER

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**

Technical features

				Requirements for nominal size N Requisiti per dimensione nominale N		162x324 cm - 63³/₄"x127¹/₂" 159x324 cm - 62¹/₂"x127¹/₂" Not Rectified			160x320 cm - 63"x127" Rectified		
				N ≥ 15 cm							
				(%)	(mm)	Silk	Matte Hammered Leathered	Polished Satin	Silk	Matte Hammered	Polished
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,3 (*)	± 1 (*)	N.A.			**Suitable for** Conforme		
		Thickness Spessore		± 5 (**)	± 0,5 (**)	**Suitable for** Conforme			**Suitable for** Conforme		
		Straightness of sides Rettilineità degli spigoli		± 0,3 (***)	± 0,8 (***)	N.A.			**Suitable for** Conforme		
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,3 (****)	± 1,5 (****)	N.A.			**Suitable for** Conforme		
		Surface flatness Planarità		c.c. ± 0,4 e.c. ± 0,4 w. ± 0,4	c.c. ± 1,8 e.c. ± 1,8 w. ± 1,8	**Suitable for** Conforme			**Suitable for** Conforme		
Structural characteristics		**Water absorption** Massa d'acqua assorbita	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** E, ≤ 0,5% Valore max singolo 0,6%		≤ 0,1 %			≤ 0,1 %		
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**		≤ 0,5 %			≤ 0,5 %		
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	S ≥ 700 N **for thickness < 7,5mm** per spessore < 7,5mm	S ≥ 1300 N **for thickness ≥ 7,5mm** per spessore ≥ 7,5mm	12 mm -> S ≥ 3500N 20 mm -> S ≥ 10000N			S ≥ 1000N		
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²		R ≥ 40 N/mm²			R ≥ 40 N/mm²		
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato		≥ 0,55			≥ 0,55		
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³		**Suitable for** Conforme			**Suitable for** Conforme		
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato		≤ 7 MK⁻¹			≤ 7 MK⁻¹		
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato		≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)		
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato		≥ 1,0 N/mm² (Class C2 - EN 12004)			≥ 1,0 N/mm² (Class C2 - EN 12004)		
		Reaction to fire Reazione al fuoco	-	A1 or A1fl		A1 without fiberglass - A2 with fiberglass			A1 - A1fl		
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B (B for unglazed tiles)** Classe minima B (B per piastrelle non smaltate)		A			A		
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		LA			LA		
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		HA	HA	-	HA	HA	-
		Resistance to staining Resistenza alle macchie	ISO 10545-14	**Declared Class** Classe dichiarata		5			5		
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato		≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb		
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared Class** Classe dichiarata		-	-	-	-	R9	-
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared Class** Classe dichiarata		-	-	-	-	A	-
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata		-	-	-	-	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-		-	-	-	-	wet DCOF > 0,42	dry DCOF > 0,42
		Resistance to scratching Resistenza alla graffiatura	UNI EN 15186:2012 met.B	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Tendency to retain dirt Tendenza a ritenere lo sporco	UNI 9300:2015	-		**No visible change (5)** Nessun cambiamento visibile (5)			**No visible change (5)** Nessun cambiamento visibile (5)		
		Surface resistance to cold liquids Resistenza delle superfici ai liquidi freddi	UNI EN 12720:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Surface resistance to wet heat Resistenza delle superfici al calore umido	UNI EN 12721:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Surface resistance to dry heat Resistenza delle superfici al calore secco	UNI EN 12722:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Assessment of resistance to impact Resistenza all'urto	ISO 4211-4:1988	-		**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.			**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.		

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Destinations of use

Recommended products by intended use

H HEAVY TRAFFIC

HEAVY COMMERCIAL
Malls, airports, places of worship, schools, museums, squares, hospitals, hotels - foyers, undergrounds, train stations, etc.

COMMERCIALI PESANTI
Mall, aeroporti, luoghi di culto, scuole, musei, piazze, ospedali, hotel - hall di ingresso, metropolitane, stazioni ferroviarie, ecc...

M MEDIUM TRAFFIC*

MEDIUM COMMERCIAL*
Restaurants, offices, shops, public restrooms, public offices, hotels except for foyers, business lounges, mandatory passageways and areas subject to the transit of trolleys with hard wheels or highly concentrated loads.

COMMERCIALI MEDI*
Ristoranti, uffici, negozi, bagni pubblici, uffici pubblici, hotel - ad esclusione delle hall di ingresso, business lounge, di passaggi obbligati e zone soggetto a transito di carrelli con ruote dure ovvero elevati carichi concentrati.

L LIGHT TRAFFIC

RESIDENTIAL
Bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.

RESIDENZIALI
Camere da letto, soggiorni, studi, cucine private, bagni privati...

Outdoor Sensitech 20 mm — H M L

Grip / Grip Sensitech 9 mm — H M L

Textured / Roccia 9 mm — H M L

Matte Sensitech 9 mm — H M L

Matte 9 mm — H M L

Matte 6 mm — M L

Silk 6 - 9 mm — M L

Polished 6 - 9 mm — M L

Velvet Velvetech 9 mm [1] — L

INTENDED USES FOR OUTDOORS

INDUSTRIAL AND/OR COMMERCIAL AREAS FOR VEHICLES
Squares, public car parks, filling stations, paving for forklift trucks, pallet jacks, trailer trucks, buses, industrial platforms, etc.

INSTALLATION METHOD
1. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish [2].

AREE INDUSTRIALI E/O COMMERCIALI CARRABILI
Piazze, parcheggi pubblici, stazioni di rifornimento, pavimentazioni con transito di carrelli elevatori, transpallet, autoarticolati, autobus, piattaforme industriali, ecc...

TIPO DI POSA
1. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo [2].

RESIDENTIAL AREAS FOR VEHICLES
Outdoor courtyards, private homes, apartment complex parking lots (garages), etc. Pavements used only by cars.

INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method.
Choose porcelain tiles with anti-slip finish [2].

AREE RESIDENZIALI CARRABILI
Cortili esterni abitazioni private, parcheggi condominiali (garage interni), ecc... Pavimentazioni a transito esclusivo di autovetture.

TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo [2].

AREAS FOR PEDESTRIANS ONLY
Patios, gardens and walkways, terraces, balconies, urban pedestrian areas, etc.

INSTALLATION METHOD
1. RAISED INSTALLATION AND "DRY" LAYING (on grass, sand and gravel). Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish [2].
2. LAYING WITH ADHESIVE using the "double buttering" method.
Choose porcelain tiles with anti-slip finish [2].

AREE SOLO PEDONABILI
Patii, giardini e camminamenti, terrazze, balconi, aree urbane pedonali, ecc...

TIPO DI POSA
1. POSA SOPRAELEVATA E A "SECCO" (su erba, sabbia e ghiaia). Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo [2].
2. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo [2].

POOL EDGES
INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish [2].

BORDI PISCINA
TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo [2].

* **Polished and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. Under no circumstances does Atlas Concorde accept responsibility for any use of the product other than as recommended above.** - Le finiture lappata e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. Atlas Concorde non si assume in nessun caso la responsabilità per un uso del prodotto diverso da quanto consigliato sopra.- Les finitions rodée et soyeuse conviennent aux sols résidentiels ou commerciaux à faibles contraintes, où la performance antidérapante n'est pas requise. La brillance et la grande facilité de nettoyage de la surface sont le résultat d'études approfondies et de recherches techniques précises visant à assurer sa persistance dans le temps. Si le produit est en contact direct avec l'extérieur, prévoyez des dispositifs d'absorption de l'humidité et de la saleté pour éviter la formation de rayures. Atlas Concorde n'accepte aucune responsabilité pour toute utilisation du produit autre que celle recommandée ci-dessus. - Die Oberflächenversionen Geläppt und Silk eignen sich für Bodenbeläge in Wohnbereichen bzw. in gering beanspruchten Gewerberäumen, wenn keine Rutschfestigkeit erforderlich ist. Der Glanz und die einfache Reinigung der Oberfläche sind das Resultat eingehender technischer Studien, mit denen die langfristige Beständigkeit sichergestellt wurde. Kommt das Produkt direkt mit der externen Umgebung in Kontakt, so sind Feuchtigkeit und Schmutz mit geeigneten Mitteln aufzunehmen, um Kratzer zu vermeiden. Atlas Concorde haftet keinesfalls für eine nicht den vorstehenden Empfehlungen entsprechende Verwendung des Produkts. - Los acabados lapeados y silk son adecuados para pavimentos residenciales y comerciales con poco tráfico, donde no se requiere un efecto antideslizante. El brillo y la gran facilidad de limpieza de la superficie son el resultado de profundos estudios e investigaciones técnicas precisas para asegurar su persistencia en el tiempo. Si el producto está en contacto directo con el exterior, proporcionar dispositivos de absorción de humedad y suciedad para evitar arañazos. Atlas Concorde no asume responsabilidad alguna por cualquier uso del producto distinto del recomendado anteriormente. - Лаппатированная поверхность и поверхность Silk рекомендованы для полов жилых и коммерческих помещений с невысокой интенсивностью эксплуатации, в которых от покрытий не требуется характеристик сопротивления скольжению. Блеск и легкая очищаемость являются результатом глубоких исследований, направленных на создание долговечного материала. Если плитка находится в непосредственном контакте с наружной средой, необходимо предусмотреть устройства поглощения влаги и грязи во избежание образования царапин. Atlas Concorde не несет ответственности за использование изделий с нарушением вышеприведенных рекомендаций.

[1] ⚠ **PRECAUTIONS - VELVET IS A DELICATE SURFACE**
The Velvet finish is a delicate surface that requires care. To preserve its beauty and ensure proper use, please refer to our instructions on page 378.
La finitura Velvet è una superficie delicata che merita attenzione. Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 378.

[2] **For the properties of slip resistance required in the aforementioned uses it is always necessary to comply with the local laws, regulations and uses, referring to the technical sheets of the selected products.** - Per le proprietà di resistenza allo scivolamento richieste nelle destinazioni d'uso sopra itate occorre sempre attenersi alle normative, leggi ed usi locali facendo riferimento alle schede tecniche dei prodotti selezionati. - Pour les propriétés de résistance à la glissade exigées par les destinations d'usage susmentionnées, il faut toujours respecter les normes, lois et réglementations locales en se référant aux fiches techniques des produits sélectionnés. - Für die von den obigen Zweckbestimmungen verlangte Rutschfestigkeit sind stets die örtlich geltenden Vorschriften, Gesetze und Gebräuche zu beachten. Siehe hierzu die technischen Datenblätter der gewählten Produkte. - Para las propiedades de resistencia al deslizamiento requeridas según los usos previstos antes indicados, es taxativo atenerse a las normativas, leyes y usos locales siempre consultando las fichas técnicas de los productos seleccionados. - Характеристики сопротивления скольжению при использовании плиток для вышеописанных назначений выбирают согласно местным законам, стандартам и правилам по листу технических характеристик выбранных изделий.

Color-Shading

The V-Shade classification indicates the chromatic and/or surface variation among tiles of the same collection.
La classificazione VShade indica variazione cromatica e/o superficiale tra le piastrelle di una stessa collezione.
La classification VShade indique le variation chromatique et/ou superficielle entre des dalles d'une même collection.
Die Klassifizierung V-Shade gibt das Niveau des Farbverlaufs des Produktes oder die Abweichung des Farbtons und/oder Oberfläche unter den Fliesen der gleichen Kollektion an.
La clasificación V-Shade indica el variación cromática y/o superficial que existe entre las baldosas de una misma colección.
Классификация V-Shade указывает на уровень цветовой или фактурной неоднородности плиток, т.е. на отличия по цвету или по фактуре между плитками одной коллекции.

V1 **Uniform appearance**
Aspetto uniforme
Aspect uniforme
Gleichmäßiges Erscheinungsbild
Aspecto uniforme
Однородный вид

V2 **Slight variation**
Variazione minima
Variation minimale
Leichte Abweichung
Variación mínima
Минимальная Неоднородность

V3 **Moderate variation**
Variazione moderata
Variation Modérée
Mäßige Abweichung
Variación moderada
Умеренная Неоднородность

V4 **Substantial variation**
Variazione sostanziale
Variation substantielle
Grundlegende Abweichung
Variación sustancial
Значительная Неоднородность

Collection	Colour		Colour-shading
3D WALL CARVE	Wall tiles		**V1**
3D WALL DESIGN	Wall tiles		**V1**
3D WALL PLASTER	Wall tiles		**V1**
APLOMB	Wall tiles		**V1**
AXI	Porcelain tiles	Golden Oak	**V3**
BOOST	Porcelain & Wall tiles		**V3 Porcelain tiles** **V2 Wall tiles**
BOOST BALANCE	Porcelain tiles		**V2**
BOOST COLOR	Porcelain & Wall tiles		**V1**
BOOST EXPRESSION	Porcelain & Wall tiles		**V2**
BOOST ICOR	Porcelain & Wall tiles		**V3**
BOOST MINERAL	Porcelain tiles		**V3**
BOOST MIX	Porcelain tiles		**V3**
BOOST NATURAL	Porcelain & Wall tiles		**V2**
BOOST NATURAL PRO	Porcelain & Wall tiles		**V2**
BOOST PRO	Porcelain & Wall tiles		**V3 Porcelain tiles** **V2 Wall tiles**
BOOST STONE	Porcelain tiles		**V2**
BRAVE	Porcelain & Wall tiles		**V2**
ENTICE	Porcelain tiles		**V2**
ETIC	Porcelain tiles	Rovere	**V3**
ETIC PRO	Porcelain tiles		**V3**
EXENCE	Porcelain tiles		**V2**
HEARTWOOD	Porcelain tiles		**V3**
LIMS	Porcelain & Wall tiles		**V3 Porcelain tiles** **V2 Wall tiles**
LOG	Porcelain & Wall tiles		**V2 Natural selection** **V3 Forest selection**
LOG CANSEI	Porcelain tiles		**V3**

Collection	Colour		Colour-shading
MARVEL	Porcelain & Wall tiles		**V2**
MARVEL 3D	Wall tiles		**V2**
MARVEL DIVA	Porcelain & Wall tiles		**V3**
MARVEL DREAM	Porcelain tiles		**V2**
MARVEL GALA	Porcelain tiles		**V3**
MARVEL GEMS	Porcelain tiles		**V2**
MARVEL MERAVIGLIA	Porcelain tiles		**V3**
MARVEL ONYX	Porcelain tiles		**V3**
MARVEL SHINE	Porcelain & Wall tiles	Calacatta Delicato	**V2**
		Calacatta Prestigio	**V2**
		Statuario Supremo	**V2**
		Calacatta Imperiale	**V3**
MARVEL STONE	Porcelain tiles		**V2**
MARVEL TRAVERTINE	Porcelain tiles		**V3**
MARVEL X	Porcelain tiles	Calacatta Apuano	**V2**
		Calacatta Sublime	**V3**
		Calacatta Perla	**V3**
		Grey Cloud	**V3**
		Fior di Bosco	**V3**
NORDE	Porcelain tiles		**V3**
PRISM	Porcelain & Wall tiles		**V2**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Laying suggestions - cleaning and maintenance

1. LAYING

Before starting the installation process, make sure the laying surface is well cured, flat and completely clean and that the material available is sufficient in quantity and has the right tone and size.

2 CHOICE OF ADHESIVE

The use of an appropriate adhesive is essential for a successful installation. For the installation of ceramic tiles, you should follow the laying instructions provided by leading adhesives manufacturers.
You should choose the most suitable adhesive on the basis of the following factors:

- laying surface
- type and size of tile
- use of tiled surface (floor/wall; indoor/outdoor)
- weather conditions at the time of laying
- waiting time before the ceramic surface can be used

USE Laying surface	TYPE OF TILE Type	SIZE (cm)	RECOMMENDED ADHESIVES - European Standards EN 12004 Normal Set	 Rapid set
INDOOR FLOORS				
Cementitious screeds Existing cement floors (cement concrete, bush-hammered) Anhydrite screeds (following application of a suitable primer) Heating floors Existing ceramic, terrazzo and natural stone floors Waterproofing in bathrooms	porcelain tiles	< 30x30 cm	Improved cementitious adhesives with long open time (Class C2E).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives with long open time and deformable (Class C2E - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
INDOOR WALL TILES				
Cementitious plaster or mortar Plaster (plaster or panels, following application of a suitable primer) Painted walls Cast concrete (Following application of primer on gypsum-based joints) Plasterboard Waterproofing in bathrooms and showers Existing ceramic tiles	wall tiles	any size	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
	porcelain tiles	< 30x30 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
OUTDOOR FLOORS				
Cementitious screeds Concrete floor Layers of waterproofing	porcelain tiles	< 30x30 cm	A Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≤ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2).	Improved cementitious adhesives with long open time and highly deformable (Class C2FE - S2). ●
OUTDOOR WALLS				
Cementitious plaster Concrete cast in situ or prefabricated	porcelain tiles	< 30x30 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm ●●	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm ●●	Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2).	Improved and highly deformable cementitious adhesives (Class C2F - S2). ●

● For large size tiles laid at a height of more than three meters, certain international regulations specify that tiles should be laid using a mixed system of adhesive and mechanical fixtures chosen in relation to the weight of the tile, height of the tiling and site conditions.


●● For tiles with a side measuring more than 30 cm laid at heights of more than three meters, certain international regulations specify the use of an additional mechanical anchor that ensures the retention of the tile in case of accidental detachment, to be chosen in relation to the weight of the tile, the height of the tiling and the site conditions.

3. LAYING THE TILES

Installation should be performed by qualified personnel using the proper tools. The laying of the material should be checked before the adhesive is dry so that any corrections can be made. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm.
When laying tiles with a side longer than 60 cm and in any case for commercial indoor environments or outdoors it is essential to spread the adhesive using double buttering, applying the adhesive in a linear method parallel to the short side both on the substrate and on the back of the tile, thus ensuring perfect adhesion between the tile and substrate. To minimize the unevenness of the tiles both on the floor and on the wall it is recommended to use "easy installation systems" with spacers and levelers.
Spread the adhesive using a suitably toothed spatula.

3A. LAYING RECTANGULAR FORMATS

For straight courses of rectangular formats, the maximum offset between tiles must not exceed 1/3 of the length of the adjacent side.



4. SQUARE OR PERPENDICULAR CUTS

To perform square or perpendicular cuts, it's best to first drill circular holes near the corners of the hole and then connect them with linear cuts, which will relax the tension at the corners of the tile.

5. JOINTS AND GROUTING

Before filling the joints, it is recommended to wait until the adhesive is completely dry and to ensure that the joints are free of all traces of adhesive and/or dust. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm. For joints in a color that contrasts with the tiles, it is recommended to test the grout in a small, hidden area. You should follow the instructions provided by leading grout manufacturers.

USE	RECOMMENDED GROUTS - EUROPEAN STANDARDS EN 13888
Residential interiors	Improved cementitious mortars for joints (Class CG2)
Damp interiors (bathrooms, showers) and outdoors	Improved cementitious mortars for joints with low water absorption (CG2 WA)
Commercial premises	Improved cementitious mortars for joints with high resistance to abrasion (Class CG2 A)
Premises requiring total hygiene and resistance to chemical agents (swimming pools, kitchen work surfaces, food industry, hospitals, supermarkets, etc).	Epoxy mortars (Class RG).

5A. ELIMINATION OF EXCESS GROUT

To correctly and easily eliminate excess grout, follow the instructions given by the grout manufacturer. In general, proceed as follows:
Cementitious grouts
When the grout becomes opaque (normally after 10-20 minutes), clean with a hard cellulose sponge using movements on a diagonal to the joints. It is important to respect the drying time to avoid removing the grout from the joints.
Epoxy grouts
When the mixture is still fresh, wet the surface with plenty of water, emulsifying with a pad like Scotch-Brite®, paying attention not to empty the joints.
The residual grout liquid can be removed with a hard cellulose sponge (to be replaced when excessively soaked with resin).
It is vital to remove epoxy grout rapidly before it starts hardening as it is extremely difficult to remove subsequently. If the epoxy grout has started to harden, try adding 10% alcohol to the washing water.

6. CLEANING AND MAINTENANCE

6A. FINAL SITE CLEANING

The work site is considered finished when it is cleared of any tools/materials used for the job. To reduce the risk of damage to the tiled surface, it is necessary to protect it and avoid the presence of abrasive materials.
After a few days, eliminate residues with a commercial Scotch-Brite® pad, brush or single brush floor cleaner (for large surfaces).
For walls, use a neutral detergent in hot water.
For floors, use a mild acid wash diluted according to the type of surface (smooth or textured). It is important to protect marble or metal inserts previously with adhesive tape.
Rinse with abundant clean water to eliminate all marks or residues from the joints.
If necessary, repeat the acid wash at a higher concentration, unless there are marble or metal inserts. Do not use diluted commercially-available acids.

6B. ROUTINE MAINTENANCE

You are recommended to use ordinary neutral detergent diluted in water.
Avoid using acid or alkaline products, waxes and/or impregnants and metal pads (iron or steel sponges).
In the event of heavy dirt or particularly textured surfaces, use an alkaline detergent and rinse after washing.
For large surfaces, the use of a floor washing machine is recommended.

6C. UNSCHEDULED MAINTENANCE

In the event of dirt resistant to the ordinary cleaning, use a suitable detergent for the particular kind of dirt.

TYPE OF DIRT (resistant to ordinary maintenance)	DETERGENT/SOLVENT
Coal, lime efflorescence, chalk, metal marks, rust, graphite, emulsion paint	Acid detergents*
Coca cola, coffee, wine, beer, ice cream	Alkaline detergents
Resin, silicon or mechanical oils, candle wax, paint	Solvents
Tire marks, sole marks, suction cup marks	Alkaline detergent in an abrasive paste

* Important: Acid products may corrode marble, granite, natural stone and metal. Avoid using in the presence of decoration or inserts in these materials

The cleaning characteristics of the materials may vary significantly depending on the laying method, conditions of use, type of surface and environment. Generally speaking, the higher the non-slip characteristics of the tiles, the more difficult they are to clean.
The maintenance and cleaning operative should always test each cleaning method empirically in advance (if possible on a piece of the material not laid)
In the case of particularly heavy use (for example, mechanical workshops or environments with a heavy presence of oily residues and tire marks), incorrect laying or inappropriate cleaning, Atlas Concorde declines all responsibility for the effectiveness of cleaning and maintenance operations.
Atlas Concorde cannot, under any circumstances, be held responsible for events, damage or defects caused by incorrect laying, negligent cleaning and maintenance or the use of materials and adhesives inappropriate for the use.

FR-DE-ES-RU

Suggerimenti per la posa, pulizia e manutenzione

1. POSA IN OPERA
Prima di iniziare la posa, si raccomanda di assicurarsi che la superficie di appoggio sia sufficientemente stagionata, planare e ben pulita e che la fornitura di materiale sia adeguata e sufficiente per quantità, tono e calibro.

2. SCELTA DELL'ADESIVO
L'utilizzo di un adesivo appropriato è di fondamentale importanza per la posa. Si raccomanda di seguire le indicazioni dei migliori produttori di adesivi per la posa di piastrelle ceramiche.
In generale, l'adesivo più adeguato si individua considerando i seguenti fattori:
- tipo di supporto
- tipologia e formato delle piastrelle
- destinazione d'uso del rivestimento ceramico (pavimento/rivestimento; interno/esterno)
- condizioni climatiche all'atto della posa
- tempi a disposizione per la messa in esercizio del rivestimento ceramico


DESTINAZIONE D'USO Tipo di supporto	TIPO DI PIASTRELLE Tipologia	FORMATO (cm)	ADESIVI CONSIGLIATI - Normativa Europea EN 12004 Presa normale	 Presa rapida
PAVIMENTI INTERNI				
Massetti cementizi Pavimento in cemento esistenti (Battuto, bocciardato)	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati e a tempo aperto allungato (classe C2E).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
Massetti in anidrite (Previa applicazione di opportuno primer)		≥ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
Massetti riscaldanti Pavimenti in ceramica, marmette e pietre naturali esistenti Impermeabilizzazione in bagni		≥ 60x60 cm	Adesivi cementizi migliorati, a tempo aperto allungato e deformabili (classe C2E - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabile (classe C2FT - S1). ●
RIVESTIMENTI INTERNI				
Intonaco cementizio o malta Gesso (Intonaci o pannelli previa applicazionedi opportuno primer) Calcestruzzo di getto Gesso cartonato (Previa applicazione di primer sulle giunture a base gesso) Impermeabilizzazioni in bagni e docce Piastrelle ceramiche esistenti	rivestimenti	tutti formati	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
PAVIMENTI ESTERNI				
Massetti cementizi Soletta in calcestruzzo Strati di impermeabilizzazione	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≤ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 60x60 cm	Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2).	Adesivi cementizi migliorati a tempo aperto allungato e altamente deformabile (classe C2FE - S2). ●
RIVESTIMENTI ESTERNI				
Intonaco cementizio Calcestruzzo gettato in opera o prefabbricato	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm ●●	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ●
		≥ 60x60 cm ●●	Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2).	Adesivi cementizi migliorati e altamente deformabili (classe C2F - S2). ●

● Nel caso di posa in condizioni di basse temperature oppure qualora sia necessario mettere in esercizio rapidamente il rivestimento ceramico è preferibile l'utilizzo di adesivi cementizi migliorati a presa rapida (Classe C2F - EN 12004).

●● Nel caso di piastrelle con un lato maggiore di 30 cm posate ad altezze superiori ai 3 metri, alcune normative internazionali prevedono l'utilizzo di un ancoraggio meccanico supplementare che assicuri la ritenzione della piastrella in caso accidentale di distacco, da scegliere in relazione al peso della piastrella, all'altezza del rivestimento ed alle condizioni del cantiere.

3. STESURA DEGLI ADESIVI E POSA DELLE PIASTRELLE:
La posa deve essere effettuata da personale qualificato con l'ausilio di attrezzi adeguati. È opportuno verificare la posa del materiale prima che il collante sia secco in modo da poter provvedere ad eventuali correzioni.
Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm.
Nel caso di posa di piastrelle con un lato maggiore di 60cm e in ogni caso per ambienti interni commerciali oppure all'esterno è fondamentale stendere l'adesivo con il sistema della doppia spalmatura applicando la colla linearmente in direzione parallela al lato corto sia sul supporto di posa sia sul retro della piastrella, garantendo così la perfetta aderenza all'interfaccia piastrella-supporto.
Per minimizzare i dislivelli della posa sia a pavimento che a rivestimento si raccomanda l'adozione di "sistemi di posa facilitata" con distanziatori e livellatori che possono essere provvisti di pedane anti-sbeccature e anti-graffio nel caso in cui si posino rivestimenti smaltati in pasta bianca e/o gres con finitura lappate.
Nel caso particolare di rivestimenti tridimensionali si consiglia l'utilizzo dei sistemi di livellamento a vite, alternativi a quelli a cuneo.

3A. POSA DI FORMATI RETTANGOLARI
Nel caso di posa "a correre" di formati rettangolari il massimo sfalsamento tra piastrelle non deve superare 1/3 della lunghezza del lato adiacente.



4. ESECUZIONI DI TAGLI QUADRATI O SQUADRI
Per eseguite tagli quadrati o squadri si consiglia di eseguire inizialmente fori circolari in prossimità dei vertici del taglio e collegarli in un secondo momento attraverso tagli lineari, in questo modo si avrà un rilassamento delle tensioni sui vertici della piastrella tagliata.

5. FUGA E STUCCATURA
Prima di riempire le fughe si consiglia di attendere fino a completa asciugatura del collante e di assicurarsi che i giunti di posano siano liberi da ogni traccia di collante e/o polveri. Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm. Per fughe in contrasto cromatico con le piastrelle si consiglia di testare il fugante in un'area circoscritta e nascosta della posa.
Si raccomanda di seguire le indicazioni dei migliori produttori di stucchi per fughe.

DESTINAZIONE D'USO	STUCCHI CONSIGLIATI - Normativa Europea EN 13888
Ambienti interni residenziali	Malte cementizie per fughe migliorate (Classe CG2)
Ambienti umidi interni (bagni, docce) ed ambienti esterni	Malte cementizie per fughe migliorate con assorbimento di acqua ridotto (classe CG2 WA)
Ambienti ad uso commerciale	Malte cementizie per fughe migliorate con elevata resistenza all'abrasione (classe CG2 A)
Ambienti in cui sia richiesta totale igiene e resistenza agli agenti chimici (piscine, piani di lavoro di cucine, industrie alimentari, ospedali, supermercati, ecc..)	Malte epossidiche (classe RG).

5A. ELIMINAZIONE DELLO STUCCO IN ECCESSO
Per una corretta ed agevole eliminazione degli eccessi di stucco, si raccomanda di seguire le indicazioni del produttore dello stucco. In generale, si consiglia di attenersi a quanto segue.
Stucchi cementizi
Quando lo stucco diventa opaco (normalmente dopo 10-20 minuti), pulire con una spugna di cellulosa dura con movimenti diagonali rispetto alle fughe. E' importante il rispetto di questi tempi per non rischiare di rimuovere lo stucco dalle fughe.
Stucchi epossidici
A impasto ancora fresco, bagnare abbondantemente la superficie emulsionando con un tampone tipo Scotch-Brite®, facendo attenzione a non svuotare le fughe. Il residuo liquido di stucco può essere rimosso con una spugna di cellulosa dura (da sostituire se troppo impregnata di resina). E' fondamentale rimuovere lo stucco epossidico tempestivamente prima che inizi ad indurirsi, in quanto la successiva rimozione risulterebbe estremamente difficile. Nel caso in cui lo stucco epossidico abbia già iniziato a indurirsi, provare ad aggiungere all'acqua di lavaggio il 10% di alcool.

6 PULIZIA E MANUTENZIONE

6A. PULIZIA DI FINE CANTIERE
Il cantiere è da considerarsi finito quando è sgombro da qualunque utensile/materiale derivante dalle lavorazioni. Per ridurre i rischi di danneggiamento della superficie piastrellata è necessario proteggerla ed evitare la presenza di materiali abrasivi.
Dopo alcuni giorni, eliminare i residui di cantiere con spugna commerciale tipo Scotch-Brite® oppure con spazzolone o monospazzola (per grandi superfici).
Per i rivestimenti, utilizzare un detergente neutro diluito in acqua calda.
Per i pavimenti, utilizzare un detergente acido ad azione tamponata, in percentuale di diluizione variabile in funzione del tipo di superficie (liscia oppure strutturata).
E' importante proteggere preventivamente eventuali inserti in marmo o metallo con nastro adesivo.
Risciacquare poi abbondantemente con acqua calda pulita, sino alla eliminazione di qualsiasi alonatura o residuo negli interstizi.
Se necessario, ripetere il lavaggio acido a concentrazioni più elevate ad eccezione del caso in cui siano presenti inserti in marmo o metallo. Evitare l'utilizzo di acidi da ferramenta diluiti.

6B. MANUTENZIONE ORDINARIA
Si consiglia l'utilizzo di un comune detergente neutro diluito in acqua.
Evitare l'utilizzo di prodotti acidi, alcalini, ceranti e/o impregnanti e pagliette di metallo (spugnette di ferro e acciaio). In caso di sporchi più intensi o di superfici particolarmente strutturate, usare un detergente a base alcalina risciacquando al termine del lavaggio.
Per le grandi superfici è consigliabile l'utilizzo di macchine lavasciuga.

6C. MANUTENZIONE STRAORDINARIA
Nel caso di tracce di sporco resistenti alla pulizia ordinaria, si raccomanda l'utilizzo di un detergente adeguato in funzione del tipo di sporco:

TIPO DI SPORCO (resistente alla manutenzione ordinaria)	DETERGENTE/SOLVENTE
Carbone, efflorescenze calcaree, gesso, segni metallici, ruggine, grafite, tempere murali	Detergenti a base acida *
Coca cola, caffé, vino, birra, gelato	Detergenti a base alcalina
Resine, oli siliconici o meccanici, cere di candela, vernice	Solventi
Pneumatici, suole di gomma, alonature di ventose	Detergenti basici in pasta abrasiva

* Attenzione: i prodotti a base acida possono corrodere marmo, granito, pietre naturali e metalli, pertanto evitarne l'uso nel caso di decori o inserti realizzati con questi materiali.

Le caratteristiche di pulibilità dei materiali variano in modo significativo per le diverse modalità d'installazione, condizioni d'uso, tipologie di superfici e ambiente. In linea generale, all'aumentare delle caratteristiche di antiscivolosità delle piastrelle aumentano le difficoltà di pulizia.
L'operatore professionale incaricato dell'intervento di manutenzione e pulizia dovrà sempre procedere ad una preliminare verifica empirica (possibilmente su una porzione di materiale non posato) per ogni singolo tipo di intervento.
In caso di condizioni d'uso particolarmente gravose (ad esempio, officine meccaniche o ambienti con forte presenza di residui oleosi e tracce di pneumatico), di errata installazione o di pulizie effettuate in modo inadeguato, Atlas Concorde declina ogni responsabilità in merito all'efficacia delle operazioni di pulizia e manutenzione.

Atlas Concorde non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti ad errata installazione, negligente pulizia e manutenzione, o inadeguata scelta della tipologia dei materiali installati e degli adesivi utilizzati con riguardo alla destinazione.

Porcelain tiles general packing and weight

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boite Stückzahl pro Karton Piezas por caja шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boites per pallette Karton pro Palette Cajas por pallet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* шт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес. палета*
Axi	22,5x90	6	1,220	36	23,40	43,74	907,20
Boost	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	120x120 6 mm ▲	2	2,880	20	40,32	57,60	806,40
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	75x150	2	2,25	18	47,36	40,50	852,48
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Balance	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Color	120x278 ▲	1	3,340	18	49,56	60,05	892,08
Boost Expression	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Icor	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	75x150	2	2,25	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Mineral	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,25	18	47,36	40,50	852,48
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x90 20 mm	2	1,08	24	48,50	25,92	676,80
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Mix	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Boost Natural	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,88	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,08	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,44	20	67,66	28,80	1.353,20
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boite Stückzahl pro Karton Piezas por caja шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boites per pallette Karton pro Palette Cajas por pallet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* шт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес. палета*
Boost Natural Pro	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Boost Pro	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	120x120 6 mm	2	2,880	20	40,32	57,60	806,40
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	75x150	2	2,25	18	47,36	40,50	852,48
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Stone	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,88	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,08	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Brave	75x150	2	2,250	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	23,27	50,40	930,80
	30x60 grip	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Entice	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	32	29,90	46,08	1.255,80
	30x120 20 mm	2	0,720	36	33,00	25,92	1.188,00
Etic	22,5x90	6	1,220	36	23,40	43,74	907,20
Etic Pro	25x150	3	1,130	30	23,68	33,75	710,00
	22,5x90	6	1,220	36	25,20	43,74	907,20
	30x120 20mm	2	0,720	36	33,00	25,92	1.188,00
Exence	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	42	29,90	60,48	956,8
	30x120 20mm	2	0,720	36	33,00	25,92	1.188,00
Heartwood	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	42	31,10	60,48	1.306,20
Lims	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,250	18	47,36	40,50	852,48
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Log	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	20x180	5	1,80	40	40	72	1.600
	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	32	29,90	46,08	1.255,80
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	30x120 20 mm	2	0,720	36	33,00	25,92	1.188,00
Log Cansei	18,5x150	4	1,110	40	23,68	44,40	947,20
	20x120	6	1,440	42	29,90	60,48	956,8
Marvel	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,25	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Diva	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00

* +/- 10% **The reported values do not include the weight of pallets.** - I valori riportati non comprendono il peso dei pallet. - +/- 10% Les valeurs indiquées ne comprennent pas le poids des palettes. - +/- 10% - Die genannten Werte verstehen sich ohne das Gewicht der Paletten. - +/- 10% Los valores indicados no incluyen el peso de los palés. - +/- 10% Указанные значения не включают вес поддонов.

▲ **Packaging on pallets, also available on a-frames (see page 412)** - Imballo su pallet, disponibile anche imballo su cavalletto a pag. 412 - Emballage sur palette, emballage sur chevalet également disponible page 412 - Verpackung auf Palette, auch auf Bock erhältlich - Seite 412 - Embalaje paletizado, también disponible en embalaje sobre caballetes en la página 412 - Упаковка на поддоны, возможна также упаковка на специальных подставках-стойках – стр. 412

January 2025
Reported data can be subject to variations throughout the year, present values are updated on the date of catalogue printing.
I dati riportati possono subire delle variazioni nel corso dell'anno, i valori sono aggiornati al mese di stampa.

Porcelain tiles general packing and weight

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per pallette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес малета*
Marvel Dream	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,25	18	47,36	40,50	852,48
Marvel Gala	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
Marvel Gems	60x60	3	1,080	40	21,23	43,20	849,20
Marvel Meraviglia	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,25	18	47,36	40,50	852,48
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
Marvel Onyx	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20
Marvel Shine	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	160x160 ▲	1	2,560	24	36,00	61,44	864,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 lapp ▲	2	2,880	20	57,00	57,60	1.140,00
	120x120 matte ▲	2	2,880	20	55,50	57,60	1.110,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,250	18	47,36	40,30	852,48
	60x60	3	1,080	40	21,23	48,30	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Stone	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,250	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
Marvel Travertine	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
Marvel X	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	1,440	35	30,00	50,40	1.050,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x120 6 mm	3	2,16	25	30,78	54	769,5
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20mm	1	0,720	35	33,35	25,20	1.167,25
Norde	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x90 20 mm	2	1,080	18	48,50	19,44	873,00
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
Prism	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	80x80 20 mm ▲	1	0,64	42	29,70	26,88	1.247,40

Wall tiles general packing and weight

Series Serie Série Serie Serie Серия	Size Formato Format Format Formato Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja шт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per pallette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par pallette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес малета*
3D Wall Carve	40x80	4	1,280	54	20,28	69,12	1.095,12
3D Wall Design	50x120 matte - 8,5 mm	3	1,80	35	28,00	63,00	980,00
	50x120 matte - 11 mm	3	1,80	30	30,75	54,00	922,50
	40x80	4	1,28	54	19,91	69,12	1.075,14
	30,5x56 matte	8	1,37	32	26,00	43,72	832,00
3D Wall Plaster	50x120	3	1,800	35	28,00	63,00	980,00
Aplomb	50x120	3	1,800	35	28,00	63,00	980,00
Boost Wall	40x80	4	1,280	54	18,80	69,12	1.015,20
	3D Urban 40x80	4	1,280	48	21,20	61,44	1.017,60
Boost Color Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Expression Wall	50x120 - 8,5 mm	3	1,80	35	28,00	63,00	980,00
	50x120 - 10 mm	3	1,80	30	30,75	54,00	922,50
Boost Icor Wall	50x120 - 8,5 mm	3	1,80	35	28,00	63,00	980,00
	50x120 - 10 mm	3	1,80	30	30,75	54,00	922,50
Boost Natural Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Natural Pro Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Pro Wall	40x80	4	1,280	54	18,80	69,12	1.015,20
	3D Urban 40x80	4	1,280	48	21,20	61,44	1.017,60
Brave Wall	40x80	4	1,280	54	19,28	69,12	1.041,12
	3D Wave 40x80	4	1,280	48	21,20	61,44	1.017,60
	3D Blade 40x80	4	1,280	48	21,20	61,44	1.017,60
Lims Wall	40x80	4	1,280	54	19,00	69,12	1.026,00
Log Wall	50x120	3	1,800	35	28,00	63,00	980,00
Marvel	30,5x56	9	1,540	32	24,03	49,19	768,96
Marvel 3D Wall	50x120	3	1,800	35	28,00	63,00	980,00
Marvel Diva Wall	50x120	3	1,800	35	28,00	63,00	980,00
Marvel Shine Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80	4	1,280	54	19,00	69,12	1.026,00
Prism Wall	50x120	3	1,800	35	28,00	63,00	980,00

* +/- 10% **The reported values do not include the weight of pallets.** - I valori riportati non comprendono il peso dei pallet. - +/- 10% Les valeurs indiquées ne comprennent pas le poids des palettes. - +/- 10% - Die genannten Werte verstehen sich ohne das Gewicht der Paletten. - +/- 10% Los valores indicados no incluyen el peso de los palés. - +/- 10% Указанные значения не включают вес поддонов.

▲ **Packaging on pallets, also available on a-frames(see page 412)** - Imballo su pallet, disponibile anche imballo su cavalletto a pag. 412 - Emballage sur palette, emballage sur chevalet également disponible page 412 - Verpackung auf Palette, auch auf Bock erhältlich - Seite 412 - Embalaje paletizado, también disponible en embalaje sobre caballetes en la página 412 - Упаковка на поддоны, возможна также упаковка на специальных подставках-стойках - стр. 412

January 2025
Reported data can be subject to variations throughout the year, present values are updated on the date of catalogue printing.
I dati riportati possono subire delle variazioni nel corso dell'anno, i valori sono aggiornati al mese di stampa.

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

Large sizes general packing and weight

120x120 - 47 1/4"x47 1/4" **120x240** - 47 1/4"x94 1/2" **20x278** 47 1/4"x109 1/2" **160x160** - 63"x63" **160x320** - 63"x126" **162x324** - 63 3/4"x127 1/2"

Packaging Imballo Boitage Verpackung Embalaje Упаковка		**AS400 Code** **Codice AS400** Code AS400 Artikelcode AS 400 Código AS400 Код AS400	**Packaging Size** **Dimensioni imballo** Dimension Emballage Verpackunsmasse Dimensiones de Embalaje Размер Упаковки (cm)	**Packaging weight Peso imballo** Poids Emballage Verpackungsgewicht Peso Embalaje Вес Упаковки (kg)	**Slabs size** **Formati** Formats Formatgrösse Formatos Размер Плит (cm)	**Max N° slabs** **Max N° pezzi** N° Max de pièces Anzahl der Platten Max N ° piezas Максимальное Количество Плит	**Max Sqm** **Max Mq** M² max Maximale qm Máx M² Макс. M²
120x120	**Pallet** Palette Palette Paleta Паллет	-	-	-	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCD	130x75x158(h) cm	60 kg	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
120x240	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCA	256x141x36(h) cm	102kg	120x240x0,9 cm	18	51,84 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCE	250x75x159(h) cm	126kg	120x240x0,9 cm	36	103,6 mq
120x278	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCB	292x141x36(h) cm	108kg	120x278x0,6 cm	18	60,05 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCF	290x75x159(h) cm	136kg	120x278x0,6 cm	42	140,11 mq
	Wooden Crate Kit Endless * (only for kit Endless) Cassa di Legno Kit Endless * (solo per kit Endless) Caisse en Bois Kit Endless * (que pour le Kit Endless) Holzbox Kit Endless * (nur für Endless Kit) Caja de Madera Kit Endless * (solo para el kit Endless) Деревянный Ящик для Kit Endless * (только для Kit Endless)	A6NZ	296x141x25(h) cm	65kg	120x278x0,6 cm	7	16,68 mq
	Wooden L-Frame per Atlas Concorde Pack 120x278 Cavalletto a L di Legno 120x278 L Chevalet en Bois L-Bock Holz L-Caballete de Madera Деревянная L-Опора	AX4Y	305x75x142(h) cm	40kg	120x278x0,6 cm	10	33,36
	Atlas Concorde Pack 120x278	AX7I	293x3xh130 cm	6 kg	120x278x0,6 cm	1	/
160x160	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	AØ5L	183x174x41(h) cm	91kg	160x160x0,6 cm	24	61,44 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	AØ5M	170x75x200(h) cm	84kg	160x160x0,6 cm	48	122,88 mq
160x320 RT **162x324** **159x324**	**Wooden Crate** Cassa di legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCC	344x175x37(h) cm	139kg	160x320x0,6 cm	14	71,68 mq
					162x324x0,6 cm	14	73,48 mq
					162x324x12 cm	8	40,96 mq
					162x324x20 cm	4	20,99 mq
					159x324x20 cm	4	20,60 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCG	330x75x195(h) cm	173kg	160x320x0,6 cm	42	215,04 mq
					162x324x0,6 cm	42	220,45 mq
					162x324x12 cm	22	112,64 mq
					162x324x20 cm	12	62,99 mq
					159x324x20 cm	12	61,82 mq
	Iron A-Frame Cavalletto di ferro Chevalet en Fer A-Bock Metall Caballete de Hierro Металлическая Опора	IMCH	335x75x199(h) cm	155kg	160x320x0,6 cm	42	215,04 mq
					162x324x0,6 cm	42	220,45 mq
					162x324x12 cm	22	112,64 mq
					162x324x20 cm	12	62,99 mq
					159x324x20 cm	12	61,82 mq
162x324 **159x324**	**Bundles** Only from Verona warehouse	TRAP	-	30-40kg	160x320x0,6 cm	-	-
					162x324x0,6 cm	-	-
					162x324x12 cm	18	94,50 mq
					162x324x20 cm	12	63,00 mq
					159x324x20 cm	12	61,82 mq

* **"Leggera" Crate** - Cassa "Leggera" - Caisse "Leggera" - Holzkiste "Leggera" - Cajones "Leggera" - Лёгкий Ящик

	20' Container - Container 20 piedi - Conteneur 20' - 20' Container - Contenedor de 20 pies - 20' Контейнер 5,90x2,32x2,35(h) m
1200x2400	nr. 11 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400 + 2 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400
1200x1200	nr. 12 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200 + 5 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x1200
1200x2780	nr. 6 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780	nr. 11 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780 + 2 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780 **Pack in Lframe**	nr. 3 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) (+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm)
1600x3200	nr. 5 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200 (+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120 cm)
1600x3200	nr. 3 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200 (+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm)
1600x1600	nr. 15 crates - casse - crates - crates - crates - crates 1600x1600
1600x1600	nr. 9 stands type 2 - cavalletti tipo 2 - chevalets type 2 - Anzahl A-Böcke Typ 2 - caballetes tipo 2 - количество опор тип 2 1600x1600

	40' Container - Container 40 piedi - Conteneur 40' - 40' Container - Contenedor de 40 Pies - 40' Контейнер 11,90x2,32x2,35(h) m
1200x2400	nr. 12 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400
1200x2400	nr. 21 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400 + 4 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400
1200x1200	nr. 27 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200
1200x2780	nr. 12 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780	nr. 21 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780 + 4 stands - cavalletti - stands - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780 **Pack in Lframe**	nr. 9 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) (+ 5 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm)
1600x3200	nr. 15 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200
1600x3200	nr. 9 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200
1600x1600	nr. 28 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x1600
1600x1600	nr. 21 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x1600

	Truck, maximum loadable weight - Camion, peso massimo caricabile - Camion, poids maximum chargeable LKW maximal ladbares Gewicht - Camión, peso máximo cargable - Грузовик, максимальная загрузка	30 Ton.
1200x2400	nr. 25 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400	
1200x1200	nr. 24 crates - casse - crates - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200	
1200x2780	nr. 20 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780	
1200x2780 **Pack in Lframe**	nr. 12 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each)	
1600x3200	nr. 15 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200	
1600x3200	nr. 9 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200	
1600x1600	nr. 27 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x1600	
1600x1600	nr. 16 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x1600	

The quantities loaded must take into account the weight (in order not to exceed the maximum weight limits). - Il calcolo deve tenere conto del peso (in modo da non eccedere i limiti di portata). - Le calcul doit prendre en compte le poids (afin de ne pas dépasser les limites). - Die Verpackunsanzahl muss für das Gesamtgewicht berücksichtigt werden. - El cálculo debe tener en cuenta el peso (para no exceder los límites de capacidad). - Необходимо учитывать общий вес (во избежание его превышения).

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

General conditions of sale

EDITION 4, ISSUED 02/01/2025

1. FINALISATION OF THE CONTRACT

1.1. Every sales contract is governed by the main Conditions of Sale set out below. Under no circumstances shall the Seller be bound by any General Contract Terms of the Purchaser, even if they are referred to or incorporated in orders or any other document sent to the Seller, unless the latter has specifically agreed to them in writing .

1.2. The sales contract shall be considered finalised when: (i) the Purchaser receives the Seller's written confirmation of the order; (ii) if the confirmation sent by the Seller contains conditions that differ from the Order received from the Purchaser, when the latter accepts it in writing; (iii) if the Seller does not provide a written confirmation, when the Products are delivered and loaded by the Purchaser and/or the carrier assigned to collect them.

1.3.The Purchaser is in agreement regarding the need to restrict its sales of the Seller's Products to the country within which it, the Purchaser, is based. The Seller considers this rule essential in order to coordinate its sales policy and rationalise its distribution network, with offers better tailored to each country's needs. The Purchaser acknowledges that this rule is also in its own best interests. **The Purchaser therefore undertakes to market the Products supplied by Ceramiche Atlas Concorde SpA only in its country of residence, refraining from promoting active sales, including online, with customers located in the territory of a country other than its own.** For triangular deals, this undertaking shall apply to the country for which the goods are actually destined. The Purchaser shall only resell the product outside its territory with written authorisation from the Seller, except for sales concerning non-first grade or discontinued Products.

1.4. In cases of force majeure, the Party affected by the event shall be relieved of its contractual obligations and of the consequences of its default (penalties, compensation for damages). Force majeure shall be construed as the occurrence of an event or circumstance ("Force Majeure Event") that prevents one Party from fulfilling one or more contractual obligations, if, and to the extent to which, the Party under the impediment ("the Affected Party") demonstrates: a) that the impediment is beyond its reasonable control; b) that it could not reasonably have been foreseen at the time of signing of the contract; and c) that the effects of the impediment could not reasonably have been avoided or overcome by the Affected Party. The Party affected by the Force Majeure Event shall notify the other Party in a timely manner in writing.

2. SHIPPING AND DELIVERY TERMS

2.1. Unless otherwise agreed in the confirmation of order, Products shall be delivered ex-works.

2.2. Unless specifically requested and agreed prior to the Confirmation of Order, the Seller does not guarantee that orders for any single article are all shipped from the same production lot.

2.3. Delivery terms are guideline and any extension of them shall not entitle the Purchaser to claim compensation, under any circumstances.

2.4 If the Purchaser fails to collect the goods within 14 (fourteen) days after the date of the notice that they are ready, the Seller will be forced for reasons of space to return the goods to the storage facilities, thereby incurring additional costs; the Seller specifically reserves the right to charge these additional costs to the Purchaser.

For "custom", i.e. bespoke, products under the "ATLAS CONCORDE HABITAT" brand only, the Purchaser is granted 40 days from notification that the goods are ready to arrange collection of the product. If the Purchaser fails to collect the goods within 40 days, the Seller shall hold the product at the Purchaser's disposal for a further 20 days, after which the contract shall be considered rescinded and the Seller shall be entitled to a penalty in compensation for the damages incurred, set hereby as equal to the price of sale of the product; the Purchaser specifically waives all right to request reduction of this sum.

2.5. The Purchaser shall instruct the carrier to inspect the Products prior to loading and any objections concerning the state of the packaging and any discrepancies between the quantities loaded and those entered in the transport document shall be made at the time of loading and entered in all copies of the transport document. If no such entries are made, the Products loaded shall be considered to be undamaged and complete.

2.6. The Purchaser shall also instruct the carrier to check that the vehicle is suitable for the load in view of the nature of the Products, and to ensure that the goods are correctly loaded and stable, to prevent any breakages in transit and to comply with all safety provisions concerning the roadworthiness of the vehicle.

3. PRODUCT CHARACTERISTICS

3.1. The Seller declares that the Products comply with the applicable Italian and EU regulations for their sector.

3.2. The Seller only guarantees the technical characteristics published on its website in the Technical Sheet document (at the links https://www.atlasconcorde.com/en/download-area and https://www.atlasplan.com/en/download/).

3.3. The intended use stated by the Seller is always purely guideline, **since the Purchaser is always responsible for assessing the product's suitability for the specific conditions of use, considering the stresses and variables which may occur in the intended location and affect its characteristics**, such as intensity and type of a traffic (e.g. foot traffic with sand and debris present), any adverse weather conditions and any other situation to which the material may actually be exposed. **Any intended use different from and/or not compatible with the Seller's recommendations stated in its catalogues available at https://www.atlasconcorde.com/en/download-area, or the specific conditions of use, shall in no way constitute a defect in the product's quality and/or conformity, and therefore no conventional and/or legal warranty shall apply.**

3.4. Any illustrations and/or images of the Products which appear in the Seller's websites, brochures, catalogues, price lists or similar documents are purely guideline and illustrative. Similarly, samples and models only provide guidance concerning the Products' characteristics and are not binding on the Seller unless specifically referred to in the order confirmation as essential characteristics and/or qualities of the product. **Sales are therefore made "by Sample Type" and not "by Sample".**

4. CLAIMS AND WARRANTY FOR FAULTS

4.1. Upon receipt of the Products, the Purchaser shall check them thoroughly, including the packaging, by means of a visual inspection carried out in accordance with point 9 of the UNI EN ISO 10545-2 standards. Approval inspection of the tiled surface prior to installation consists of a visual examination (with the naked eye or with glasses if usually worn) of the surface from a distance of 1.0 metres vertically to it, or a tactile examination if necessary.

4.2. While the acceptability limits enforced by the EN 14411 (ISO 13006) international standard shall apply in all cases, the Parties accept as Identifiable Faults those Product defects immediately visible on receipt of the goods which make the material unfit for purpose or significantly reduce its value, including, for example:

- surface defects;
- defects in decoration (drips, stains, mixing of colours, nonconformity of colour shade, etc.);
- dimensional defects (working size, flatness, thickness, perpendicularity-straightness of edges);
- structural defects (cracks, chips, etc.).

Hidden Faults shall include, for example:

- cracks at right angles to edges or crazing after installation ("flaking") not due to incorrect cutting and installation after sale;
- tendency to stain, i.e. Products which retain dirt at an abnormal rate and are difficult to clean, not due to incorrect installation and/or maintenance;
- defects in shine, i.e. Products which with grazing light reflect the light differently to those next to them, said effect being unintentional and not identifiable by visual and/or tactile inspection.

4.3. The Seller's warranty shall only apply if faults and defects are due to the product's manufacturing process and shall be completely void if they arise from the post-delivery processing of the product, defined as, for example, any shaping, drilling and cutting of tiles or slabs and/or any activity necessary for their use and, in the event that defects occur even though both installation and processing are performed in strict compliance with the recommendations regarding the procedures to be adopted before and during installation provided in the document containing guidance on Installation, Use, Cleaning and Maintenance on the Seller's website (https://www.atlasconcorde.com/in/download-area , "Technical Sheets" section) and with good practice.

Guidance on the Installation, Use and Maintenance of "Atlas Plan" brand products can be requested directly from the Seller or downloaded using the QR code on the label affixed to the Product.

4.4. The warranty is limited only to first grade Products and shall only apply on condition that Identifiable Faults in the goods are reported with 8 (eight) days after delivery, while Hidden Faults must be reported within 8 (eight) days after discovery and the relative right expires one year after delivery.

4.5. In the event that the Purchaser detects Identifiable Faults, the whole lot of material must be kept at the Seller's disposal.

4.6. If it is confirmed that the Product has Identifiable Faults, as defined in point 4.2, **the Seller shall replace the faulty Product with another one with the same or superior characteristics; should this not be possible, the Seller shall apply an appropriate price reduction. As an alternative, the Purchaser may return the faulty Products and shall then be entitled to a refund of the price paid plus the transport cost, with no compensation for any other direct and/or indirect damage.**

4.7. The Seller's warranty shall be void if Products all or some of which are affected by Identifiable Faults have been installed and/or used and/or transformed in any way. **In this case, the Purchaser's action (i.e. the installation and/or use and/or transformation) shall constitute acceptance of the Product "as is"; the Seller shall therefore not accept claims for Products that have already been installed and/or transformed and/or used, as this constitutes implicit acceptance of the Product.**

4.8. If it is confirmed that the Product has Hidden Faults, as defined in point 4.2, t**he Seller's warranty shall be limited to replacement of the material with another one with the same or superior characteristics, or if this is not possible to refund of the price paid plus freight costs. In all cases, the Seller's warranty for any direct and/or indirect damage in any way caused by the faulty product shall be limited to an amount that shall not be greater than twice the selling price charged by the Seller, in relation only to those goods which are faulty.**

4.9 In the event that the Purchaser resells the Product to parties who enjoy safeguards under consumer protection legislation (in Italy, Decree Law no. 206/2005), the Purchaser shall be responsible for the conditions applied, if different from those stated herein, and shall ensure that the consumer is able to exercise their rights in accordance with the remedies and terms established by the said legislation. If there are the grounds for the Purchaser to exercise the right of recourse and/or to make a claim against the Seller/manufacturer, the said action shall be subject to the exemptions and limits contained in points 4.1 and 4.8 herein.

4.10 Before handling the Products, the Purchaser shall check the packaging for damage and verify its strength. **For specific types of packaging (for example, "Packaging for one or more slabs", such as the "AC Pack" or "EasyPack") the Purchaser shall comply strictly with the instructions and precautions for handling and use marked on the said packaging and provided on the website at https://lc.cx/dzwelC.** The Seller does not accept any liability arising from failure to comply with the instructions and/or warnings, or for nonconforming use.

4.11. "Packaging for one or more slabs", such as the "AC Pack" or "EasyPack", must only be used for the Seller's Products.

4.12 Products must be used and handled in accordance with the Seller's instructions and all applicable regulations, especially those regarding safety. Using and/or processing and/or handling the Products without due care and/or incorrectly and/or without adopting the necessary precautions may cause serious personal injury and/or damage to property.

5. PAYMENTS

5.1. The Purchaser shall not suspend or delay payment for the material of which it has taken delivery for any reason, including claimed faults or defects in the material, except naturally for the right to request sums it can show that it has paid unduly.

5.2 For all legal intents and purposes the payment shall only be made to the Seller's registered office, except with specific written authorisation.

5.3 Sums due to the Seller shall not be written off against claimed credits which are not agreed to and/or specifically recognised in writing.

6. CONTRACT LANGUAGE, APPLICABLE LAW, JURISDICTION AND AUTHORITY

6.1. The Contract and these Conditions are drafted in Italian, and in case of discrepancies with translations into other languages the Italian text shall prevail.

6.2. Any disputes relating in any way to the supply of products shall be subject to Italian law and the jurisdiction of the Italian State.

6.3. The Law Court of Modena shall have sole territorial authority for the settlement of any dispute relating in any way to the supply of products, with all others excluded.

FR-DE-ES-RU

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Condizioni generali di vendita

REV. 4 DEL 02 GENNAIO 2025

1. MODALITA' DI CONCLUSIONE DEL CONTRATTO

1.1. Ogni contratto di vendita è disciplinato dalle seguenti principali Condizioni Generali. In nessun caso il Venditore sarà vincolato da eventuali Condizioni Generali di contratto dell'Acquirente, neanche qualora esse siano richiamate o riportate negli ordini o in qualsiasi altra documentazione trasmessa al Venditore, salvo il caso in cui quest'ultimo le abbia espressamente accettate per iscritto.

1.2. La vendita dovrà ritenersi conclusa nel momento in cui: (i) l'Acquirente riceva una conferma scritta dal Venditore conforme all'ordine; (ii) in caso di conferma inviata dal Venditore contenente condizioni difformi dall'Ordine ricevuto dall'Acquirente quando questi l'accetti per iscritto; (iii) in assenza di conferma scritta da parte del Venditore, nel momento in cui i Prodotti saranno consegnati e caricati dall'Acquirente e/o al vettore incaricato del ritiro.

1.3. L'Acquirente condivide l'esigenza di limitare al territorio nazionale le vendite di Prodotti del Venditore. Il Venditore ritiene questa regola elemento indispensabile per permettergli di coordinare la sua politica commerciale e razionalizzare la rete distributiva, con offerte più orientate alle necessità dei singoli Paesi. Parimenti, l'Acquirente riconosce che tale esigenza costituisce una tutela anche dei propri interessi. **L'Acquirente si obbliga quindi a commercializzare i Prodotti forniti da Ceramiche Atlas Concorde SpA esclusivamente nel suo Paese di residenza, astenendosi dal promuovere vendite attive, anche online, con clienti situati nel territorio di uno Stato diverso dal proprio.** Per le operazioni triangolari il presente obbligo si applica al Paese di effettiva destinazione finale della merce. L'Acquirente potrà rivendere il prodotto al di fuori dal proprio territorio nel caso in cui riceva autorizzazione per iscritto da parte del Venditore, o nel caso in cui la rivendita riguardi Prodotti non di prima scelta, oppure Prodotti fuori produzione.

1.4. Nei casi di forza maggiore, la Parte che subisce l'evento sarà esonerata dall'obbligo di adempiere la sua obbligazione contrattuale e non subirà le conseguenze dell'inadempimento (penali, risarcimento danni). Costituisce forza maggiore il verificarsi di un evento o circostanza ("Evento di Forza Maggiore") che impedisce ad una Parte di eseguire una o più obbligazioni contrattuali, se e nella misura in cui la Parte che subisce l'impedimento ("la Parte Interessata") prova: a) che l'impedimento è fuori dal suo ragionevole controllo; e b) che esso non avrebbe ragionevolmente potuto essere previsto al momento della conclusione del contratto; e c) che gli effetti dell'impedimento non avrebbero potuto essere ragionevolmente evitati o superati dalla Parte Interessata.
La Parte che subisce l'Evento di Forza Maggiore deve darne tempestiva comunicazione scritta alla controparte.

2. RESA E TERMINI DI SPEDIZIONE E CONSEGNA

2.1. Salvo patto contrario, che dovrà risultare dalla conferma dell'ordine, la fornitura dei Prodotti deve intendersi Franco Fabbrica del Venditore (resa "Ex Works").

2.2. Salvo specifiche richieste da concordare prima della Conferma d'Ordine, il Venditore non garantisce che l'ordine del singolo articolo venga evaso tutto con un medesimo lotto di produzione.

2.3. I termini di consegna sono da intendersi indicativi e la proroga di essi non può far maturare all'Acquirente alcun diritto a richiedere indennizzi, ogni eccezione rimossa.

2.4. Se, trascorsi 14 (quattordici) giorni dalla data di avviso di merce pronta, l'Acquirente non ritira il materiale, il Venditore sarà costretto per ragioni di spazio a riportare il materiale a magazzino sostenendo costi supplementari; il Venditore si riserva espressamente di addebitare tali costi all'Acquirente.
Limitatamente ai Prodotti "fuori standard", quindi prodotti su misura, a marchio "ATLAS CONCORDE HABITAT", l'Acquirente ha tempo 40 giorni dall'avviso di merce pronta per provvedere al ritiro del prodotto; trascorsi 40 giorni senza l'avvenuto ritiro da parte dell'Acquirente, il Venditore manterrà il prodotto ancora a disposizione dell'Acquirente per un ulteriore periodo di 20 giorni, trascorsi inutilmente i quali il contratto si intenderà risolto, con diritto del Venditore al risarcimento dei danni quantificati fin da ora, a titolo di penale, nell'importo del prezzo di vendita del prodotto, con espressa rinuncia dell'Acquirente a chiederne la riduzione.

2.5. È compito dell'Acquirente incaricare il vettore di controllare i Prodotti prima del carico ed eventuali osservazioni relative all'integrità degli imballi ed alla corrispondenza delle quantità caricate a quelle indicate nel documento di trasporto dovranno essere segnalate all'atto del carico e riportate su tutte le copie del documento di trasporto; in assenza di tali annotazioni i Prodotti caricati si intendono integri e completi.

2.6. È altresì responsabilità dell'Acquirente incaricare il vettore di verificare che il mezzo sia idoneo al carico in relazione alla natura dei Prodotti e di verificare le modalità e la stabilità del carico affinché durante il trasporto non si verifichino rotture, ed affinché siano rispettate tutte le disposizioni di sicurezza riguardante la circolazione stradale dell'automezzo.

3. CARATTERISTICHE DEI PRODOTTI

3.1. Il Venditore dichiara che i Prodotti sono conformi alle norme italiane e comunitarie di settore ad essi applicabili.

3.2. Il Venditore garantisce soltanto le caratteristiche tecniche pubblicate sul sito internet nel documento: Schede Tecniche (ai link https://www.atlasconcorde.com/it/download-area e https://www.atlasplan.com/it/download/).

3.3.- L'indicazione d'uso proposta dal Venditore è comunque da ritenersi indicativa perché **è sempre compito dell'acquirente valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo in funzione delle sollecitazioni e delle variabili che si possono verificare nell'ambiente di destinazione alterandone le sue caratteristiche**, a titolo d'esempio, all'intensità del traffico, alla qualità del traffico (calpestio in presenza di sabbia, di detriti...), alle eventuali condizioni climatiche avverse e a qualsiasi altra situazione concreta a cui può essere esposto il materiale. **Una destinazione d'uso diversa e/o non compatibile con le indicazioni del Venditore specificate sui suoi cataloghi presenti al seguente link https://www.atlasconcorde.com/it/download-area**, ovvero con le condizioni specifiche di utilizzo, **non potranno in alcun modo integrare un difetto di qualità e/o di conformità del prodotto, con conseguente esclusione di qualsiasi garanzia convenzionale e/o legale.**

3.4. Le rappresentazioni e/o immagini riguardanti i Prodotti riportate in siti internet, brochure, cataloghi, listini prezzi o documenti similari del Venditore hanno valore indicativo ed illustrativo. Allo stesso modo i campioni e modelli rappresentano solo indicativamente le caratteristiche dei Prodotti e non hanno valore impegnativo per il Venditore se non nella misura in cui siano espressamente menzionati nella conferma d'ordine come caratteristiche e/o qualità essenziali del prodotto. **La vendita si intende quindi effettuata "su Tipo di Campione", e non "su Campione".**

4. RECLAMI E GARANZIA PER VIZI

4.1. Al ricevimento dei Prodotti, l'Acquirente dovrà sottoporli ad accurato controllo, ivi compreso l'imballo, attraverso un esame visivo effettuato conformemente alle indicazioni riportate al punto 9 delle norme UNI EN ISO 10545-2. Il collaudo della superficie piastrellata prima della posa consiste in un esame visivo (ad occhio nudo o con occhiali se normalmente indossati) della superficie da una distanza di 1,0 metri in posizione verticale, ovvero in un esame tattile, ove necessario.

4.2. Fatti salvi i limiti di accettabilità previsti dalla norma internazionale EN 14411 (ISO 13006), le Parti riconoscono come Vizi Palesi i difetti dei Prodotti riscontrabili già al momento del loro ricevimento tali da rendere il materiale inidoneo all'uso o da diminuirne in modo apprezzabile il valore, a titolo esemplificativo e non esaustivo:

- difetti superficiali;
- difetti di decorazione (gocce, macchie, toni mescolati, fuori tono...etc.);
- difetti dimensionali (calibro, planarità, spessore, ortogonalità-rettilineità degli spigoli);
- difetti strutturali (crepe, sbeccature...etc.).

Vengono invece identificati quali Vizi Occulti, a titolo esemplificativo e non esaustivo:

- crepe ortogonali ai bordi o crepe superficiali dopo l'installazione ("esfoliazione"), non attribuibili ad una scorretta attività di taglio e posa successive alla vendita;
- macchiabilità, ossia Prodotti che trattengono in modo anomalo lo sporco e risultano essere di difficile pulibilità, non attribuibile ad una scorretta installazione e/o manutenzione;
- differenze di brillantezza, ossia Prodotti che in condizione di luce radente riflettono la luce in modo differente rispetto a quelli adiacenti, il cui effetto non era voluto e non era riscontrabile all'esame visivo e/o tattile.

4.3. La garanzia del Venditore viene prestata solo nel caso in cui i vizi e difetti siano imputabili al processo di fabbricazione del prodotto ma è da ritenersi del tutto esclusa se derivante dalla lavorazione del prodotto stesso intendendosi per tale, a titolo non esaustivo, qualsiasi attività di sagomatura, foratura e taglio delle piastrelle o delle lastre e/o qualsiasi attività necessaria alla loro utilizzazione, salvo che tanto la posa quanto la lavorazione avvengano attenendosi scrupolosamente alle raccomandazioni inerenti le attività da svolgere prima e durante la posa in opera indicate nel documento relativo ai suggerimenti di Posa, Uso, Pulizia e Manutenzione contenuto nel sito del Venditore al seguente link (https://www.atlasconcorde.com/it/download-area , sezione "Schede Tecniche") nonché alla regola d'arte e, nonostante ciò, i vizi si manifestino.
I suggerimenti di Posa, Uso e Manutenzione dei prodotti a marchio "Atlas Plan" potranno essere richiesti direttamente al Venditore o scaricati attraverso il QR code indicato sull'etichetta presente sul Prodotto.

4.4. La garanzia è limitata ai soli Prodotti di prima scelta, e, a pena di decadenza dalla garanzia, i Vizi Palesi della merce devono essere denunciati entro 8 (otto) giorni dalla consegna, mentre i Vizi Occulti devono essere denunciati entro 8 (otto) giorni dalla scoperta, e la relativa azione si prescrive in un anno dalla consegna.

4.5. Nel caso l'Acquirente rilevi Vizi Palesi dovrà tenere a disposizione del Venditore l'intera partita di materiale.

4.6. Nel caso risulti accertato che il Prodotto manifesti **Vizi Palesi**, come definiti al punto 4.2., **il Venditore provvederà alla sostituzione del Prodotto difettoso con altro avente caratteristiche pari o superiori, o nel caso ciò non sia possibile ad una congrua riduzione del prezzo. In alternativa l'Acquirente avrà diritto, previa restituzione dei Prodotti viziati, al rimborso del prezzo pagato, maggiorato del costo del trasporto, con esclusione del risarcimento di ogni altro danno diretto e/o indiretto.**

4.7. La garanzia del Venditore deve ritenersi esclusa nel caso in cui il Prodotto affetto da Vizi Palesi (in tutto o in parte) sia stato posato e/o utilizzato e/o comunque trasformato. I**n tal caso il comportamento dell'Acquirente (ossia la posa e/o l'utilizzo e/o la trasformazione) costituisce accettazione del Prodotto nello stato in cui si trova; il Venditore pertanto non accetta reclami per Prodotti già installati e/o trasformati e/o utilizzati, costituendo questo implicita accettazione del Prodotto.**

4.8. Nel caso risulti accertato che il Prodotto manifesti **Vizi Occulti**, come definiti al punto 4.2., **la garanzia del Venditore è limitata alla sostituzione del materiale con altro avente caratteristiche pari o superiori, e ove ciò non sia possibile al rimborso del prezzo pagato maggiorato del costo del trasporto. In ogni caso la garanzia del Venditore per ogni danno diretto e/o indiretto comunque originato dal prodotto difettoso, deve intendersi limitata ad una somma che non potrà superare il doppio del prezzo di vendita applicato dal Venditore in relazione alla sola parte della fornitura difettosa.**

4.9. Nel caso l'Acquirente rivenda il Prodotto a soggetti tutelati dal codice del consumo (d.l. n.206/2005) sarà responsabile delle condizioni praticate se difformi da quelle qui riportate e dovrà accertarsi che i diritti del consumatore siano esercitati nel rispetto dei rimedi e dei termini fissati da tale codice. Nel caso sussistano i presupposti, il diritto di regresso e/o comunque di rivalsa spettanti all'Acquirente verso il Venditore/produttore non potrà eccedere le esenzioni ed i limiti come fissati dal p.to 4.1. e dal p.to 4.8. .

4.10 Prima di movimentare i Prodotti l'Acquirente dovrà verificare l'integrità dell'imballaggio e la sua tenuta. **Per particolari tipologie di imballo** (ad esempio gli "Elementi per l'imballaggio di almeno una lastra", quali l'imballaggio "AC Pack", oppure l'imballaggio "EasyPack") **l'Acquirente dovrà attenersi scrupolosamente alle istruzioni ed avvertenze per la movimentazione e l'utilizzo riportate sullo stesso e sul sito internet al link https://lc.cx/dzwelC.** Il venditore non risponde di eventuali danni dovuti al mancato rispetto delle istruzioni, e/o avvertenze, ovvero da un utilizzo non conforme.

4.11. L'utilizzo degli imballi "Elementi per l'imballaggio di almeno una lastra", quali l'imballaggio "AC Pack", oppure l'imballaggio "EasyPack", **è riservato esclusivamente ai Prodotti del Venditore.**

4.12 L'utilizzo e la movimentazione dei Prodotti deve avvenire nel rispetto delle istruzioni del Venditore e di tutte le normative applicabili, con particolare riguardo a quella sulla sicurezza. L'utilizzo e/o la lavorazione e/o la movimentazione incauti e/o scorretti e/o senza adottare le necessarie precauzioni e/o misure di sicurezza può causare gravi danni a persone e\o cose.

5. PAGAMENTI

5.1. Per nessun motivo, ivi compresi pretesi vizi o difetti del materiale, l'Acquirente potrà sospendere o ritardare il pagamento del materiale ritirato, salva naturalmente la facoltà di richiedere quanto possa dimostrare di avere indebitamente pagato.

5.2 Ad ogni effetto di legge il pagamento deve avvenire solo ed esclusivamente presso la sede del Venditore, salvo espressa deroga scritta.

5.3 È esclusa la compensazione di quanto dovuto al Venditore con asseriti crediti contestati e/o non espressamente riconosciuti per iscritto.
causa senza che l'Acquirente possa vantare il diritto di ottenere alcun risarcimento per l'eventuale danno subito.

6. LINGUA DEL CONTRATTO, LEGGE APPLICABILE, GIURISDIZIONE E COMPETENZA

6.1. Il Contratto e le presenti Condizioni sono redatti in lingua Italiana, la quale prevarrà nel caso di divergenza con la traduzione in altre lingue.

6.2. La definizione di qualsiasi controversia comunque relativa alle forniture è soggetta alla legge e alla giurisdizione dello Stato Italiano.

6.3. La competenza territoriale per la definizione di qualsiasi controversia comunque relativa alle forniture viene devoluta in via esclusiva al Tribunale di Modena, con esclusione di ogni altro.

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

BATHROOM FURNITURE & TABLES

FACADES

TECHNICAL SPECIFICATIONS

Notes

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications.
Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones -
Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.
I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.
Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Ceramic products can have slight variations in tone. Check with the sales representative for the possibility of combining production lots, formats, decorations and special pieces.
Il prodotto ceramico può essere leggermente variabile in termini di toni. Verificare con il referente commerciale l'abbinabilità sia tra i lotti produttivi che tra i formati e i decori o i pezzi speciali. - Le produit céramique peut légèrement différer sur l'aspect de la couleur. Vérifier avec le référent commercial que l'assortiment soit entre les lots de fabrication qu'entre les formats et les décors ou les pièces spéciales - Im keramischen Produkt sind Abweichungen von Farbton möglich. Wenden Sie sich bitte an den Verkaufsleiter, um zu überprüfen, wie man die verschiedenen Posten, Formate, Dekore oder Spezialteile miteinander kombinieren kann - El producto cerámico puede variar levemente en lo que respecta a los tonos. Consulte con el representante de ventas la combinación entre los lotes producidos y entre los formatos y las decoraciones o las piezas especiales - Керамические изделия разных партий могут слегка отличаться по тону. Проверьте вместе с торговым представителем сочетаемость с изделиями других партий, а также с форматами, декоративными или специальными элементами.

The production sizes of special pieces in porcelain tiles may vary from the nominal sizes provided for in current standards (ISO 13006 - EN 14411 Annex G) for non-modular tiles.
Le dimensioni di fabbricazione dei pezzi speciali in gres porcellanato possono derogare dalle dimensioni nominali previste dalle normative vigenti (ISO 13006 - EN 14411 appendice G) per le piastrelle non modulari. - Les dimensions de fabrication des pièces spéciales en grès cérame peuvent déroger aux dimensions nominales prévues par les règlements en vigueur (ISO 13006 - EN 14411 annexe G) pour les carreaux non modulaires. | Die Produktionsmaße der Formteile aus Feinsteinzeug können für die nicht modularen Fliesenformate von den Sollmaßen der geltenden Normen (ISO 13006 - EN 14411 Anhang G) abweichen. - Los tamaños de fabricación de las piezas especiales de gres porcelánico pueden ser diferentes de las dimensiones nominales previstas por las normas vigentes (ISO 13006 - EN 14411 apéndice G) para las baldosas no modulares. - Производственные размеры специальных элементов из керамогранита могут отклоняться от номинальных размеров, предусмотренных действующими стандартами (ISO 13006 - EN 14411, Приложение G) для немодульных плиток.

The actual dimensions of the special pieces and the smaller pieces obtained by cutting porcelain tiles could deviate from the tolerances in the catalog, which instead for the rectified formats are guaranteed by Atlas Concorde.
Le dimensioni reali dei pezzi speciali e dei sottoformati ottenuti da tagli in gres porcellanato potrebbero derogare rispetto alla tolleranze presenti a catalogo garantite da Atlas Concorde sui formati rettificati. - Les dimensions réelles des pièces spéciales et des sous formats obtenus à partir des coupes en grès cérame pourraient varier par rapport aux tolérances présentes au catalogue garanties par Atlas Concorde sur les formats rectifiés. - Die tatsächlichen Abmessungen der Formstücke und der geschnittenen Unterformate aus Feinsteinzeug können von den im Katalog genannten, von Atlas Concorde für rektifizierte Formate garantierten Toleranzen abweichen. - Las dimensiones reales de las piezas especiales y de los subformatos obtenidos por cortes de gres porcelánico, podrían no cumplir con las tolerancias indicadas en el catálogo, garantizadas por Atlas Concorde para los formatos rectificados. - Фактические размеры специальных элементов и подформатов, полученных путем разрезания керамогранита, могут отклоняться от допусков, указанных в каталоге и гарантируемых компанией Atlas Concorde для ретифицированных форматов.

Copyright 2025 by Ceramiche Atlas Concorde S.p.A - The reproduction of the work, fully or in part, is strictly forbidden.
Copyright 2025 by Ceramiche Atlas Concorde S.p.A - È vietata la riproduzione, anche parziale, dell'opera in tutte le sue forme.
Copyright 2025 by Ceramiche Atlas Concorde S.p.A - Toute reproduction, même partielle, de l'œuvre dans toutes ses formes est interdite.
Copyright 2025 by Ceramiche Atlas Concorde S.p.A - Die Reproduktion, ganz oder teilweise, des Werkes in all seinen Formen ist verboten
Copyright 2025 by Ceramiche Atlas Concorde S.p.A - Está prohibida la reproducción, incluso parcial, de la obra en todas sus formas.
Copyright 2025 by Ceramiche Atlas Concorde S.p.A - Запрещается любое полное или частичное воспроизведение данной работы.

January 2025

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
BATHROOM FURNITURE & TABLES
FACADES
TECHNICAL SPECIFICATIONS

atlas concorde

atlasconcorde.com