



**peronda**

/ NOVELTIES FEBRUARY 2023

**Pasión por el detalle**

passion for detail

# UNLIMITED PURPOSES ALL IN ONE



## Usos ilimitados MISMA SUPERFICIE

El acabado All in one aporta suavidad y antideslizamiento. Ahora no hay por qué elegir, puedes tenerlo todo en un único producto.

## Unlimited purposes SAME SURFACE

All in one finish brings softness and anti slip treatment together. There is no need to choose any more. You can have it all in just one product.


# MULTI TEXTURE SURFACE LAYER TECH



Última tecnología de decoración cerámica, que permite crear texturas en diferentes capas de la superficie de manera digital.

The latest in tile printing technology. With it, textures can be created on different surface layers in a digital way.


# REAL PRECISION BY PERONDA SHAPED



Relieves creados de manera digital perfectamente coordinados con la impresión gráfica para generar las piezas más naturales nunca vistas en cerámica.

Reliefs are created via digital technology perfectly coordinated with graphic printing to generate the most natural pieces ever seen in ceramic.

# EXTRAORDINARY RESISTANCE 20 MM



Porcelánico espesorado realizado con la última tecnología en producción cerámica. Todos los beneficios de 4D Tech al servicio del producto más robusto de Peronda.


20 mm thick porcelain made with the latest technology in ceramic production. All the benefits of 4D Tech at the service of Peronda's most robust product.





## PORCELAIN & WALL TILES

# Cluny



La colección toma el nombre Cluny porque, como la famosa ciudad, se trata de una piedra originaria de la Borgoña francesa. El estilo se puede reconocer por la distribución de restos fósiles en la superficie, dispersos de manera irregular generando un movimiento de gran belleza en el espacio. El abanico cromático se centra en los tonos cálidos de intensidad suave, en línea con las tendencias actuales, ya que buscamos generar espacios calmados y sin estridencias.


Cluny is a tile collection named after the famous French city in the Burgundy region where the stone which inspires the collection can be found. Its design stands out for the fossil remains scattered randomly across the surface, lending it an eye-catching sense of movement. The collection comes in a soft warm colour spectrum in keeping with current trends, perfect for creating soothing, harmonious living spaces



Cluny

9



CLUNY 4D  Cluny Silver SP\_100x100






CLUNY Cluny Silver SP\_100x275 · Silver SP\_100x100



CLUNY Cluny White SP\_100x275 · Beige SP\_100x100







CLUNY Cluny White SP\_100x275



CLUNY Cluny Sand SP\_100x275 · Verbier Taupe AS





CLUNY  Cluny Sand\_33,3x100 · Textured Sand\_33,3x100 · Cluny Beige SP\_100x100



CLUNY  Cluny Textured Sand\_33,3x100



Cluny



17

CLUNY WALL — Cluny Decor Sand\_33,3x100



Cluny




19




Cluny

21


CLUNY  Cluny White SP\_100x275 · Sand SP\_100x100 · Sand \_100x100 A







CLUNY  Cluny White SP\_100x275 · White\_100x100 A · White Rej. · Ang. Rej. · P.V. · Ang. P.V.





CLUNY  Cluny Sand\_100x100x A



# CLUNY PORCELAIN TILES



# WHITE BODY WALL TILES




Cluny

25

RECTIFIED	CLUNY 4D					CLUNY FLOOR					
	100*275*0,6 cm 39*108"		100*100*0,8 cm 39*39"			100*100*2 cm 39*39"	50*100*2 cm 20*39"	60*120*1 cm 24*48"	90*90*1 cm 36*36"	90*90*1 cm 36*36"	
	SHAPED 4D		ANTI-SLIP 4D			ALL IN ONE			SOFT		
	BN141	BN142	BN135	BN136	BN144	BN143	BN145	BN147	BN116	BN90	BN48
BEIGE	36282	36337	36341	36348	36902	36356	36354	36360			
SAND	36281	36338	36343	36350	36903	36358	36353	36362			
SILVER	36283	36339	36342	36349	36904	36357	36352	36361			
WHITE	36280	36336	36340	36347	36905	36355	36351	36359			

RECTIFIED	CLUNY WALL		
	33,3*100*0,75 cm 13*39"	33,3*100*0,75 cm 13*39"	33,3*100*0,86 cm 13*39"
	NATURAL	TEXTURED NATURAL	DECOR NATURAL
	BN65	BN66	BN66
SAND	36365	36368	36369
SILVER	36366	36370	36371
WHITE	36363	36364	36367


## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



## ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
ANTI-SLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42
SOFT	-	-	-	Class 1	-


## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS







# FS



El diseñador e interiorista de mobiliario vintage, Franciso Segarra, continúa colaborando con Peronda Cerámicas a través del desarrollo de nuevos productos para la colección 'FS by Peronda'.

The designer and interior architect for vintage furniture, Franciso Segarra, continues to collaborate with Peronda Ceramics through the development of new products for the 'FS by Peronda' collection.



FS  
Star








FS  
Star

FS STAR ○ FS Star Sky · FS Wild

# FS STAR ○ SINGLE FIRED FLOOR TILE



FS STAR



45 \* 45 \* 1,05 cm | 18 \* 18"

NO RECTIFIED	NATURAL <b>BN14</b>
NIGHT	28146
SKY	28147



## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	different shades	shade variation	various graphics

## ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
NATURAL	R9	-	+36 Wet	Class 1	> 0,42






FS  
Rockstar

# FS ROCKSTAR PORCELAIN TILE




FS ROCKSTAR N AS



FS ROCK AS




## FS ROCKSTAR



45,2 \* 45,2 \* 1 cm | 18 \* 18"

RECTIFIED	ALL IN ONE
	<b>BN149</b>
FS ROCKSTAR-N AS	36379
FS ROCK AS	36381

### CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	different shades	shade variation	various graphics
					

### ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42





FS ROAD ○ FS Road Moon



FS ROAD ○ FS Road Mars






FS  
Road

FS ROAD FS Road Moon


# FS ROAD PORCELAIN TILE




FS ROAD Mars AS



FS ROAD Moon AS



## FS ROAD






10 patterns

90 \* 90 \* 1 cm | 36 \* 36"

RECTIFIED	ALL IN ONE
	<b>BN150</b>
MARS AS	36372
MOON AS	36373

### CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	diferent shades	shade variation	various graphics
					

### ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42





FS FIELD ○ FS Field Blue



FS FIELD ○ FS Field Black





FS FIELD FS Field Brown · FS Rock

FS Field

# FS FIELD LT PORCELAIN TILE




FS FIELD LT Black LT




FS FIELD LT Blue LT



FS FIELD LT Brown LT



## FS FIELD LT




10 patterns

45,2 \* 45,2 \* 1 cm | 18 \* 18"

RECTIFIED	LAYER TECH ALL IN ONE
	<b>BN151</b>
BLACK LT	36382
BLUE LT	36383
BROWN LT	36384

Matching product.  
45,2x45,2 cm | 18x18"



FS ROCK AS

### CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	diferent shades	shade variation	various graphics
					

### ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE / LAYER TECH	R11	A+B+C	+36 Wet	Class 3	> 0,42





FS  
Wild

FS WILD ○ FS Wild · FS Rockstar

# FS WILD PORCELAIN TILE



FS WILD AS



## FS WILD



30 patterns

19,5 \* 121,5 \* 1 cm | 8 \* 48"

RECTIFIED	ALL IN ONE
	<b>BN152</b>
FS WILD AS	36330




### CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	versatile	matt	different shades	shade variation	various graphics
					

### ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42





PORCELAIN & WALL TILES

# Cersaie 2022





MANHATTAN Manhattan Silver SP\_100x275 · Silver SP\_100x100

Manhattan



MANHATTAN Manhattan Bone SP\_100x100 · Bone SP\_33,3x100  
Bone Lines SP\_33,3x100





MANHATTAN Manhattan Bone Wavy SP\_33,3x100 · Bone SP\_100x100




47



# MANHATTAN PORCELAIN TILES



# WHITE BODY WALL TILES



	MANHATTAN 4D					MANHATTAN FLOOR					
	100*275*0,6 cm 39*108"		100*100*0,8 cm 39*39"			100*100*2 cm 39*39"	50*100*2 cm 20*39"	60*120*1 cm 24*48"	90*90*1 cm 36*36"	60*60*1 cm 24*24"	
RECTIFIED	SHAPED 4D		SHAPED 4D		ANTISLIP 4D	ANTISLIP 4D 20 mm	ANTISLIP 4D 20 mm	ALL IN ONE	ALL IN ONE	ALL IN ONE	
	BN141	BN142	BN135	BN136	BN144	BN143	BN145	BN147	BN116	BN90	BN33
BONE	34685		34737		34738		36333	36911	34745	34747	34750
GREY	34880		34735		34740		36334	36908	34742	34746	34749
SILVER	34686		34736		34739		36335	36909	34744	34748	34751
WHITE		34687		34876		34877	36332	36910	34782	34874	34873

	MANHATTAN WALL		
	33,3*100*0,75 cm 13*39"	33,3*100*0,86 cm 13*39"	33,3*100*0,86 cm 13*39"
RECTIFIED	SHAPED	WAVY_SHAPED	LINES_SHAPED
	BN8	BN10	BN10
BONE	34752	34758	34757
SILVER	34753	34756	34755
WHITE	34754	34760	34759


## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



## ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42

## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS







GRANIER Granier Taupe AS\_24x151 · Taupe Decor SP\_33,3x100

Granier



GRANIER Granier Natural Decor SP\_33,3x100

## GRANIER PORCELAIN TILES



24 * 151 * 1 36 patterns	19,5 * 121,5 * 1 48 patterns
-----------------------------	---------------------------------

	24*151*1 cm 24*48"	19,5*121,5*1 cm 8*48"
RECTIFIED	ALL IN ONE <b>BN121</b>	ALL IN ONE <b>BN95</b>
ASH	34641	34764
HONEY	34637	34765
MAPLE	34639	34766
NATURAL	34638	34767
TAUPE	34640	34768

### CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics


### ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42



51

## GRANIER WHITE BODY WALL TILES



DECOR	
	7 patterns

	33,3*100*0,86 cm 13*39"
RECTIFIED	DECOR_SHAPED <b>BN10</b>
HONEY	34773
NATURAL	34772
TAUPE	34774

### CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	wall tiles	matt	different shades	shade variation	various graphics









GHENT  Ghent White A\_100x100x2 · Bone SP\_100x100 · White SP\_100x275

Ghent



GHENT  Ghent Beige A\_50x100x2 · Beige A\_100x100x2 · Beige SP\_100x275  
Beige PV · Ang. PV · Rej. · Ang.rej.




GHENT  Ghent Beige SP\_100x275 · Ghent White SP 100x100

53



# GHENT PORCELAIN TILES



**GHENT 4D**

- SHAPED 6 mm: 100 \* 275, 5 patterns
- SHAPED 8 mm: 100 \* 180, 6 patterns
- SHAPED 8 mm, ANTISLIP 8 mm, ANTISLIP 20 mm: 100 \* 100, 12 patterns
- ANTISLIP 20 mm: 50 \* 100, 24 patterns
- NO RECTIFIED, ANTISLIP 20 mm: 101,5 \* 101,5, 12 patterns

RECTIFIED	SHAPED		SHAPED		SHAPED		ANTISLIP		NO RECTIFIED	ANTISLIP 20 mm
	BN141	BN142	BN137	BN138	BN135	BN136	BN144	BN143		
BEIGE	35597		33200		31747		33948		BEIGE	35791
GREY	35598		33202		31749		33947		GREY	35793
SILVER	35599		33201		31748		33946		SILVER	35792
WHITE		35600		33203		31746		33945	WHITE	35794

**GHENT FLOOR**

- ALL IN ONE: 60 \* 120, 10 patterns
- ALL IN ONE: 90 \* 90, 12 patterns
- NATURAL: 60 \* 60, 20 patterns

**PIEZAS ESPECIALES | SPECIAL PIECES**

- D. GHENT MOSAIC 16T: 30\*30\*1 cm, 12\*12"
- D. GHENT MOSAIC 12T: 30\*30\*1 cm, 12\*12"

RECTIFIED	GHENT FLOOR	
	ALL IN ONE	NATURAL
BEIGE	31753	31755
GREY	31751	31756
SILVER	31752	31757
WHITE	31750	31754

RECTIFIED	GHENT FLOOR	
	MOSAIC 16T ALL IN ONE P36	MOSAIC 12T ALL IN ONE P36
BEIGE	32099	32103
GREY	32100	32104
SILVER	32101	32105
WHITE	32102	32106

## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



## ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42
NATURAL	R10	A+B	+36 Wet	Class 2	> 0,42

## WHITE BODY WALL TILES




**GHENT WALL**


- SHAPED: 33,3\*100\*0,75 cm, 13\*39", 12 patterns
- DECOR: 33,3\*100\*0,86 cm, 13\*39", 8 patterns

RECTIFIED	GHENT WALL	
	SHAPED BN8	DECOR_SHAPED BN10
BEIGE	31860	31863
SILVER	31862	31864
WHITE	31861	31865

## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS




Porcelain



White body







GROUND  Ground Bone SP\_100x100 · Bone\_33,3x100 · Bone Decor\_33,3x100

Ground



GROUND  Ground Bone\_33,3x100 · Bone SP\_100x100




GROUND  Ground Silver\_33,3x100 · Silver SP\_100x100

57




# GROUND PORCELAIN TILES



RECTIFIED	GROUND 4D		GROUND FLOOR					
	SHAPED BN141	SHAPED BN135	SOFT BN48	LAPATTO BN42	ANTISLIP BN90	SOFT BN70	SOFT BN114	LAPATTO BN115
BONE	35904	32889	24944	27134	24973	24930	24920	27119
GREY	35906	32890	24792	27135	24974	24931	24921	27120
SILVER	35905	32888	24790	27136	24975	24932	24922	27121

## PIEZAS ESPECIALES | SPECIAL PIECES



RECT.	GROUND FLOOR					GROUND FLOOR		GROUND FLOOR		
	SOFT BN33	LAPATTO BN38	ANTISLIP BN88	SOFT BN97	LAPATTO BN98	SOFT P37	SOFT P58	SOFT BN40	LAPATTO BN83	MOSAIC SOFT P37
BONE	24936	27128	24979	24941	27131	23435	23505	24953	27137	23441
GREY	24937	27130	24980	24942	27133	23438	23506	24952	27138	23442
SILVER	24938	27129	24981	24943	27132	23439	23507			


## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS



## ANTIDESLIZAMIENTO | ANTI-SLIP



FINISHED	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
SHAPED	-	-	-	Class 1	> 0,42
SOFT	R10	A+B	+36 Wet	Class 2	> 0,42
LAPATTO	R9	-	+36 Wet	Class 2	> 0,42
ANTISLIP	R12	A+B+C	+36 Wet	Class 3	> 0,42

# WHITE BODY WALL TILES



RECTIFIED	GROUND WALL	
	NATURAL BN65	DECOR NATURAL BN66
BONE	34761	34813
SILVER	34762	34815
WHITE	34763	34814

## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS






# FS FOREST SINGLE FIRED FLOOR TILE




FS FOREST natural



FS FOREST mix



FS FOREST plank



10 patterns

45 \* 45 \* 1,05 cm | 18 \* 18"


NO RECTIFIED	NATURAL
	<b>BN14</b>
FS FOREST BLACK	34443
FS FOREST NATURAL	34444
FS FOREST NATURAL MIX	34445
FS FOREST WHITE	34442



FS FOREST black



FS FOREST white



48 patterns

7,3 \* 45 \* 1,05 cm | 2,9 \* 18"

NO RECTIFIED	NATURAL
	<b>BN146</b>
FS FOREST PLANK	34881

## ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
NATURAL	-	-	Class 1	-

# FS LOFT WHITE BODY WALL TILES




FS LOFT white



FS LOFT black



FS LOFT clay



6 patterns

20 \* 40 \* 1,03 cm | 8 \* 16"

NO RECTIFIED	DEEP TECH
	<b>BN18</b>
FS LOFT BLACK	34450
FS LOFT CLAY	34451
FS LOFT WHITE	34449


# FS IRON WHITE BODY WALL TILES



FS IRON white LT



FS IRON oxide LT



10 patterns

20 \* 40 \* 1,03 cm | 8 \* 16"

NO RECTIFIED	LAYER TECH DEEP TECH
	<b>BN18</b>
FS IRON OXIDE LT	34446
FS IRON WHITE LT	34447


# FS JAIPUR SINGLE FIRED FLOOR TILE



FS JAIPUR white LT



FS JAIPUR black LT



10 patterns

45 \* 45 \* 1,05 cm | 18 \* 18"

NO RECTIFIED	LAYER TECH
	<b>BN17</b>
FS JAIPUR BLACK LT	34438
FS JAIPUR WHITE LT	34439

## ANTIDESLIZAMIENTO | ANTI-SLIP

FINISHED	DIN 51130	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
LAYER TECH	R10	+36 Wet	Class 1	> 0,42




FS Loft · FS Forest Natural



# Technical information

## Pieza complementaria | Complementary piece


**PL. /18**  
Peldaño técnico -  
Technical stair - thread



30\*100 cm | 12\*39" P74

30\*151 cm | 12\*59" P80  
30\*90 cm | 12\*36" P76  
30\*60 cm | 12\*24" P54  
30\*120 cm | 12\*48" P75


**PT.**  
Peldaño técnico -  
Technical stair - thread



30\*100 cm | 12\*39" P74  
A = 0,6 cm B = 1,8 cm  
A = 0,8 cm B = 2,4 cm

30\*151 cm | 12\*59" P80  
30\*90 cm | 12\*36" P76  
30\*60 cm | 12\*24" P54  
30\*120 cm | 12\*48" P75  
A = 1 cm B = 3 cm


**PR.**  
Peldaño Romo  
Rounded stair - thread



30\*100 cm | 12\*39" P85


30\*151 cm | 12\*59" P54  
30\*90 cm | 12\*36" P61  
30\*60 cm | 12\*24" P64  
30\*120 cm | 12\*48" P77

**R.**  
Rodapie - Skirting




8\*100 cm | 3\*39" P45  
8\*60 cm | 3\*24" P34  
8\*90 cm | 3\*36" P44  
8\*60 cm | 3\*24" P34

**S.K.I.** **S.K.D.** **Z.R.I.** **Z.R.D.**



8\*30 cm | 3 \* 12" P55  
8\*30 cm | 3\*12" P55


**AF.**  
Alféizar - Windowsill



25\*90 cm | 10\*36" P77  
25\*120 cm | 10\*48" P54


### PIEZA ESPECIAL PISCINA | SPECIAL PIECE POOL

**P.V.**  
Peldaño Vierteagua  
Pool Coping




20\*60 cm | 8\*24" P61  
20\*90 cm | 8\*36" P81  
20\*100 cm | 8\*39" P82

**ANG.P.V.**  
Peldaño vierteagua angulo  
Pool Coping internal corner




20\*60 cm | 8\*24" P70 (PACK 2 units)  
20\*90 cm | 8\*36" P75 (PACK 2 units)  
20\*100 cm | 8\*39" P80 (PACK 2 units)

**E.P.V.**  
Peldaño vierteagua esquina  
Pool Coping external corner




20\*60 cm | 8\*24" P70 (PACK 2 units)  
20\*90 cm | 8\*36" P75 (PACK 2 units)  
20\*100 cm | 8\*39" P80 (PACK 2 units)

**REJ.**  
Rejilla  
Drainage grate




15\*60\*2,2 cm | 6\*24" P54  
15\*90\*2,2 cm | 6\*36" P76




15\*50\*1,6 cm | 6\*20" P87

**ANG.REJ.**  
Angulo rejilla | Angle corner  
drainage grate




15\*60\*2 cm | 6\*24" P75 (PACK 2 units)  
15\*90\*2 cm | 6\*36" P57 (PACK 2 units)




15\*50\*1,6 cm | 6\*20" P74 (PACK 2 units)

**T.REJ.**  
Taco rejilla | Square  
corner drainage grate



15\*15\*2,2 cm | 6\*6" P85



15\*15\*1,6 cm | 6\*6" P66




# Embalaje | Packing

## PLACA | SLAB

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción. Weights shown here may slightly vary depending on the production lot.)

1 PLACA   SLAB			CAJÓN MADERA   WOODEN CRATE			CONT./20' 25000 KG.			CONT./40' 25000 KG.		
cm	m <sup>2</sup>	kg	Placas	m <sup>2</sup>	kg	Cajones	m <sup>2</sup>	kg	Cajones	m <sup>2</sup>	kg
100 * 275 * 0,6	2,75	38,5	20	55	869	24	1320	20856	29	1595	25201
inch	ft <sup>2</sup>	lb	Slabs	ft <sup>2</sup>	lb	Crates	ft <sup>2</sup>	lb	Crates	ft <sup>2</sup>	lb
39 3/8 * 108 1/4 * 1/4	29,6	84,88	20	592	1916	24	14208,4	45980	29	17168,4	55558,7

## CAJÓN DE MADERA | WOODEN CRATE



### Tamaño aprox. cm.


291 \* 112 \* 33 cm

### Approx. inch. sizes

114 9/16 \* 44 1/8 \* 12 3/16

1 PLACA   SLAB			CABALLETE MIXTO   A-FRAME			CONT./20' 24000-25000 KG.			CONT./40' 24000-25000 KG.		
cm	m <sup>2</sup>	kg	Placas	m <sup>2</sup>	kg	Caballete	m <sup>2</sup>	kg	Caballete	m <sup>2</sup>	kg
100 * 275 * 0,6	2,75	38,5	40	110	1620	3	330	4860	12	1320	19440
inch	ft <sup>2</sup>	lb	Slabs	ft <sup>2</sup>	lb	A-frame	ft <sup>2</sup>	lb	A-frame	ft <sup>2</sup>	lb
39 3/8 * 108 1/4 * 1/4	29,6	84,88	40	1184	3571,5	3	3552,09	10714,47	12	14208,4	42857,9

## A-FRAME | CABALLETE MIXTO (metal-madera | metal-wood)



### Tamaño aprox. cm.

290 \* 75 \* 152 cm

### Approx. inch. sizes

114 1/8 \* 29 1/2 \* 59 7/8"



Accede al código QR y visualiza el manual técnico de colocación de gran formato. Enter with the QR code and view the technical manual for laying slabs.

## PAVIMENTO Y REVESTIMIENTO | FLOOR AND WALL TILES

Formato   Sizes	Cajas   Boxes			Pallet (P)				Cont./20' 21500 kg.	Cont./20' 24000 kg.
	Piezas	m <sup>2</sup>	kg	Cajas	m <sup>2</sup>	kg	Tamaño aprox. cm	m <sup>2</sup>	m <sup>2</sup>
100 * 180 * 0,6	2	3,6	52,92	24	86,40	1320,08	190 * 115 * 60	1407,19	1570,81
100 * 180 * 0,8	2	3,6	70,25	20	72	1467,52	190 * 115 * 60	1054,84	1177,5
100 * 100 * 0,6	2	2	27,8	24	48	709,2	112 * 112 * 61	1440 m <sup>2</sup> (30 P)	21276 kg (30 P)
100 * 100 * 0,8	2	2	37	32	64	1226	112 * 112 * 100	1122,35	1252,85
100 * 100 * 2	1	1	49,20	24	24	1223	112 * 112 * 85	-	456 m <sup>2</sup> (19 P)
50 * 100 * 2	1	0,5	24,7	48	24	1227,6	112 * 112 * 85	420	469
90 * 90 * 1	2	1,62	37,96	22	35,64	860	105 * 95 * 75	891	994
60 * 120 * 1	2	1,44	33,18	27	38,88	920	120 * 80 * 75	908,61	1014,26
60 * 60 * 1	3	1,08	24,3	40	43,2	996	120 * 80 * 75	933	1041
45 * 90 * 1	2	0,81	19,08	36	29,16	699	100 * 100 * 59	896,91	1001,2
29 * 90 * 1	3	0,78	20	54	42,12	1105	105 * 95 * 75	819,53	914,82
9,9 * 60 * 1	13	0,77	16,45	64	49,28	1065	100 * 100 * 94	994,85	1110,54
24 * 151 * 1	3	1,09	24,27	48	52,32	1200	156 * 93 * 63	889 m <sup>2</sup> (17 P)	20399 kg (17 P)
20 * 40 * 1,03	12	0,96	16,29	56	53,76	936	120 * 80 * 95	1235	1378
33,3 * 100 * 0,75	6	2	24,92	24	48	640	118 * 110 * 48	1612	1800
33,3 * 100 * 0,86	5	1,67	22,45	24	40,08	581	118 * 110 * 48	1484	1656
45,2 * 45,2 * 1	5	1,02	23,7	66	67,32	1588	120 * 80 * 105	911,45	1017,43
45 * 45 * 1,05	5	1	24,14	66	66	1617	120 * 80 * 105	877	979
inch	units	ft <sup>2</sup>	lb	Boxes	ft <sup>2</sup>	lb	Sizes Inch approx.	ft <sup>2</sup>	ft <sup>2</sup>
70 7/8 * 39 3/8 * 5/16	2	38,75	116,64	24	930	2910,27	74 3/4 * 45 1/4 * 235/8	15146,87	16908,06
70 7/8 * 39 3/8 * 1/4	2	38,75	154,87	20	775	3207,73	74 3/4 * 45 1/4 * 235/8	11451,94	12783,54
39 3/8 * 39 3/8 * 1/4	2	21,52	61,29	24	516,66	1563,51	44 1/8 * 44 1/8 * 24	15500 ft <sup>2</sup> (30 P)	46905,55 lb (30 P)
39 3/8 * 39 3/8 * 5/16	2	21,53	81,59	32	688,90	2703,33	44 1/16 * 44 1/16 * 39 3/8	12080,97	13485,73
39 3/8 * 39 3/8 * 3/4	1	10,76	108,46	24	258,33	2696,25	44 1/16 * 44 1/16 * 33 7/16	-	4908,34 m <sup>2</sup> (19 P)
19 11/16 * 39 3/8 * 3/4	1	5,38	54,45	48	258,33	2706,39	44 1/16 * 44 1/16 * 33 7/16	4520,84	5048,27
35 7/16 * 35 7/16 * 3/8	2	17,44	83,69	22	383,63	1896	41 5/6 * 37 3/8 * 29 1/2	9590,64	10699,3
23 5/8 * 47 1/4 * 3/8	2	15,50	73,15	27	418,50	2027,92	47 1/4 * 31 1/2 * 29 1/2	9781,75	10919,17
23 5/8 * 23 5/8 * 3/8	3	11,63	53,57	40	465	2195,8	47 1/4 * 31 1/2 * 29 1/2	10042,7	11205,23
17 11/16 * 35 7/16 * 3/8	2	8,72	42,07	36	313,88	1541,3	41 5/16 * 31 1/2 * 41 5/16	9654,34	10776,94
11 7/16 * 35 7/16 * 3/8	3	8,4	44,09	54	453,38	2436,53	41 5/16 * 37 3/8 * 29 1/2	8821,41	9847,16
3 7/8 * 23 5/8 * 3/8	13	8,29	36,27	64	530,45	2348,33	39 3/8 * 39 3/8 * 37	10708,61	11953,8
9 7/16 * 59 7/16 * 7/16	3	11,73	52,9	48	563,16	2645,54	61 7/16 * 36 5/8 * 24 13/16	9569,12 ft <sup>2</sup> (17 P)	44972,1 lb (17 P)
7 7/8 * 15 3/4 * 7/16	12	10,3	35,9	56	578,66	2063,53	47 1/4 * 31 1/2 * 37 3/8	13293,43	14835,67
13 1/8 * 39 3/8 * 1/4	6	21,53	54,93	24	516,67	1410,96	46 7/16 * 43 5/16 * 18 7/8	17351,42	19375,04
13 1/8 * 39 3/8 * 5/16	5	17,98	49,49	24	431,42	1280,89	46 7/16 * 43 5/16 * 18 7/8	15973,64	17825,04
17 13/16 * 17 13/16 * 3/8	5	10,98	52,26	66	724,63	3501,54	47 1/4 * 31 1/2 * 41 5/16	9810,83	10951,62
17 11/16 * 17 11/16 * 7/16	5	10,76	53,21	66	710,42	3564,87	47 1/4 * 31 1/2 * 41 5/16	9739,95	10537,9



# peronda

Papel fabricado con fibras provenientes de bosques gestionados de forma responsable y certificado con la Etiqueta Ecológica Europea. **Paper made from fibers from responsibly managed forest and certified with the European eco-label.**




Las baldosas cerámicas una vez que llegan al final de su vida útil son un residuo inerte, que para su correcta gestión debe ser entregado a un gestor autorizado de residuos, favoreciendo su reciclado. **Once ceramic tiles reach the end of their useful life, they are inert waste. For their proper management, they should be given to an authorized waste management body for recycling purposes.**

Debido a los procesos de impresión, los colores que aparecen en este catálogo deben considerarse aproximados, y no exactos. **All colours and hues appearing in this catalogue should be considered approximate, only in view of the printing processes involved.**

Los derechos de todos los contenidos (textos, fotografías, dibujos, diseños etc) del presente catálogo son propiedad de PERONDA GROUP, S.A. (o en su defecto, cuentan con los correspondientes permisos y autorizaciones de sus titulares). No está permitida la reproducción total o parcial de esta publicación, ni su tratamiento informático, ni la transmisión de ninguna forma o por cualquier medio, ya sea electrónico, mecánico, por fotocopia, por registro u otros medios, sin el permiso previo y por escrito de los titulares del copyright. **The rights of all contents (texts, photographs, drawings, designs, etc.) of this catalogue remain the property of PERONDA GROUP, S.A. (or, failing that, they have the corresponding permissions and authorizations of the owners). No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright holders.**





**peronda.com**

Av. Manuel Escobedo, 26 \_ P.O Box 51  
12200 **Onda (Castellón)** España  
**964 602 012** \_ f. 964 600 361 \_ f. exportación (+34) 964 771 162