MADE IN ITALY. MADE TO EXCEL.

MARVEL
NEXT

Interactive version



atlas concorde

MARBLE LOOK

PORCELAIN TILES
Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

WALL TILES
Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

atlas concorde

Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects.
Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali.
Design your world with Atlas Concorde.

atlasconcorde.com

Index

INSPIRATION
THE DREAM VILLA
SURFACE RANGE &TECHNICAL SPECIFICATIONS

Calm with a pulse.

MARVEL BECOMES NEXT.

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

Next in every touch.

CALM TO THE EYE, ALIVE TO THE SENSES.





INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

Silk is the calm; Hammered gives it a pulse.

FOUR FINISHES: SILK, HAMMERED, MATTE, POLISHED.



SILK

POLISHED

HAMMERED

MATTE

INDEX

INSPIRATION


THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

Relief is the new decoration.

STRIPE, WHEAT , 3D FLUTE , 3D WHEAT: PATTERNS YOUR READ WITH YOUR HANDS.






INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS

A visual beat, made to be seen.

CURATED CALM AT ITS BOLDEST.

GRID



GROOVE

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

The calm. The character.

FOUR TONES OF CALM, THREE VIVID PULSES.

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS


BRECCIA CREAM

The tones of calm hold the room together.

VANILLA AND BRECCIA: CHOOSE YOUR MOOD.

VANILLA WHITE

BRECCIA PEARL



VANILLA CREAM

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

The vivid pulses make it yours.

SAHARA DARK, AURELIA VEIN, CALACATTA ORO: MAKE YOUR SIGNATURE.



SAHARA DARK

AURELIA VEIN

CALACATTA ORO

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

The Dream Villa

Villa Outdoor



Living



Kitchen



Entrance



Bedroom




Bathroom



Home Bar



Home SPA



Villa Outdoor

OPEN-AIR RETREAT

VANILLA CREAM



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

OUTDOOR FLOOR
Marvel Next
Vanilla Cream
Hammered Outdoor Sensitech + 20 mm
60x120 cm | 23⅝"x47⅛"

Marvel Next
Vanilla Cream
Round Outdoor Sensitech + 20 mm
33x120 cm | 13"x47⅛"

OUTDOOR WALL
Marvel Next
Vanilla Cream
Matte
120x278 cm - 47⅛"x109⅜"

Marvel Next
Aurelia Vein
Matte
120x278 cm - 47⅛"x109⅜"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



OUTDOOR FLOOR

Marvel Next
Vanilla Cream

Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

OUTDOOR WALL

Marvel Next
Vanilla Cream

Matte
120x278 cm - $47^{1}/_{4}$"x$109^{1}/_{2}$"



INDEX


INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





OUTDOOR FLOOR

Marvel Next
Vanilla Cream

Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

OUTDOOR WALL

Marvel Next
Vanilla Cream

Matte
120x278 cm - $47^{1}/_{4}$"x$109^{1}/_{2}$"

Marvel Next
Vanilla Cream

Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

OUTDOOR FLOOR

Marvel Next
Vanilla Cream

Hammered Outdoor Sensitech **÷ 20 mm**
60x120 cm | 23⅝"x47¼"

OUTDOOR WALL

Marvel Next
Vanilla Cream

Matte
120x278 cm - 47¼"x109½"

Marvel Next
Aurelia Vein

Matte
120x278 cm - 47¼"x109½"

INDEX

INSPIRATION

THE DREAM VILLA


VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Living

PERSONAL GATHERING

BRECCIA PEARL



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR
Marvel Next
Breccia Pearl
Silk
120x278 cm - 47 1/4"x109 1/2"

WALL
Marvel Next
Breccia Pearl Stripe
Matte
120x278 cm - 47 1/4"x109 1/2"

Atlas Plan
Marvel Next Sahara Dark Bookmatch
Hammered
162x324 cm | 63 3/4"x127 1/2"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 65 cm | 25 5/8" - Ø 120 cm | 47 1/4"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR
Marvel Next
Breccia Pearl
Silk
120x278 cm - 47 1/4"x109 1/2"

WALL
Marvel Next
Breccia Pearl Stripe
Matte
120x278 cm - 47 1/4"x109 1/2"



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR
Marvel Next
Breccia Pearl
Silk
120x278 cm - 47 1/4"x109 1/2"

WALL
Atlas Plan
Marvel Next Sahara Dark Bookmatch
Hammered
162x324 cm | 63 3/4"x127 1/2"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 65 cm | 25 5/8" - Ø 120 cm | 47 1/4"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Kitchen

EVERYDAY CORE

SAHARA DARK



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR
Marvel Next
Vanilla White
Silk
120x278 cm - 47 1/4"x109 1/2"

FURNITURE
Marvel Next
Sahara Dark
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Marvel Next Sahara Dark
Hammered
162x324 cm | 63 3/4"x127 1/2"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FURNITURE
Marvel Next
Sahara Dark
Matte
120x278 cm | 47 1/4"x109 1/2"

BACKSPLASH
Marvel Next
Wheat Vanilla White
Matte
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Marvel Next Sahara Dark
Hammered
162x324 cm | 63 3/4"x127 1/2"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





FLOOR
Marvel Next
Vanilla White
Silk
120x278 cm - 47$^{1}/_{4}$"x109$^{1}/_{2}$"

FURNITURE
Marvel Next
Sahara Dark
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

COUNTERTOP
Atlas Plan
Marvel Next Sahara Dark
Hammered
162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Entrance

WELCOMING THRESHOLD

VANILLA WHITE



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR
Atlas Plan
Marvel Next Vanilla White
Silk
160x320 cm - 63"x126"

WALL
Marvel Next
Stripe Vanilla White
Matte
120x278 cm | 47 1/4"x109 1/2"

STAIRS
Marvel Next
Calacatta Oro
Silk
120x278 cm | 47 1/4"x109 1/2"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



WALL
Marvel Next
Stripe Vanilla White
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

STAIRS
Marvel Next
Calacatta Oro
Silk
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

INDEX

INSPIRATION

THE DREAM VILLA
VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR
Atlas Plan
Marvel Next Vanilla White
Silk
160x320 cm - 63"x126"

WALL
Marvel Next
3D Flute Vanilla White
Matte
50x120 cm | 19⅝"x47¼"



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Bedroom

INTIMATE SUITE

AURELIA VEIN



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR
Marvel Next
Vanilla White
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Next
Aurelia Vein
Matte
120x278 cm | 47¹/₄"x109¹/₂"

DECOR
Marvel Next
Groove Aurelia Vein
Matte
13,8x120 cm (5³/₈" x 47¹/₄")

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





WALL
Marvel Next
Aurelia Vein
Matte
120x278 cm | 47¹/₄"x109¹/₂"

DECOR
Marvel Next
Groove Aurelia Vein
Matte
13,8x120 cm (5³/₈" x 47¹/₄")

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR
Marvel Next
Vanilla White
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Next
3D Wheat Vanilla White
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
Marvel Next
Aurelia Vein
Matte
120x278 cm | 63⁵/₈"x127"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





FLOOR
Marvel Next
Vanilla White
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Next
3D Wheat Vanilla White
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
Marvel Next
Aurelia Vein
Matte
120x278 cm | 63⁵/₈"x127"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Bathroom

DAILY RITUALS

BRECCIA CREAM



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR
Marvel Next
Breccia Cream
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Marvel Next
Breccia Cream
Matte
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

Marvel Next
3D Flute Breccia Cream
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

BENCH | **ARCO**
Atlas Concorde Habitat
Aurelia Vein
Matte
150x42x42 cm | 59"x161/2"x161/2"

STORAGE UNIT | **TORRE SLIM - Wall I-Frame**
Atlas Concorde Habitat
Aurelia Vein
Matte
30x15x90 cm | 11$^{3}/_{4}$"x5$^{7}/_{8}$"x35$^{3}/_{8}$"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





FLOOR
Marvel Next
Breccia Cream
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Next
3D Flute Breccia Cream
Matte
50x120 cm | 19 5/8"x47 1/4"

WALL SHELVES | **OMEGA**
Atlas Concorde Habitat
Aurelia Vein
Matte
90x12x10 cm | 35 3/8"x4 3/4"x3 7/8"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





FLOOR
Marvel Next
Breccia Cream
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Next
Aurelia Vein
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX

INSPIRATION

THE DREAM VILLA
VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Home Bar

CONVIVIAL CORNER

CALACATTA ORO



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR
Marvel Next
Vanilla Cream
Silk
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Marvel Next
Vanilla Cream
Silk
120x278 cm | 47 1/4"x109 1/2"

WALL
Marvel Next
Calacatta Oro
Polished
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan
Marvel Next Calacatta Oro
Polished
162x324 cm | 63 3/4"x127 1/2"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





FLOOR
Marvel Next
Vanilla Cream
Silk
120x278 cm | 47 1/4"x109 1/2"

WALL
Marvel Next
Calacatta Oro
Polished
120x278 cm | 47 1/4"x109 1/2"

INDEX

INSPIRATION

THE DREAM VILLA
VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR
Marvel Next
Vanilla Cream
Silk
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

WALL
Marvel Next
Vanilla Cream
Silk
120x278 cm | 47$^{1}/_{4}$"x109$^{1}/_{2}$"

COUNTERTOP
Atlas Plan
Marvel Next Calacatta Oro
Polished
162x324 cm | 63$^{3}/_{4}$"x127$^{1}/_{2}$"



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

Home Spa

SENSORY REST

BRECCIA CREAM HAMMERED



INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS

FLOOR

Marvel Next
Breccia Cream
Hammered Outdoor Sensitech **÷ 20 mm**
60x120 cm | 23⅝"x47¼"

Marvel Next
Breccia Cream
Round Outdoor Sensitech **÷ 20 mm**
33x120 cm | 13"x47¼"

DECOR

Marvel Next
Groove Breccia Cream
Matte
13,8x120 cm (5⅜" x 47¼")

Marvel Next
Breccia Cream
Matte
120x278 cm | 63"x126"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR
Marvel Next
Breccia Cream
Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

DECOR
Marvel Next
Groove Breccia Cream
Matte
13,8x120 cm ($5^{3}/_{8}$" x $47^{1}/_{4}$")

Marvel Next
Breccia Cream
Matte
120x278 cm | 63"x126"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 65 cm | $25^{5}/_{8}$"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



FLOOR

Marvel Next
Breccia Cream
Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | 23⁵/₈"x47"/₄"

Marvel Next
Breccia Cream
Round Outdoor Sensitech **+ 20 mm**
60x120 cm | 23⁵/₈"x47"/₄"

DECOR

Marvel Next
Groove Breccia Cream
Matte
13.8x120 cm (5⁵/₈" x 47"/₄")

Marvel Next
Breccia Cream
Matte
120x278 cm | 63"x126"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS




OUTDOOR FLOOR

Marvel Next
Breccia Cream
Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | 23 5/8"x47 1/4"

DECOR

Marvel Next
Groove Breccia Cream
Matte
13,8x120 cm (5 3/8" x 47 1/4")

Marvel Next
Breccia Cream
Matte
120x278 cm | 63"x126"



INDEX


INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS





OUTDOOR FLOOR

Marvel Next
Breccia Cream

Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

DECOR

Marvel Next
Grid Breccia Cream + Moka Listel

60x120 cm | $23^{5}/_{8}$"x$47^{1}/_{4}$"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



OUTDOOR FLOOR

Marvel Next
Breccia Cream

Hammered Outdoor Sensitech **+ 20 mm**
60x120 cm | 23⁵/₈"x47¹/₄"

DECOR

Marvel Next
Grid Breccia Cream + Moka Listel

Matte
60x120 cm | 23⁵/₈"x47¹/₄"

INDEX

INSPIRATION

THE DREAM VILLA

VILLA OUTDOOR
LIVING
KITCHEN
ENTRANCE
BEDROOM
BATHROOM
HOME BAR
HOME SPA

SURFACE RANGE & TECHNICAL SPECS



Surface range & Technical specifications

- SURFACE RANGE
- SENSITECH
- TECHNICAL SPECIFICATIONS
- MARVEL WORLD

Stripe

Subtle linear texture



Porcelain tiles
120x278 cm

Wheat

Delicate wheat-inspired relief



Porcelain tiles
120x278 cm

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

3D Flute

Three-dimensional fluted surface



Wall tiles
50x120 cm

3D Wheat

Three-dimensional wheat relief



Wall tiles
50x120 cm

INDEX

INSPIRATION


THE
DREAM
VILLA

SURFACE
RANGE &
TECHNICAL
SPECS

SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

Grid


Mosaic with metallic inserts



Porcelain tiles
60x120 cm

Groove

Engraved mosaic with a linear motif



Porcelain tiles
13,8x120 cm

INDEX

INSPIRATION

THE DREAM VILLA

SURFACE RANGE & TECHNICAL SPECS

SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Floor / Wall / Bathroom furniture		Vanilla White	Vanilla Cream	Breccia Cream	Breccia Pearl	Calacatta Oro	Aurelia Vein	Sahara Dark
160x320* cm - 63"x126"	± 6 mm	Silk•		Silk•		Hammered•		
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte•, Silk•, Polished•	Matte•, Silk•, Polished•	Matte•, Silk•	Matte•, Silk•	Matte•, Silk•, Polished•	Matte•, Silk•	Matte•, Silk•
120x278 cm - 47 1/4"x109 1/2" - **ID Skin**	± 6 mm	Stripe, Wheat	Stripe, Wheat	Stripe, Wheat	Stripe, Wheat			
120x240 cm - 47 1/4"x94 1/2"	± 9 mm		Matte Sensitech	Matte Sensitech				
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech, Hammered Matte Sensitech, Silk, Polished	Matte Sensitech, Hammered Matte Sensitech, Silk, Polished	Matte Sensitech, Hammered Matte Sensitech, Silk	Matte Sensitech, Hammered Matte Sensitech, Silk	Matte Sensitech, Silk, Polished	Matte Sensitech, Silk	Matte Sensitech, Silk
60x120 cm - 23 5/8"x47 1/4" - **ID Skin**	± 9 mm	Stripe Matte Sensitech	Stripe Matte Sensitech	Stripe Matte Sensitech	Stripe Matte Sensitech			
75x150 cm - 29 1/2"x59"	± 9 mm	Silk		Silk		Silk		
80x80 cm - 31 1/2"x31 1/2"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			
Slabs for Countertops								
162x324* cm - 63 3/4"x127 1/2" > Non rectified - non rettificato	± 12 mm	Hammered▪, Silk▪		Hammered▪, Silk▪		Hammered▪, Polished▪, Satin▪	Hammered▪	Hammered▪
Outdoor								
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Hammered Grip Sensitech	Hammered Grip Sensitech	Hammered Grip Sensitech	Hammered Grip Sensitech			
60x120 cm - 23 5/8"x47 1/4"	± 20 mm	Hammered Outdoor Sensitech	Hammered Outdoor Sensitech	Hammered Outdoor Sensitech	Hammered Outdoor Sensitech			

* Atlas Plan

● Also available kit endless ▪ Also available in bookmatch

Sensitech pag.111

Destination of use

MEDIUM TRAFFIC: Matte ± 6 mm

HEAVY TRAFFIC: Matte Sensitech ± 9 mm; Hammered Matte Sensitech ± 9 mm; Hammered Grip Sensitech ± 9 mm; Hammered Outdoor Sensitech ± 20 mm

Anti-slip

R9 A Matte ± 6 mm
R10 B Matte Sensitech ± 9 mm
R10 B Hammered Matte Sensitech ± 9 mm
R11 C Hammered Grip Sensitech ± 9 mm
R11 C Hammered Outdoor Sensitech ± 20 mm

Color-shading

V3 Moderate Variation
All colors

ID Skin
This surface enhances the details and the fine texture of the product.
La superficie esalta i dettagli e la matericità del prodotto.

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре


Wall		Vanilla White	Breccia Cream
50x120 cm - 19 5/8"x47 1/4" **Field**	± 8,5 mm	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Flute**	± 10 mm	Matte	Matte
50x120 cm - 19 5/8"x47 1/4" **3D Wheat**	± 10 mm	Matte	Matte



VANILLA WHITE


VANILLA CREAM


BRECCIA CREAM


BRECCIA PEARL


CALACATTA ORO


AURELIA VEIN


SAHARA DARK

INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS
SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

Hammered

60x120 cm - 23⁵/₈"x47¹/₄" ✠ 9 mm
✠ 20 mm

V3 Moderate Variation
All colors

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре


VANILLA WHITE


VANILLA CREAM


BRECCIA CREAM


BRECCIA PEARL

Stripe

120x278 cm - 47¹/₄"x109¹/₂" ✠ 6 mm
60x120 cm - 23⁵/₈"x47¹/₄" ✠ 9 mm

V3 Moderate Variation
All colors

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре


VANILLA WHITE


VANILLA CREAM


BRECCIA CREAM


BRECCIA PEARL

Wheat

120x278 cm
47¹/₄"x109¹/₂" ✠ 6 mm

V3 Moderate Variation
All colors

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре


VANILLA WHITE


VANILLA CREAM


BRECCIA CREAM


BRECCIA PEARL

INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS
SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

3D Flute

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel Next 3D Flute Vanilla White
Matte
50x120 cm - 19⅝"x47¼"



50x120 cm
19⅝"x47¼"

10 mm



Marvel Next 3D Flute Breccia Cream
Matte
50x120 cm - 19⅝"x47¼"



3D Wheat

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel Next 3D Wheat Vanilla White
Matte
50x120 cm - 19⅝"x47¼"



50x120 cm
19⅝"x47¼"

10 mm



Marvel Next 3D Wheat Breccia Cream
Matte
50x120 cm - 19⅝"x47¼"



INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS
SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD


Grid Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Marvel Next Grid Vanilla White + Moka Listel
Matte
60x120 cm - 23⅝"x47¼"



Marvel Next Grid Vanilla Cream + Moka Listel
Matte
60x120 cm - 23⅝"x47¼"



A 120 cm - 47¼"
B 60 cm - 23⅝"


≑ 9 mm



Marvel Next Grid Breccia Cream + Moka Listel
Matte
60x120 cm - 23⅝"x47¼"




Marvel Next Grid Breccia Pearl + Moka Listel
Matte
60x120 cm - 23⅝"x47¼"



Marvel Next Grid Aurelia Vein + Steel Listel
Matte
60x120 cm - 23⅝"x47¼"



Marvel Next Grid Calacatta Oro + Golden Listel
Matte
60x120 cm - 23⅝"x47¼"



Marvel Next Grid Sahara Dark + Golden Listel
Matte
60x120 cm - 23⅝"x47¼"

Golden Listel
60x0,5 cm - 23⅝"x¼"

Moka Listel
60x0,5 cm - 23⅝"x¼"

Steel Listel
60x0,5 cm - 23⅝"x¼"

The listel is sold separately and is available in Steel, Golden and Moka.
Il listello è venduto separatamente ed è disponibile nei colori Steel, Golden e Moka.

Metal insert. We recommend use of a neutral detergent. Do not use acid, alkaline or waxing products or metal scouring pads. Detergents may cause a light loss of colour of the metallic insert, due to either repetitive use or too long contact time. Inserto metallico. Si consiglia l'utilizzo di un comune detergente neutro, evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo. I detergenti, anche di uso comune, possono portare ad una leggera perdita di colore della bacchetta stessa, o per uso ripetuto o per tempo di contatto troppo elevato.

Groove Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Marvel Next Groove Vanilla White
Matte
13,8x120 cm - 5⅜"x47¼"



Marvel Next Groove Vanilla Cream
Matte
13,8x120 cm - 5⅜"x47¼"



13,8x120 cm
5⅜"x47¼"

≑ 9 mm



Marvel Next Groove Breccia Cream
Matte
13,8x120 cm - 5⅜"x47¼"




Marvel Next Groove Breccia Pearl
Matte
13,8x120 cm - 5⅜"x47¼"



Marvel Next Groove Calacatta Oro
Matte
13,8x120 cm - 5⅜"x47¼"



Marvel Next Groove Aurelia Vein
Matte
13,8x120 cm - 5⅜"x47¼"



Marvel Next Groove Sahara Dark
Matte
13,8x120 cm - 5⅜"x47¼"


Engraved mosaic. For best results it is advisable to completely plaster the engravings.
Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni.



INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS
SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

Trim tiles

Porcelain trim tiles



Battiscopa Matte Sensitech
7,2x120 cm - $2^{7}/_{8}$"x$47^{1}/_{4}$"
7,2x150 cm - $2^{7}/_{8}$"x59" ✖
7,2x80 cm - $2^{7}/_{8}$"x$31^{1}/_{2}$" ✖
7,2x60 cm - $2^{7}/_{8}$"x$23^{5}/_{8}$" ✖

Scalino Matte Sensitech ✓
33x150 cm - 13"x59"
33x120 cm - 13"x$47^{1}/_{4}$" ✖
33x60 cm - 13"x$23^{5}/_{8}$" ✖

Gradino Matte Sensitech ✓
30x120 cm - $11^{3}/_{4}$"x$47^{1}/_{4}$"
30x60 cm - $11^{3}/_{4}$"x$23^{5}/_{8}$" ✖

Scalino Ang. Matte Sensitech ✖ ✓
33x33 cm - 13"x13"

Elemento L Grip Sensitech
33x120 cm - 13"x$47^{1}/_{4}$" ✖✖


Battiscopa Sagomato Sx/Dx Matte Sensitech ✖ ✓
7,2x30 cm - $2^{7}/_{8}$"x$11^{3}/_{4}$"

Corner ∓ 6 mm ✓
1x120 cm - $^{3}/_{8}$"x$47^{1}/_{4}$"

Corner A.E. ∓ 6 mm
1x1 cm - $^{3}/_{8}$"x$^{3}/_{8}$"

✓ **These parts are supplied to order** / I pezzi sono disponibili su ordinazione
✖ **Available in** / Disponibile in **Vanilla White, Vanilla Cream, Breccia Cream, Breccia Pearl, Calacatta Oro, Aurelia Vein, Sahara Dark**
✖✖ **Available in** / Disponibile in **Vanilla White, Vanilla Cream, Breccia Cream, Breccia Pearl, Calacatta Oro, Aurelia Vein, Sahara Dark**

Wall trim tiles



Corner ∓ 8,5 mm ✖ ✓
1,4x50 cm - $^{5}/_{8}$"x$19^{5}/_{8}$"


Corner A.E. ∓ 8,5 mm ✓
1,4x1,4 cm - $^{5}/_{8}$"x$^{5}/_{8}$"

✖ **Available in** / Disponibile in **Vanilla White, Vanilla Cream, Breccia Cream, Breccia Pearl**
✓ **These parts are supplied to order** / I pezzi sono disponibili su ordinazione

Outdoor trim tiles ∓ 20 mm




Round
Outdoor Sensitech SP ✖ ◆ ✓
33x120 cm - 13"x$47^{1}/_{4}$"



Marvel Elemento L
Sensitech SP ✖ ◆ ✓
33x120 cm - 13"x$47^{1}/_{4}$"



Marvel Alzata
Sensitech SP ✖ ✓
20x120 cm - $7^{7}/_{8}$"x$47^{1}/_{4}$"




Marvel Top
Sensitech SP ✖ ✓
30x120 cm - $11^{3}/_{4}$"x$47^{1}/_{4}$"

✖ **Available in** / Disponibile in **Vanilla White, Vanilla Cream, Breccia Cream, Breccia Pearl**
✓ **These parts are supplied to order** / I pezzi sono disponibili su ordinazione
◆ **Right-left angular elements are available** / Sono disponibili gli elementi angolari dx/sx


Outdoor Porcelain tiles ∓ 20 mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech e la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli Stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre piu confortevoli e appaganti.

INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS
SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

Porcelain tiles - Rectified monocaliber | Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group BIa
Compliant with standards ISO 13006 annex G group BIa
Conforme alla norma EN 14411 Appendice G gruppo BIa
Conforme alla norma ISO 13006 Appendice G gruppo BIa

160x320 cm - 63"x126" ≠ 6 mm
120x278 cm - 47 1/4"x109 1/2" ≠ 6 mm
120x240 cm - 47 1/4"x94 1/2" ≠ 9 mm
120x120 cm - 47 1/4"x47 1/4" ≠ 9 mm
60x120 cm - 23 5/8"x47 1/4" ≠ 9 mm
75x150 cm - 29 1/2"x59" ≠ 9 mm
80x80 cm - 31 1/2"x31 1/2" ≠ 9 mm
60x60 cm - 23 5/8"x23 5/8" ≠ 9 mm
30x60 cm - 11 3/4"x23 5/8" ≠ 9 mm
60x120 cm - 23 5/8"x47 1/4" ≠ 20 mm

Technical features / Caratteristiche tecniche	Test Method / Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N: 7 cm ≤ N < 15 cm (mm)	N ≥ 15 cm (%)	N ≥ 15 cm (mm)	Porcelain tiles: Polished ≠ 6 mm	Silk ≠ 6 mm	Matte ≠ 6 mm	Polished ≠ 9 mm	Silk ≠ 9 mm	Matte Sensitech Hammered Matte Sensitech ≠ 9 mm	Hammered Grip Sensitech ≠ 9 mm	Hammered Outdoor Sensitech ≠ 20 mm
Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Rectangularity Ortogonalità		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.								
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.								
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**E_v ≤ 0,5% Individual Maximum 0,6%** E_v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1%	≤ 0,1%	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	ASTM C373	**Requirement ANSI A137.1 Water absorption max ≤ 0,5%**			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5%	≤ 0,5%	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-	-	-	-	≥ U4 60x120
Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹	≤ 7MK⁻¹
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
Reaction to fire Reazione al fuoco	-	**Class A1 or A1$_{fl}$** Classe A1 oppure A1$_{fl}$			A1 - A1$_{fl}$	A1 - A1$_{fl}$	A1 - A1$_{fl}$	A1 - A1$_{fl}$	A1 - A1$_{fl}$	A1 - A1$_{fl}$	A1 - A1$_{fl}$	A1 - A1$_{fl}$
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	A	A	A	A	A	A	A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	LA	LA	LA	LA	LA	LA	LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			-	HA	HA	-	HA	HA	HA	HA
Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	**Declared Class** Classe dichiarata			5	5	5	5	5	5	5	5
Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			N.C	N.C	R9	N.C	N.C	R10	R11	R11
Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			0	0	A	0	0	B	C	C
Pendulum Friction Test Metodo del Pendolo (1)(2)	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	(•)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			-	-	(••)	-	-	Class P3	Class P4	Class P4
	UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			-	-	(•••)	-	-	Class C2	Class C3	Class C3
Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento sciviolante cuoio su pavimentazione asciutta μ >0,40 per elemento sciviolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).** Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).** Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).** Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).** Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1). **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).** Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2). **Anti-slip performance is guaranteed at the time of delivery of the product.** Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(5). **Only for products with 20 mm thickness.** Solo per prodotti a 20mm di spessore.
(•) **PTV ≥ 36 Wet on demand** / su richiesta (••) **P3 on demand** / su richiesta (•••) **C2 on demand** / su richiesta

Wall tiles - Rectified monocaliber | Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII

50x120 cm - 19 5/8"x47 1/4" ≠ 8,5 mm
50x120 cm - 19 5/8"x47 1/4" ≠ 10 mm

Technical features / Caratteristiche tecniche	Test Method / Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N: 7 cm ≤ N < 15 cm (mm)	N ≥ 15 cm (%)	N ≥ 15 cm (mm)	Wall tiles	
Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	**Suitable for** Conforme	
Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	**Suitable for** Conforme	
Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	**Suitable for** Conforme	
Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	**Suitable for** Conforme	
Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	**Suitable for** Conforme	**3D WALL Not applicable** Non applicabile
		e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.		
		w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.		
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	**Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%** Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E_v ≤ 20%	
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm²			R ≥ 15 N/mm²	
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			≤ 7MK⁻¹	
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,06% (0,6mm/m)	
Crazing resistance Resistenza al cavillo	ISO 10545-11	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste	
Bond strenght /adhesion for cementitious adhesives Adesione mediante trazione su adesivi cementizi	EN 1348	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2 - EN 12004)	
Reaction to fire Reazione al fuoco	-	**Class A1** Classe A1			A1	
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A	
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA	
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA	
Resistance to staining Resistenza alle macchie	ISO 10545-14	**Minimum Class 3** Classe 3 minima			5	
Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb	

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).** Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).** Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).** Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).** Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.ù

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

INDEX
INSPIRATION
THE DREAM VILLA
SURFACE RANGE & TECHNICAL SPECS
SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

atlas concorde habitat

Furniture in combination with
Atlas Concorde surfaces


atlasconcorde.com >
ATLAS CONCORDE HABITAT

Bathroom Furniture


Custom Elements

Essenza


MONO
Single Sink




DUO
Twin Sink




UP
Sit-on basin



BLOCK
Free-Standing




LEVEL
Top




Evoluzione


MONO
Single Sink



DUO
Twin Sink




BLOCK
Free-standing




Dialogo

Designer Sinks
Single




Designer Sinks
Twin




Armonia

Single drawer




Twin drawer




Tables


BROOKLYN 75
Dining Tables




BROOKLYN 25
CoffeeTables



INCONTRO 75
Dining Tables




INCONTRO 25
CoffeeTables




CONTATTO
Side Table



MANHATTAN
Hospitality Tables



COSMOPOLITAN
Hospitality Tables




Signature Objects


BY PIERO LISSONI

Tratto


LIBRA
T-Frame




ELLE
L-Frame




TORRE
Wall I-Frame




TORRE
Ground I-Frame



TORRE
Slim Wall I-Frame



LINEA
T-Shelf




OMEGA
U-Shelf




GIOTTO
Side Table



HASHTAG
Flower Pot



ARCO
Bench



QUADRO - 3D QUADRO
Tray




DISCO - 3D DISCO
Tray



FILO
Serving Board



TRAMA
Centerpiece



INDEX

INSPIRATION

THE
DREAM
VILLA

SURFACE
RANGE &
TECHNICAL
SPECS

SURFACE RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD



Ethical identity

Ceramics of Italy

MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali

QUALITY SYSTEM CERTIFICATION DNV ISO 9001 · ENVIRONMENTAL SYSTEM CERTIFICATION DNV ISO 14001 · SAFETY SYSTEM CERTIFICATION DNV ISO 45001

Product certifications / Certificazioni di prodotto

ISO 17889-1 · GREENGUARD GOLD

Product declarations / Dichiarazioni di prodotto

EPD · PEF · FDES certified by inies · HPD Health Product Declaration · Declare.

Certification for buildings / Rating dell'edificio

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning pointsneeded for LEED® certification.

Certifications for export to international markets*

CE · CCC · SQM SAUDI ARABIA · SGS INDONESIA

QB UPEC (1) (2) (3)

atlasconcorde.com

cstb.fr

Ratings and memberships

SILVER | Top 15% ecovadis Sustainability Rating FEB 2025 · Sedex | Member

Find more

*** Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

* Si rimanda alla pagina dedicata per approfondimenti sul riconoscimento EcoVadis - https://recognition.ecovadis.com/pw4JMSKBFkGvlUb2UI-GSA

(1) Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2026
(2) Si consiglia la consultazione della pagina – On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a – Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it
(4) Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

atlas concorde

atlasconcorde.com

Copyright 2026 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) – Italia)
September 2026